FLOODIE-XS

Floodie XS — najmniejszy reflektor z kolekcji Floodie, stworzony do dyskretnego podkreślania detali architektonicznych.



Obudowa	Aluminium
Rodzaj szkła	Hartowane
Źródło światła	LED Module (replaceable)
Tolerancja strumienia świetlnego	10%
Tolerancja barwowa SDCM	<3
Rozsył światła / Emisja	symetryczny / bezpośredni
Klasa szczelności IP	IP67
Odporność na uderzenia	IK06
Zakres temperatury pracy	-35°C ÷ +65°C
Żywotność L80B10	>75 000h
Klasa ochronności	HV: I; LV: III
Okablowanie	HV: H07RN-F 3G1 / LV: H07RN-F 2X1.5
Podłączenie	1m
Ściemnianie	LV: DALI / DALI2; HV: ON-OFF / TRIAC (on request)
Zasilacze	wbudowany
Kąt rozsyłu	6, 11, 17, 23, 28, 43, 60
Moc znamionowa [W]	3
Strumień świetlny [lm]	208-295lm
Rodzaj zasilania	HV: 100-245V AC 50/60Hz ; LV: 24V DC
CRI	>90 / >80

Niviss reserves the right to make technical changes without prior notice
product_card_20261113_205405

Dostępne wersje



Akcesoria



FLOODIE-SPIKE-40-160-M4x10MM



FLOODIE-XS-BASE-xx-80-31



FLOODIE-XS-BASE-xx-35-10



FLOODIE-XS-POLE-S-xx-yy



FLOODIE-XS-POLE-B-xx-yy



FLOODIE-TREE-BELT-S-yy





FLOODIE-TREE-BELT-N-yy





Honeycomb

Wymiary









Niviss reserves the right to make technical changes without prior notice
product_card_20261113_205405

Lista wariantów

Zdjęcie	Indeks	[W]	[LM]	[K]	CRI/Ra>	Rodzaj zasilania	Kąt	Malowanie	Obudowa	Ściemnianie
	FLOODIE-XS-F-3-CW-11-BM-HV-L	3	275lm	6000K	80	100-245V AC	11	Black Mat	Aluminium	ON-OFF
	FLOODIE-XS-F-3-CW-11-BM-HV-LB	3	275lm	6000K	80	100-245V AC	11	Black Mat	Aluminium	ON-OFF
	FLOODIE-XS-F-3-CW-11-BM-HV-LS	3	275lm	6000K	80	100-245V AC	11	Black Mat	Aluminium	ON-OFF
	FLOODIE-XS-F-3-CW-11-BM-HV-U	3	275lm	6000K	80	100-245V AC	11	Black Mat	Aluminium	ON-OFF
	FLOODIE-XS-F-3-CW-11-BM-HV-UB	3	275lm	6000K	80	100-245V AC	11	Black Mat	Aluminium	ON-OFF
	FLOODIE-XS-F-3-CW-11-BM-HV-US	3	275lm	6000K	80	100-245V AC	11	Black Mat	Aluminium	ON-OFF
	FLOODIE-XS-F-3-CW-11-BM-LV-L	3	295lm	6000K	80	24V DC	11	Black Mat	Aluminium	DALI
	FLOODIE-XS-F-3-CW-11-BM-LV-LB	3	295lm	6000K	80	24V DC	11	Black Mat	Aluminium	DALI
	FLOODIE-XS-F-3-CW-11-BM-LV-LS	3	295lm	6000K	80	24V DC	11	Black Mat	Aluminium	DALI
	FLOODIE-XS-F-3-CW-11-BM-LV-U	3	295lm	6000K	80	24V DC	11	Black Mat	Aluminium	DALI
	FLOODIE-XS-F-3-CW-11-BM-LV-UB	3	295lm	6000K	80	24V DC	11	Black Mat	Aluminium	DALI
	FLOODIE-XS-F-3-CW-11-BM-LV-US	3	295lm	6000K	80	24V DC	11	Black Mat	Aluminium	DALI
	FLOODIE-XS-F-3-CW-11-BR-HV-L	3	275lm	6000K	80	100-245V AC	11	Brown Corten	Aluminium	ON-OFF
	FLOODIE-XS-F-3-CW-11-BR-HV-U	3	275lm	6000K	80	100-245V AC	11	Brown Corten	Aluminium	ON-OFF
	FLOODIE-XS-F-3-CW-11-BR-LV-L	3	295lm	6000K	80	24V DC	11	Brown Corten	Aluminium	DALI
	FLOODIE-XS-F-3-CW-11-BR-LV-U	3	295lm	6000K	80	24V DC	11	Brown Corten	Aluminium	DALI
	FLOODIE-XS-F-3-CW-11-GD-HV-L	3	275lm	6000K	80	100-245V AC	11	Dark Grey	Aluminium	ON-OFF
	FLOODIE-XS-F-3-CW-11-GD-HV-U	3	275lm	6000K	80	100-245V AC	11	Dark Grey	Aluminium	ON-OFF
	FLOODIE-XS-F-3-CW-11-GD-LV-L	3	295lm	6000K	80	24V DC	11	Dark Grey	Aluminium	DALI
	FLOODIE-XS-F-3-CW-11-GD-LV-U	3	295lm	6000K	80	24V DC	11	Dark Grey	Aluminium	DALI
	FLOODIE-XS-F-3-CW-11-WM-HV-L	3	275lm	6000K	80	100-245V AC	11	White Mat	Aluminium	ON-OFF
	FLOODIE-XS-F-3-CW-11-WM-HV-U	3	275lm	6000K	80	100-245V AC	11	White Mat	Aluminium	ON-OFF

Niviss reserves the right to make technical changes without prior notice
product_card_20261113_205405

	FLOODIE-XS-F-3-CW-11-WM-LV-L	3	295lm	6000K	80	24V DC	11	White Mat	Aluminium	DALI
	FLOODIE-XS-F-3-CW-11-WM-LV-U	3	295lm	6000K	80	24V DC	11	White Mat	Aluminium	DALI
	FLOODIE-XS-F-3-CW-17-BM-HV-L	3	275lm	6000K	80	100-245V AC	17	Black Mat	Aluminium	ON-OFF
	FLOODIE-XS-F-3-CW-17-BM-HV-LB	3	275lm	6000K	80	100-245V AC	17	Black Mat	Aluminium	ON-OFF
	FLOODIE-XS-F-3-CW-17-BM-HV-LS	3	275lm	6000K	80	100-245V AC	17	Black Mat	Aluminium	ON-OFF
	FLOODIE-XS-F-3-CW-17-BM-HV-U	3	275lm	6000K	80	100-245V AC	17	Black Mat	Aluminium	ON-OFF
	FLOODIE-XS-F-3-CW-17-BM-HV-UB	3	275lm	6000K	80	100-245V AC	17	Black Mat	Aluminium	ON-OFF
	FLOODIE-XS-F-3-CW-17-BM-HV-US	3	275lm	6000K	80	100-245V AC	17	Black Mat	Aluminium	ON-OFF
	FLOODIE-XS-F-3-CW-17-BM-LV-L	3	295lm	6000K	80	24V DC	17	Black Mat	Aluminium	DALI
	FLOODIE-XS-F-3-CW-17-BM-LV-LB	3	295lm	6000K	80	24V DC	17	Black Mat	Aluminium	DALI
	FLOODIE-XS-F-3-CW-17-BM-LV-LS	3	295lm	6000K	80	24V DC	17	Black Mat	Aluminium	DALI
	FLOODIE-XS-F-3-CW-17-BM-LV-U	3	295lm	6000K	80	24V DC	17	Black Mat	Aluminium	DALI
	FLOODIE-XS-F-3-CW-17-BM-LV-UB	3	295lm	6000K	80	24V DC	17	Black Mat	Aluminium	DALI
	FLOODIE-XS-F-3-CW-17-BM-LV-US	3	295lm	6000K	80	24V DC	17	Black Mat	Aluminium	DALI
	FLOODIE-XS-F-3-CW-17-BR-HV-L	3	275lm	6000K	80	100-245V AC	17	Brown Corten	Aluminium	ON-OFF
	FLOODIE-XS-F-3-CW-17-BR-HV-U	3	275lm	6000K	80	100-245V AC	17	Brown Corten	Aluminium	ON-OFF
	FLOODIE-XS-F-3-CW-17-BR-LV-L	3	295lm	6000K	80	24V DC	17	Brown Corten	Aluminium	DALI
	FLOODIE-XS-F-3-CW-17-BR-LV-U	3	295lm	6000K	80	24V DC	17	Brown Corten	Aluminium	DALI
	FLOODIE-XS-F-3-CW-17-GD-HV-L	3	275lm	6000K	80	100-245V AC	17	Dark Grey	Aluminium	ON-OFF
	FLOODIE-XS-F-3-CW-17-GD-HV-U	3	275lm	6000K	80	100-245V AC	17	Dark Grey	Aluminium	ON-OFF
	FLOODIE-XS-F-3-CW-17-GD-LV-L	3	295lm	6000K	80	24V DC	17	Dark Grey	Aluminium	DALI
	FLOODIE-XS-F-3-CW-17-GD-LV-U	3	295lm	6000K	80	24V DC	17	Dark Grey	Aluminium	DALI
	FLOODIE-XS-F-3-CW-17-WM-HV-L	3	275lm	6000K	80	100-245V AC	17	White Mat	Aluminium	ON-OFF
	FLOODIE-XS-F-3-CW-17-WM-HV-U	3	275lm	6000K	80	100-245V AC	17	White Mat	Aluminium	ON-OFF

	FLOODIE-XS-F-3-CW-17-WM-LV-L	3	295lm	6000K	80	24V DC	17	White Mat	Aluminium	DALI
	FLOODIE-XS-F-3-CW-17-WM-LV-U	3	295lm	6000K	80	24V DC	17	White Mat	Aluminium	DALI
	FLOODIE-XS-F-3-CW-23-BM-HV-L	3	275lm	6000K	80	100-245V AC	23	Black Mat	Aluminium	ON-OFF
	FLOODIE-XS-F-3-CW-23-BM-HV-LB	3	275lm	6000K	80	100-245V AC	23	Black Mat	Aluminium	ON-OFF
	FLOODIE-XS-F-3-CW-23-BM-HV-LS	3	275lm	6000K	80	100-245V AC	23	Black Mat	Aluminium	ON-OFF
	FLOODIE-XS-F-3-CW-23-BM-HV-U	3	275lm	6000K	80	100-245V AC	23	Black Mat	Aluminium	ON-OFF
	FLOODIE-XS-F-3-CW-23-BM-HV-UB	3	275lm	6000K	80	100-245V AC	23	Black Mat	Aluminium	ON-OFF
	FLOODIE-XS-F-3-CW-23-BM-HV-US	3	275lm	6000K	80	100-245V AC	23	Black Mat	Aluminium	ON-OFF
	FLOODIE-XS-F-3-CW-23-BM-LV-L	3	295lm	6000K	80	24V DC	23	Black Mat	Aluminium	DALI
	FLOODIE-XS-F-3-CW-23-BM-LV-LB	3	295lm	6000K	80	24V DC	23	Black Mat	Aluminium	DALI
	FLOODIE-XS-F-3-CW-23-BM-LV-LS	3	295lm	6000K	80	24V DC	23	Black Mat	Aluminium	DALI
	FLOODIE-XS-F-3-CW-23-BM-LV-U	3	295lm	6000K	80	24V DC	23	Black Mat	Aluminium	DALI
	FLOODIE-XS-F-3-CW-23-BM-LV-UB	3	295lm	6000K	80	24V DC	23	Black Mat	Aluminium	DALI
	FLOODIE-XS-F-3-CW-23-BM-LV-US	3	295lm	6000K	80	24V DC	23	Black Mat	Aluminium	DALI
	FLOODIE-XS-F-3-CW-23-BR-HV-L	3	275lm	6000K	80	100-245V AC	23	Brown Corten	Aluminium	ON-OFF
	FLOODIE-XS-F-3-CW-23-BR-HV-U	3	275lm	6000K	80	100-245V AC	23	Brown Corten	Aluminium	ON-OFF
	FLOODIE-XS-F-3-CW-23-BR-LV-L	3	295lm	6000K	80	24V DC	23	Brown Corten	Aluminium	DALI
	FLOODIE-XS-F-3-CW-23-BR-LV-U	3	295lm	6000K	80	24V DC	23	Brown Corten	Aluminium	DALI
	FLOODIE-XS-F-3-CW-23-GD-HV-L	3	275lm	6000K	80	100-245V AC	23	Dark Grey	Aluminium	ON-OFF
	FLOODIE-XS-F-3-CW-23-GD-HV-U	3	275lm	6000K	80	100-245V AC	23	Dark Grey	Aluminium	ON-OFF
	FLOODIE-XS-F-3-CW-23-GD-LV-L	3	295lm	6000K	80	24V DC	23	Dark Grey	Aluminium	DALI
	FLOODIE-XS-F-3-CW-23-GD-LV-U	3	295lm	6000K	80	24V DC	23	Dark Grey	Aluminium	DALI
	FLOODIE-XS-F-3-CW-23-WM-HV-L	3	275lm	6000K	80	100-245V AC	23	White Mat	Aluminium	ON-OFF
	FLOODIE-XS-F-3-CW-23-WM-HV-U	3	275lm	6000K	80	100-245V AC	23	White Mat	Aluminium	ON-OFF

Niviss reserves the right to make technical changes without prior notice
product_card_20261113_205405

	FLOODIE-XS-F-3-CW-23-WM-LV-L	3	295lm	6000K	80	24V DC	23	White Mat	Aluminium	DALI
	FLOODIE-XS-F-3-CW-23-WM-LV-U	3	295lm	6000K	80	24V DC	23	White Mat	Aluminium	DALI
	FLOODIE-XS-F-3-CW-28-BM-HV-L	3	275lm	6000K	80	100-245V AC	28	Black Mat	Aluminium	ON-OFF
	FLOODIE-XS-F-3-CW-28-BM-HV-LB	3	275lm	6000K	80	100-245V AC	28	Black Mat	Aluminium	ON-OFF
	FLOODIE-XS-F-3-CW-28-BM-HV-LS	3	275lm	6000K	80	100-245V AC	28	Black Mat	Aluminium	ON-OFF
	FLOODIE-XS-F-3-CW-28-BM-HV-U	3	275lm	6000K	80	100-245V AC	28	Black Mat	Aluminium	ON-OFF
	FLOODIE-XS-F-3-CW-28-BM-HV-UB	3	275lm	6000K	80	100-245V AC	28	Black Mat	Aluminium	ON-OFF
	FLOODIE-XS-F-3-CW-28-BM-HV-US	3	275lm	6000K	80	100-245V AC	28	Black Mat	Aluminium	ON-OFF
	FLOODIE-XS-F-3-CW-28-BM-LV-L	3	295lm	6000K	80	24V DC	28	Black Mat	Aluminium	DALI
	FLOODIE-XS-F-3-CW-28-BM-LV-LB	3	295lm	6000K	80	24V DC	28	Black Mat	Aluminium	DALI
	FLOODIE-XS-F-3-CW-28-BM-LV-LS	3	295lm	6000K	80	24V DC	28	Black Mat	Aluminium	DALI
	FLOODIE-XS-F-3-CW-28-BM-LV-U	3	295lm	6000K	80	24V DC	28	Black Mat	Aluminium	DALI
	FLOODIE-XS-F-3-CW-28-BM-LV-UB	3	295lm	6000K	80	24V DC	28	Black Mat	Aluminium	DALI
	FLOODIE-XS-F-3-CW-28-BM-LV-US	3	295lm	6000K	80	24V DC	28	Black Mat	Aluminium	DALI
	FLOODIE-XS-F-3-CW-28-BR-HV-L	3	275lm	6000K	80	100-245V AC	28	Brown Corten	Aluminium	ON-OFF
	FLOODIE-XS-F-3-CW-28-BR-HV-U	3	275lm	6000K	80	100-245V AC	28	Brown Corten	Aluminium	ON-OFF
	FLOODIE-XS-F-3-CW-28-BR-LV-L	3	295lm	6000K	80	24V DC	28	Brown Corten	Aluminium	DALI
	FLOODIE-XS-F-3-CW-28-BR-LV-U	3	295lm	6000K	80	24V DC	28	Brown Corten	Aluminium	DALI
	FLOODIE-XS-F-3-CW-28-GD-HV-L	3	275lm	6000K	80	100-245V AC	28	Dark Grey	Aluminium	ON-OFF
	FLOODIE-XS-F-3-CW-28-GD-HV-U	3	275lm	6000K	80	100-245V AC	28	Dark Grey	Aluminium	ON-OFF
	FLOODIE-XS-F-3-CW-28-GD-LV-L	3	295lm	6000K	80	24V DC	28	Dark Grey	Aluminium	DALI
	FLOODIE-XS-F-3-CW-28-GD-LV-U	3	295lm	6000K	80	24V DC	28	Dark Grey	Aluminium	DALI
	FLOODIE-XS-F-3-CW-28-WM-HV-L	3	275lm	6000K	80	100-245V AC	28	White Mat	Aluminium	ON-OFF
	FLOODIE-XS-F-3-CW-28-WM-HV-U	3	275lm	6000K	80	100-245V AC	28	White Mat	Aluminium	ON-OFF

Niviss reserves the right to make technical changes without prior notice
product_card_20261113_205405

	FLOODIE-XS-F-3-CW-28-WM-LV-L	3	295lm	6000K	80	24V DC	28	White Mat	Aluminium	DALI
	FLOODIE-XS-F-3-CW-28-WM-LV-U	3	295lm	6000K	80	24V DC	28	White Mat	Aluminium	DALI
	FLOODIE-XS-F-3-CW-43-BM-HV-L	3	275lm	6000K	80	100-245V AC	43	Black Mat	Aluminium	ON-OFF
	FLOODIE-XS-F-3-CW-43-BM-HV-LB	3	275lm	6000K	80	100-245V AC	43	Black Mat	Aluminium	ON-OFF
	FLOODIE-XS-F-3-CW-43-BM-HV-LS	3	275lm	6000K	80	100-245V AC	43	Black Mat	Aluminium	ON-OFF
	FLOODIE-XS-F-3-CW-43-BM-HV-U	3	275lm	6000K	80	100-245V AC	43	Black Mat	Aluminium	ON-OFF
	FLOODIE-XS-F-3-CW-43-BM-HV-UB	3	275lm	6000K	80	100-245V AC	43	Black Mat	Aluminium	ON-OFF
	FLOODIE-XS-F-3-CW-43-BM-HV-US	3	275lm	6000K	80	100-245V AC	43	Black Mat	Aluminium	ON-OFF
	FLOODIE-XS-F-3-CW-43-BM-LV-L	3	295lm	6000K	80	24V DC	43	Black Mat	Aluminium	DALI
	FLOODIE-XS-F-3-CW-43-BM-LV-LB	3	295lm	6000K	80	24V DC	43	Black Mat	Aluminium	DALI
	FLOODIE-XS-F-3-CW-43-BM-LV-LS	3	295lm	6000K	80	24V DC	43	Black Mat	Aluminium	DALI
	FLOODIE-XS-F-3-CW-43-BM-LV-U	3	295lm	6000K	80	24V DC	43	Black Mat	Aluminium	DALI
	FLOODIE-XS-F-3-CW-43-BM-LV-UB	3	295lm	6000K	80	24V DC	43	Black Mat	Aluminium	DALI
	FLOODIE-XS-F-3-CW-43-BM-LV-US	3	295lm	6000K	80	24V DC	43	Black Mat	Aluminium	DALI
	FLOODIE-XS-F-3-CW-43-BR-HV-L	3	275lm	6000K	80	100-245V AC	43	Brown Corten	Aluminium	ON-OFF
	FLOODIE-XS-F-3-CW-43-BR-HV-U	3	275lm	6000K	80	100-245V AC	43	Brown Corten	Aluminium	ON-OFF
	FLOODIE-XS-F-3-CW-43-BR-LV-L	3	295lm	6000K	80	24V DC	43	Brown Corten	Aluminium	DALI
	FLOODIE-XS-F-3-CW-43-BR-LV-U	3	295lm	6000K	80	24V DC	43	Brown Corten	Aluminium	DALI
	FLOODIE-XS-F-3-CW-43-GD-HV-L	3	275lm	6000K	80	100-245V AC	43	Dark Grey	Aluminium	ON-OFF
	FLOODIE-XS-F-3-CW-43-GD-HV-U	3	275lm	6000K	80	100-245V AC	43	Dark Grey	Aluminium	ON-OFF
	FLOODIE-XS-F-3-CW-43-GD-LV-L	3	295lm	6000K	80	24V DC	43	Dark Grey	Aluminium	DALI
	FLOODIE-XS-F-3-CW-43-GD-LV-U	3	295lm	6000K	80	24V DC	43	Dark Grey	Aluminium	DALI
	FLOODIE-XS-F-3-CW-43-WM-HV-L	3	275lm	6000K	80	100-245V AC	43	White Mat	Aluminium	ON-OFF
	FLOODIE-XS-F-3-CW-43-WM-HV-U	3	275lm	6000K	80	100-245V AC	43	White Mat	Aluminium	ON-OFF

Niviss reserves the right to make technical changes without prior notice
product_card_20261113_205405

	FLOODIE-XS-F-3-CW-43-WM-LV-L	3	295lm	6000K	80	24V DC	43	White Mat	Aluminium	DALI
	FLOODIE-XS-F-3-CW-43-WM-LV-U	3	295lm	6000K	80	24V DC	43	White Mat	Aluminium	DALI
	FLOODIE-XS-F-3-CW-6-BM-HV-L	3	275lm	6000K	80	100-245V AC	6	Black Mat	Aluminium	ON-OFF
	FLOODIE-XS-F-3-CW-6-BM-HV-LB	3	275lm	6000K	80	100-245V AC	6	Black Mat	Aluminium	ON-OFF
	FLOODIE-XS-F-3-CW-6-BM-HV-LS	3	275lm	6000K	80	100-245V AC	6	Black Mat	Aluminium	ON-OFF
	FLOODIE-XS-F-3-CW-6-BM-HV-U	3	275lm	6000K	80	100-245V AC	6	Black Mat	Aluminium	ON-OFF
	FLOODIE-XS-F-3-CW-6-BM-HV-UB	3	275lm	6000K	80	100-245V AC	6	Black Mat	Aluminium	ON-OFF
	FLOODIE-XS-F-3-CW-6-BM-HV-US	3	275lm	6000K	80	100-245V AC	6	Black Mat	Aluminium	ON-OFF
	FLOODIE-XS-F-3-CW-6-BM-LV-L	3	295lm	6000K	80	24V DC	6	Black Mat	Aluminium	DALI
	FLOODIE-XS-F-3-CW-6-BM-LV-LB	3	295lm	6000K	80	24V DC	6	Black Mat	Aluminium	DALI
	FLOODIE-XS-F-3-CW-6-BM-LV-LS	3	295lm	6000K	80	24V DC	6	Black Mat	Aluminium	DALI
	FLOODIE-XS-F-3-CW-6-BM-LV-U	3	295lm	6000K	80	24V DC	6	Black Mat	Aluminium	DALI
	FLOODIE-XS-F-3-CW-6-BM-LV-UB	3	295lm	6000K	80	24V DC	6	Black Mat	Aluminium	DALI
	FLOODIE-XS-F-3-CW-6-BM-LV-US	3	295lm	6000K	80	24V DC	6	Black Mat	Aluminium	DALI
	FLOODIE-XS-F-3-CW-6-BR-HV-L	3	275lm	6000K	80	100-245V AC	6	Brown Corten	Aluminium	ON-OFF
	FLOODIE-XS-F-3-CW-6-BR-HV-U	3	275lm	6000K	80	100-245V AC	6	Brown Corten	Aluminium	ON-OFF
	FLOODIE-XS-F-3-CW-6-BR-LV-L	3	295lm	6000K	80	24V DC	6	Brown Corten	Aluminium	DALI
	FLOODIE-XS-F-3-CW-6-BR-LV-U	3	295lm	6000K	80	24V DC	6	Brown Corten	Aluminium	DALI
	FLOODIE-XS-F-3-CW-6-GD-HV-L	3	275lm	6000K	80	100-245V AC	6	Dark Grey	Aluminium	ON-OFF
	FLOODIE-XS-F-3-CW-6-GD-HV-U	3	275lm	6000K	80	100-245V AC	6	Dark Grey	Aluminium	ON-OFF
	FLOODIE-XS-F-3-CW-6-GD-LV-L	3	295lm	6000K	80	24V DC	6	Dark Grey	Aluminium	DALI
	FLOODIE-XS-F-3-CW-6-GD-LV-U	3	295lm	6000K	80	24V DC	6	Dark Grey	Aluminium	DALI
	FLOODIE-XS-F-3-CW-6-WM-HV-L	3	275lm	6000K	80	100-245V AC	6	White Mat	Aluminium	ON-OFF
	FLOODIE-XS-F-3-CW-6-WM-HV-U	3	275lm	6000K	80	100-245V AC	6	White Mat	Aluminium	ON-OFF

Niviss reserves the right to make technical changes without prior notice
product_card_20261113_205405

	FLOODIE-XS-F-3-CW-6-WM-LV-L	3	295lm	6000K	80	24V DC	6	White Mat	Aluminium	DALI
	FLOODIE-XS-F-3-CW-6-WM-LV-U	3	295lm	6000K	80	24V DC	6	White Mat	Aluminium	DALI
	FLOODIE-XS-F-3-CW-60-BM-HV-L	3	275lm	6000K	80	100-245V AC	60	Black Mat	Aluminium	ON-OFF
	FLOODIE-XS-F-3-CW-60-BM-HV-LB	3	275lm	6000K	80	100-245V AC	60	Black Mat	Aluminium	ON-OFF
	FLOODIE-XS-F-3-CW-60-BM-HV-LS	3	275lm	6000K	80	100-245V AC	60	Black Mat	Aluminium	ON-OFF
	FLOODIE-XS-F-3-CW-60-BM-HV-U	3	275lm	6000K	80	100-245V AC	60	Black Mat	Aluminium	ON-OFF
	FLOODIE-XS-F-3-CW-60-BM-HV-UB	3	275lm	6000K	80	100-245V AC	60	Black Mat	Aluminium	ON-OFF
	FLOODIE-XS-F-3-CW-60-BM-HV-US	3	275lm	6000K	80	100-245V AC	60	Black Mat	Aluminium	ON-OFF
	FLOODIE-XS-F-3-CW-60-BM-LV-L	3	295lm	6000K	80	24V DC	60	Black Mat	Aluminium	DALI
	FLOODIE-XS-F-3-CW-60-BM-LV-LB	3	295lm	6000K	80	24V DC	60	Black Mat	Aluminium	DALI
	FLOODIE-XS-F-3-CW-60-BM-LV-LS	3	295lm	6000K	80	24V DC	60	Black Mat	Aluminium	DALI
	FLOODIE-XS-F-3-CW-60-BM-LV-U	3	295lm	6000K	80	24V DC	60	Black Mat	Aluminium	DALI
	FLOODIE-XS-F-3-CW-60-BM-LV-UB	3	295lm	6000K	80	24V DC	60	Black Mat	Aluminium	DALI
	FLOODIE-XS-F-3-CW-60-BM-LV-US	3	295lm	6000K	80	24V DC	60	Black Mat	Aluminium	DALI
	FLOODIE-XS-F-3-CW-60-BR-HV-L	3	275lm	6000K	80	100-245V AC	60	Brown Corten	Aluminium	ON-OFF
	FLOODIE-XS-F-3-CW-60-BR-HV-U	3	275lm	6000K	80	100-245V AC	60	Brown Corten	Aluminium	ON-OFF
	FLOODIE-XS-F-3-CW-60-BR-LV-L	3	295lm	6000K	80	24V DC	60	Brown Corten	Aluminium	DALI
	FLOODIE-XS-F-3-CW-60-BR-LV-U	3	295lm	6000K	80	24V DC	60	Brown Corten	Aluminium	DALI
	FLOODIE-XS-F-3-CW-60-GD-HV-L	3	275lm	6000K	80	100-245V AC	60	Dark Grey	Aluminium	ON-OFF
	FLOODIE-XS-F-3-CW-60-GD-HV-U	3	275lm	6000K	80	100-245V AC	60	Dark Grey	Aluminium	ON-OFF
	FLOODIE-XS-F-3-CW-60-GD-LV-L	3	295lm	6000K	80	24V DC	60	Dark Grey	Aluminium	DALI
	FLOODIE-XS-F-3-CW-60-GD-LV-U	3	295lm	6000K	80	24V DC	60	Dark Grey	Aluminium	DALI
	FLOODIE-XS-F-3-CW-60-WM-HV-L	3	275lm	6000K	80	100-245V AC	60	White Mat	Aluminium	ON-OFF
	FLOODIE-XS-F-3-CW-60-WM-HV-U	3	275lm	6000K	80	100-245V AC	60	White Mat	Aluminium	ON-OFF

Niviss reserves the right to make technical changes without prior notice
product_card_20261113_205405

	FLOODIE-XS-F-3-CW-60-WM-LV-L	3	295lm	6000K	80	24V DC	60	White Mat	Aluminium	DALI
	FLOODIE-XS-F-3-CW-60-WM-LV-U	3	295lm	6000K	80	24V DC	60	White Mat	Aluminium	DALI
	FLOODIE-XS-F-3-NW-11-BM-HV-L	3	248lm	4000K	80	100-245V AC	11	Black Mat	Aluminium	ON-OFF
	FLOODIE-XS-F-3-NW-11-BM-HV-LB	3	248lm	4000K	80	100-245V AC	11	Black Mat	Aluminium	ON-OFF
	FLOODIE-XS-F-3-NW-11-BM-HV-LS	3	248lm	4000K	80	100-245V AC	11	Black Mat	Aluminium	ON-OFF
	FLOODIE-XS-F-3-NW-11-BM-HV-U	3	248lm	4000K	80	100-245V AC	11	Black Mat	Aluminium	ON-OFF
	FLOODIE-XS-F-3-NW-11-BM-HV-UB	3	248lm	4000K	80	100-245V AC	11	Black Mat	Aluminium	ON-OFF
	FLOODIE-XS-F-3-NW-11-BM-HV-US	3	248lm	4000K	80	100-245V AC	11	Black Mat	Aluminium	ON-OFF
	FLOODIE-XS-F-3-NW-11-BM-LV-L	3	270lm	4000K	80	24V DC	11	Black Mat	Aluminium	DALI
	FLOODIE-XS-F-3-NW-11-BM-LV-LB	3	270lm	4000K	80	24V DC	11	Black Mat	Aluminium	DALI
	FLOODIE-XS-F-3-NW-11-BM-LV-LS	3	270lm	4000K	80	24V DC	11	Black Mat	Aluminium	DALI
	FLOODIE-XS-F-3-NW-11-BM-LV-U	3	270lm	4000K	80	24V DC	11	Black Mat	Aluminium	DALI
	FLOODIE-XS-F-3-NW-11-BM-LV-UB	3	270lm	4000K	80	24V DC	11	Black Mat	Aluminium	DALI
	FLOODIE-XS-F-3-NW-11-BM-LV-US	3	270lm	4000K	80	24V DC	11	Black Mat	Aluminium	DALI
	FLOODIE-XS-F-3-NW-11-BR-HV-L	3	248lm	4000K	80	100-245V AC	11	Brown Corten	Aluminium	ON-OFF
	FLOODIE-XS-F-3-NW-11-BR-HV-U	3	248lm	4000K	80	100-245V AC	11	Brown Corten	Aluminium	ON-OFF
	FLOODIE-XS-F-3-NW-11-BR-LV-L	3	270lm	4000K	80	24V DC	11	Brown Corten	Aluminium	DALI
	FLOODIE-XS-F-3-NW-11-BR-LV-U	3	270lm	4000K	80	24V DC	11	Brown Corten	Aluminium	DALI
	FLOODIE-XS-F-3-NW-11-GD-HV-L	3	248lm	4000K	80	100-245V AC	11	Dark Grey	Aluminium	ON-OFF
	FLOODIE-XS-F-3-NW-11-GD-HV-U	3	248lm	4000K	80	100-245V AC	11	Dark Grey	Aluminium	ON-OFF
	FLOODIE-XS-F-3-NW-11-GD-LV-L	3	270lm	4000K	80	24V DC	11	Dark Grey	Aluminium	DALI
	FLOODIE-XS-F-3-NW-11-GD-LV-U	3	270lm	4000K	80	24V DC	11	Dark Grey	Aluminium	DALI
	FLOODIE-XS-F-3-NW-11-WM-HV-L	3	248lm	4000K	80	100-245V AC	11	White Mat	Aluminium	ON-OFF
	FLOODIE-XS-F-3-NW-11-WM-HV-U	3	248lm	4000K	80	100-245V AC	11	White Mat	Aluminium	ON-OFF

	FLOODIE-XS-F-3-NW-11-WM-LV-L	3	270lm	4000K	80	24V DC	11	White Mat	Aluminium	DALI
	FLOODIE-XS-F-3-NW-11-WM-LV-U	3	270lm	4000K	80	24V DC	11	White Mat	Aluminium	DALI
	FLOODIE-XS-F-3-NW-17-BM-HV-L	3	248lm	4000K	80	100-245V AC	17	Black Mat	Aluminium	ON-OFF
	FLOODIE-XS-F-3-NW-17-BM-HV-LB	3	248lm	4000K	80	100-245V AC	17	Black Mat	Aluminium	ON-OFF
	FLOODIE-XS-F-3-NW-17-BM-HV-LS	3	248lm	4000K	80	100-245V AC	17	Black Mat	Aluminium	ON-OFF
	FLOODIE-XS-F-3-NW-17-BM-HV-U	3	248lm	4000K	80	100-245V AC	17	Black Mat	Aluminium	ON-OFF
	FLOODIE-XS-F-3-NW-17-BM-HV-UB	3	248lm	4000K	80	100-245V AC	17	Black Mat	Aluminium	ON-OFF
	FLOODIE-XS-F-3-NW-17-BM-HV-US	3	248lm	4000K	80	100-245V AC	17	Black Mat	Aluminium	ON-OFF
	FLOODIE-XS-F-3-NW-17-BM-LV-L	3	270lm	4000K	80	24V DC	17	Black Mat	Aluminium	DALI
	FLOODIE-XS-F-3-NW-17-BM-LV-LB	3	270lm	4000K	80	24V DC	17	Black Mat	Aluminium	DALI
	FLOODIE-XS-F-3-NW-17-BM-LV-LS	3	270lm	4000K	80	24V DC	17	Black Mat	Aluminium	DALI
	FLOODIE-XS-F-3-NW-17-BM-LV-U	3	270lm	4000K	80	24V DC	17	Black Mat	Aluminium	DALI
	FLOODIE-XS-F-3-NW-17-BM-LV-UB	3	270lm	4000K	80	24V DC	17	Black Mat	Aluminium	DALI
	FLOODIE-XS-F-3-NW-17-BM-LV-US	3	270lm	4000K	80	24V DC	17	Black Mat	Aluminium	DALI
	FLOODIE-XS-F-3-NW-17-BR-HV-L	3	248lm	4000K	80	100-245V AC	17	Brown Corten	Aluminium	ON-OFF
	FLOODIE-XS-F-3-NW-17-BR-HV-U	3	248lm	4000K	80	100-245V AC	17	Brown Corten	Aluminium	ON-OFF
	FLOODIE-XS-F-3-NW-17-BR-LV-L	3	270lm	4000K	80	24V DC	17	Brown Corten	Aluminium	DALI
	FLOODIE-XS-F-3-NW-17-BR-LV-U	3	270lm	4000K	80	24V DC	17	Brown Corten	Aluminium	DALI
	FLOODIE-XS-F-3-NW-17-GD-HV-L	3	248lm	4000K	80	100-245V AC	17	Dark Grey	Aluminium	ON-OFF
	FLOODIE-XS-F-3-NW-17-GD-HV-U	3	248lm	4000K	80	100-245V AC	17	Dark Grey	Aluminium	ON-OFF
	FLOODIE-XS-F-3-NW-17-GD-LV-L	3	270lm	4000K	80	24V DC	17	Dark Grey	Aluminium	DALI
	FLOODIE-XS-F-3-NW-17-GD-LV-U	3	270lm	4000K	80	24V DC	17	Dark Grey	Aluminium	DALI
	FLOODIE-XS-F-3-NW-17-WM-HV-L	3	248lm	4000K	80	100-245V AC	17	White Mat	Aluminium	ON-OFF
	FLOODIE-XS-F-3-NW-17-WM-HV-U	3	248lm	4000K	80	100-245V AC	17	White Mat	Aluminium	ON-OFF

Niviss reserves the right to make technical changes without prior notice
product_card_20261113_205405

	FLOODIE-XS-F-3-NW-17-WM-LV-L	3	270lm	4000K	80	24V DC	17	White Mat	Aluminium	DALI
	FLOODIE-XS-F-3-NW-17-WM-LV-U	3	270lm	4000K	80	24V DC	17	White Mat	Aluminium	DALI
	FLOODIE-XS-F-3-NW-23-BM-HV-L	3	248lm	4000K	80	100-245V AC	23	Black Mat	Aluminium	ON-OFF
	FLOODIE-XS-F-3-NW-23-BM-HV-LB	3	248lm	4000K	80	100-245V AC	23	Black Mat	Aluminium	ON-OFF
	FLOODIE-XS-F-3-NW-23-BM-HV-LS	3	248lm	4000K	80	100-245V AC	23	Black Mat	Aluminium	ON-OFF
	FLOODIE-XS-F-3-NW-23-BM-HV-U	3	248lm	4000K	80	100-245V AC	23	Black Mat	Aluminium	ON-OFF
	FLOODIE-XS-F-3-NW-23-BM-HV-UB	3	248lm	4000K	80	100-245V AC	23	Black Mat	Aluminium	ON-OFF
	FLOODIE-XS-F-3-NW-23-BM-HV-US	3	248lm	4000K	80	100-245V AC	23	Black Mat	Aluminium	ON-OFF
	FLOODIE-XS-F-3-NW-23-BM-LV-L	3	270lm	4000K	80	24V DC	23	Black Mat	Aluminium	DALI
	FLOODIE-XS-F-3-NW-23-BM-LV-LB	3	270lm	4000K	80	24V DC	23	Black Mat	Aluminium	DALI
	FLOODIE-XS-F-3-NW-23-BM-LV-LS	3	270lm	4000K	80	24V DC	23	Black Mat	Aluminium	DALI
	FLOODIE-XS-F-3-NW-23-BM-LV-U	3	270lm	4000K	80	24V DC	23	Black Mat	Aluminium	DALI
	FLOODIE-XS-F-3-NW-23-BM-LV-UB	3	270lm	4000K	80	24V DC	23	Black Mat	Aluminium	DALI
	FLOODIE-XS-F-3-NW-23-BM-LV-US	3	270lm	4000K	80	24V DC	23	Black Mat	Aluminium	DALI
	FLOODIE-XS-F-3-NW-23-BR-HV-L	3	248lm	4000K	80	100-245V AC	23	Brown Corten	Aluminium	ON-OFF
	FLOODIE-XS-F-3-NW-23-BR-HV-U	3	248lm	4000K	80	100-245V AC	23	Brown Corten	Aluminium	ON-OFF
	FLOODIE-XS-F-3-NW-23-BR-LV-L	3	270lm	4000K	80	24V DC	23	Brown Corten	Aluminium	DALI
	FLOODIE-XS-F-3-NW-23-BR-LV-U	3	270lm	4000K	80	24V DC	23	Brown Corten	Aluminium	DALI
	FLOODIE-XS-F-3-NW-23-GD-HV-L	3	248lm	4000K	80	100-245V AC	23	Dark Grey	Aluminium	ON-OFF
	FLOODIE-XS-F-3-NW-23-GD-HV-U	3	248lm	4000K	80	100-245V AC	23	Dark Grey	Aluminium	ON-OFF
	FLOODIE-XS-F-3-NW-23-GD-LV-L	3	270lm	4000K	80	24V DC	23	Dark Grey	Aluminium	DALI
	FLOODIE-XS-F-3-NW-23-GD-LV-U	3	270lm	4000K	80	24V DC	23	Dark Grey	Aluminium	DALI
	FLOODIE-XS-F-3-NW-23-WM-HV-L	3	248lm	4000K	80	100-245V AC	23	White Mat	Aluminium	ON-OFF
	FLOODIE-XS-F-3-NW-23-WM-HV-U	3	248lm	4000K	80	100-245V AC	23	White Mat	Aluminium	ON-OFF

Niviss reserves the right to make technical changes without prior notice
product_card_20261113_205405

	FLOODIE-XS-F-3-NW-23-WM-LV-L	3	270lm	4000K	80	24V DC	23	White Mat	Aluminium	DALI
	FLOODIE-XS-F-3-NW-23-WM-LV-U	3	270lm	4000K	80	24V DC	23	White Mat	Aluminium	DALI
	FLOODIE-XS-F-3-NW-28-BM-HV-L	3	248lm	4000K	80	100-245V AC	28	Black Mat	Aluminium	ON-OFF
	FLOODIE-XS-F-3-NW-28-BM-HV-LB	3	248lm	4000K	80	100-245V AC	28	Black Mat	Aluminium	ON-OFF
	FLOODIE-XS-F-3-NW-28-BM-HV-LS	3	248lm	4000K	80	100-245V AC	28	Black Mat	Aluminium	ON-OFF
	FLOODIE-XS-F-3-NW-28-BM-HV-U	3	248lm	4000K	80	100-245V AC	28	Black Mat	Aluminium	ON-OFF
	FLOODIE-XS-F-3-NW-28-BM-HV-UB	3	248lm	4000K	80	100-245V AC	28	Black Mat	Aluminium	ON-OFF
	FLOODIE-XS-F-3-NW-28-BM-HV-US	3	248lm	4000K	80	100-245V AC	28	Black Mat	Aluminium	ON-OFF
	FLOODIE-XS-F-3-NW-28-BM-LV-L	3	270lm	4000K	80	24V DC	28	Black Mat	Aluminium	DALI
	FLOODIE-XS-F-3-NW-28-BM-LV-LB	3	270lm	4000K	80	24V DC	28	Black Mat	Aluminium	DALI
	FLOODIE-XS-F-3-NW-28-BM-LV-LS	3	270lm	4000K	80	24V DC	28	Black Mat	Aluminium	DALI
	FLOODIE-XS-F-3-NW-28-BM-LV-U	3	270lm	4000K	80	24V DC	28	Black Mat	Aluminium	DALI
	FLOODIE-XS-F-3-NW-28-BM-LV-UB	3	270lm	4000K	80	24V DC	28	Black Mat	Aluminium	DALI
	FLOODIE-XS-F-3-NW-28-BM-LV-US	3	270lm	4000K	80	24V DC	28	Black Mat	Aluminium	DALI
	FLOODIE-XS-F-3-NW-28-BR-HV-L	3	248lm	4000K	80	100-245V AC	28	Brown Corten	Aluminium	ON-OFF
	FLOODIE-XS-F-3-NW-28-BR-HV-U	3	248lm	4000K	80	100-245V AC	28	Brown Corten	Aluminium	ON-OFF
	FLOODIE-XS-F-3-NW-28-BR-LV-L	3	270lm	4000K	80	24V DC	28	Brown Corten	Aluminium	DALI
	FLOODIE-XS-F-3-NW-28-BR-LV-U	3	270lm	4000K	80	24V DC	28	Brown Corten	Aluminium	DALI
	FLOODIE-XS-F-3-NW-28-GD-HV-L	3	248lm	4000K	80	100-245V AC	28	Dark Grey	Aluminium	ON-OFF
	FLOODIE-XS-F-3-NW-28-GD-HV-U	3	248lm	4000K	80	100-245V AC	28	Dark Grey	Aluminium	ON-OFF
	FLOODIE-XS-F-3-NW-28-GD-LV-L	3	270lm	4000K	80	24V DC	28	Dark Grey	Aluminium	DALI
	FLOODIE-XS-F-3-NW-28-GD-LV-U	3	270lm	4000K	80	24V DC	28	Dark Grey	Aluminium	DALI
	FLOODIE-XS-F-3-NW-28-WM-HV-L	3	248lm	4000K	80	100-245V AC	28	White Mat	Aluminium	ON-OFF
	FLOODIE-XS-F-3-NW-28-WM-HV-U	3	248lm	4000K	80	100-245V AC	28	White Mat	Aluminium	ON-OFF

Niviss reserves the right to make technical changes without prior notice
product_card_20261113_205405

	FLOODIE-XS-F-3-NW-28-WM-LV-L	3	270lm	4000K	80	24V DC	28	White Mat	Aluminium	DALI
	FLOODIE-XS-F-3-NW-28-WM-LV-U	3	270lm	4000K	80	24V DC	28	White Mat	Aluminium	DALI
	FLOODIE-XS-F-3-NW-43-BM-HV-L	3	248lm	4000K	80	100-245V AC	43	Black Mat	Aluminium	ON-OFF
	FLOODIE-XS-F-3-NW-43-BM-HV-LB	3	248lm	4000K	80	100-245V AC	43	Black Mat	Aluminium	ON-OFF
	FLOODIE-XS-F-3-NW-43-BM-HV-LS	3	248lm	4000K	80	100-245V AC	43	Black Mat	Aluminium	ON-OFF
	FLOODIE-XS-F-3-NW-43-BM-HV-U	3	248lm	4000K	80	100-245V AC	43	Black Mat	Aluminium	ON-OFF
	FLOODIE-XS-F-3-NW-43-BM-HV-UB	3	248lm	4000K	80	100-245V AC	43	Black Mat	Aluminium	ON-OFF
	FLOODIE-XS-F-3-NW-43-BM-HV-US	3	248lm	4000K	80	100-245V AC	43	Black Mat	Aluminium	ON-OFF
	FLOODIE-XS-F-3-NW-43-BM-LV-L	3	270lm	4000K	80	24V DC	43	Black Mat	Aluminium	DALI
	FLOODIE-XS-F-3-NW-43-BM-LV-LB	3	270lm	4000K	80	24V DC	43	Black Mat	Aluminium	DALI
	FLOODIE-XS-F-3-NW-43-BM-LV-LS	3	270lm	4000K	80	24V DC	43	Black Mat	Aluminium	DALI
	FLOODIE-XS-F-3-NW-43-BM-LV-U	3	270lm	4000K	80	24V DC	43	Black Mat	Aluminium	DALI
	FLOODIE-XS-F-3-NW-43-BM-LV-UB	3	270lm	4000K	80	24V DC	43	Black Mat	Aluminium	DALI
	FLOODIE-XS-F-3-NW-43-BM-LV-US	3	270lm	4000K	80	24V DC	43	Black Mat	Aluminium	DALI
	FLOODIE-XS-F-3-NW-43-BR-HV-L	3	248lm	4000K	80	100-245V AC	43	Brown Corten	Aluminium	ON-OFF
	FLOODIE-XS-F-3-NW-43-BR-HV-U	3	248lm	4000K	80	100-245V AC	43	Brown Corten	Aluminium	ON-OFF
	FLOODIE-XS-F-3-NW-43-BR-LV-L	3	270lm	4000K	80	24V DC	43	Brown Corten	Aluminium	DALI
	FLOODIE-XS-F-3-NW-43-BR-LV-U	3	270lm	4000K	80	24V DC	43	Brown Corten	Aluminium	DALI
	FLOODIE-XS-F-3-NW-43-GD-HV-L	3	248lm	4000K	80	100-245V AC	43	Dark Grey	Aluminium	ON-OFF
	FLOODIE-XS-F-3-NW-43-GD-HV-U	3	248lm	4000K	80	100-245V AC	43	Dark Grey	Aluminium	ON-OFF
	FLOODIE-XS-F-3-NW-43-GD-LV-L	3	270lm	4000K	80	24V DC	43	Dark Grey	Aluminium	DALI
	FLOODIE-XS-F-3-NW-43-GD-LV-U	3	270lm	4000K	80	24V DC	43	Dark Grey	Aluminium	DALI
	FLOODIE-XS-F-3-NW-43-WM-HV-L	3	248lm	4000K	80	100-245V AC	43	White Mat	Aluminium	ON-OFF
	FLOODIE-XS-F-3-NW-43-WM-HV-U	3	248lm	4000K	80	100-245V AC	43	White Mat	Aluminium	ON-OFF

Niviss reserves the right to make technical changes without prior notice
product_card_20261113_205405

	FLOODIE-XS-F-3-NW-43-WM-LV-L	3	270lm	4000K	80	24V DC	43	White Mat	Aluminium	DALI
	FLOODIE-XS-F-3-NW-43-WM-LV-U	3	270lm	4000K	80	24V DC	43	White Mat	Aluminium	DALI
	FLOODIE-XS-F-3-NW-6-BM-HV-L	3	248lm	4000K	80	100-245V AC	6	Black Mat	Aluminium	ON-OFF
	FLOODIE-XS-F-3-NW-6-BM-HV-LB	3	248lm	4000K	80	100-245V AC	6	Black Mat	Aluminium	ON-OFF
	FLOODIE-XS-F-3-NW-6-BM-HV-LS	3	248lm	4000K	80	100-245V AC	6	Black Mat	Aluminium	ON-OFF
	FLOODIE-XS-F-3-NW-6-BM-HV-U	3	248lm	4000K	80	100-245V AC	6	Black Mat	Aluminium	ON-OFF
	FLOODIE-XS-F-3-NW-6-BM-HV-UB	3	248lm	4000K	80	100-245V AC	6	Black Mat	Aluminium	ON-OFF
	FLOODIE-XS-F-3-NW-6-BM-HV-US	3	248lm	4000K	80	100-245V AC	6	Black Mat	Aluminium	ON-OFF
	FLOODIE-XS-F-3-NW-6-BM-LV-L	3	270lm	4000K	80	24V DC	6	Black Mat	Aluminium	DALI
	FLOODIE-XS-F-3-NW-6-BM-LV-LB	3	270lm	4000K	80	24V DC	6	Black Mat	Aluminium	DALI
	FLOODIE-XS-F-3-NW-6-BM-LV-LS	3	270lm	4000K	80	24V DC	6	Black Mat	Aluminium	DALI
	FLOODIE-XS-F-3-NW-6-BM-LV-U	3	270lm	4000K	80	24V DC	6	Black Mat	Aluminium	DALI
	FLOODIE-XS-F-3-NW-6-BM-LV-UB	3	270lm	4000K	80	24V DC	6	Black Mat	Aluminium	DALI
	FLOODIE-XS-F-3-NW-6-BM-LV-US	3	270lm	4000K	80	24V DC	6	Black Mat	Aluminium	DALI
	FLOODIE-XS-F-3-NW-6-BR-HV-L	3	248lm	4000K	80	100-245V AC	6	Brown Corten	Aluminium	ON-OFF
	FLOODIE-XS-F-3-NW-6-BR-HV-U	3	248lm	4000K	80	100-245V AC	6	Brown Corten	Aluminium	ON-OFF
	FLOODIE-XS-F-3-NW-6-BR-LV-L	3	270lm	4000K	80	24V DC	6	Brown Corten	Aluminium	DALI
	FLOODIE-XS-F-3-NW-6-BR-LV-U	3	270lm	4000K	80	24V DC	6	Brown Corten	Aluminium	DALI
	FLOODIE-XS-F-3-NW-6-GD-HV-L	3	248lm	4000K	80	100-245V AC	6	Dark Grey	Aluminium	ON-OFF
	FLOODIE-XS-F-3-NW-6-GD-HV-U	3	248lm	4000K	80	100-245V AC	6	Dark Grey	Aluminium	ON-OFF
	FLOODIE-XS-F-3-NW-6-GD-LV-L	3	270lm	4000K	80	24V DC	6	Dark Grey	Aluminium	DALI
	FLOODIE-XS-F-3-NW-6-GD-LV-U	3	270lm	4000K	80	24V DC	6	Dark Grey	Aluminium	DALI
	FLOODIE-XS-F-3-NW-6-WM-HV-L	3	248lm	4000K	80	100-245V AC	6	White Mat	Aluminium	ON-OFF
	FLOODIE-XS-F-3-NW-6-WM-HV-U	3	248lm	4000K	80	100-245V AC	6	White Mat	Aluminium	ON-OFF

Niviss reserves the right to make technical changes without prior notice
product_card_20261113_205405

	FLOODIE-XS-F-3-NW-6-WM-LV-L	3	270lm	4000K	80	24V DC	6	White Mat	Aluminium	DALI
	FLOODIE-XS-F-3-NW-6-WM-LV-U	3	270lm	4000K	80	24V DC	6	White Mat	Aluminium	DALI
	FLOODIE-XS-F-3-NW-60-BM-HV-L	3	248lm	4000K	80	100-245V AC	60	Black Mat	Aluminium	ON-OFF
	FLOODIE-XS-F-3-NW-60-BM-HV-LB	3	248lm	4000K	80	100-245V AC	60	Black Mat	Aluminium	ON-OFF
	FLOODIE-XS-F-3-NW-60-BM-HV-LS	3	248lm	4000K	80	100-245V AC	60	Black Mat	Aluminium	ON-OFF
	FLOODIE-XS-F-3-NW-60-BM-HV-U	3	248lm	4000K	80	100-245V AC	60	Black Mat	Aluminium	ON-OFF
	FLOODIE-XS-F-3-NW-60-BM-HV-UB	3	248lm	4000K	80	100-245V AC	60	Black Mat	Aluminium	ON-OFF
	FLOODIE-XS-F-3-NW-60-BM-HV-US	3	248lm	4000K	80	100-245V AC	60	Black Mat	Aluminium	ON-OFF
	FLOODIE-XS-F-3-NW-60-BM-LV-L	3	270lm	4000K	80	24V DC	60	Black Mat	Aluminium	DALI
	FLOODIE-XS-F-3-NW-60-BM-LV-LB	3	270lm	4000K	80	24V DC	60	Black Mat	Aluminium	DALI
	FLOODIE-XS-F-3-NW-60-BM-LV-LS	3	270lm	4000K	80	24V DC	60	Black Mat	Aluminium	DALI
	FLOODIE-XS-F-3-NW-60-BM-LV-U	3	270lm	4000K	80	24V DC	60	Black Mat	Aluminium	DALI
	FLOODIE-XS-F-3-NW-60-BM-LV-UB	3	270lm	4000K	80	24V DC	60	Black Mat	Aluminium	DALI
	FLOODIE-XS-F-3-NW-60-BM-LV-US	3	270lm	4000K	80	24V DC	60	Black Mat	Aluminium	DALI
	FLOODIE-XS-F-3-NW-60-BR-HV-L	3	248lm	4000K	80	100-245V AC	60	Brown Corten	Aluminium	ON-OFF
	FLOODIE-XS-F-3-NW-60-BR-HV-U	3	248lm	4000K	80	100-245V AC	60	Brown Corten	Aluminium	ON-OFF
	FLOODIE-XS-F-3-NW-60-BR-LV-L	3	270lm	4000K	80	24V DC	60	Brown Corten	Aluminium	DALI
	FLOODIE-XS-F-3-NW-60-BR-LV-U	3	270lm	4000K	80	24V DC	60	Brown Corten	Aluminium	DALI
	FLOODIE-XS-F-3-NW-60-GD-HV-L	3	248lm	4000K	80	100-245V AC	60	Dark Grey	Aluminium	ON-OFF
	FLOODIE-XS-F-3-NW-60-GD-HV-U	3	248lm	4000K	80	100-245V AC	60	Dark Grey	Aluminium	ON-OFF
	FLOODIE-XS-F-3-NW-60-GD-LV-L	3	270lm	4000K	80	24V DC	60	Dark Grey	Aluminium	DALI
	FLOODIE-XS-F-3-NW-60-GD-LV-U	3	270lm	4000K	80	24V DC	60	Dark Grey	Aluminium	DALI
	FLOODIE-XS-F-3-NW-60-WM-HV-L	3	248lm	4000K	80	100-245V AC	60	White Mat	Aluminium	ON-OFF
	FLOODIE-XS-F-3-NW-60-WM-HV-U	3	248lm	4000K	80	100-245V AC	60	White Mat	Aluminium	ON-OFF

Niviss reserves the right to make technical changes without prior notice
product_card_20261113_205405

	FLOODIE-XS-F-3-NW-60-WM-LV-L	3	270lm	4000K	80	24V DC	60	White Mat	Aluminium	DALI
	FLOODIE-XS-F-3-NW-60-WM-LV-U	3	270lm	4000K	80	24V DC	60	White Mat	Aluminium	DALI
	FLOODIE-XS-F-3-VW-11-BM-HV-L	3	208lm	2700K	90	100-245V AC	11	Black Mat	Aluminium	ON-OFF
	FLOODIE-XS-F-3-VW-11-BM-HV-LB	3	208lm	2700K	90	100-245V AC	11	Black Mat	Aluminium	ON-OFF
	FLOODIE-XS-F-3-VW-11-BM-HV-LS	3	208lm	2700K	90	100-245V AC	11	Black Mat	Aluminium	ON-OFF
	FLOODIE-XS-F-3-VW-11-BM-HV-U	3	208lm	2700K	90	100-245V AC	11	Black Mat	Aluminium	ON-OFF
	FLOODIE-XS-F-3-VW-11-BM-HV-UB	3	208lm	2700K	90	100-245V AC	11	Black Mat	Aluminium	ON-OFF
	FLOODIE-XS-F-3-VW-11-BM-HV-US	3	208lm	2700K	90	100-245V AC	11	Black Mat	Aluminium	ON-OFF
	FLOODIE-XS-F-3-VW-11-BM-LV-L	3	225lm	2700K	90	24V DC	11	Black Mat	Aluminium	DALI
	FLOODIE-XS-F-3-VW-11-BM-LV-LB	3	225lm	2700K	90	24V DC	11	Black Mat	Aluminium	DALI
	FLOODIE-XS-F-3-VW-11-BM-LV-LS	3	225lm	2700K	90	24V DC	11	Black Mat	Aluminium	DALI
	FLOODIE-XS-F-3-VW-11-BM-LV-U	3	225lm	2700K	90	24V DC	11	Black Mat	Aluminium	DALI
	FLOODIE-XS-F-3-VW-11-BM-LV-UB	3	225lm	2700K	90	24V DC	11	Black Mat	Aluminium	DALI
	FLOODIE-XS-F-3-VW-11-BM-LV-US	3	225lm	2700K	90	24V DC	11	Black Mat	Aluminium	DALI
	FLOODIE-XS-F-3-VW-11-BR-HV-L	3	208lm	2700K	90	100-245V AC	11	Brown Corten	Aluminium	ON-OFF
	FLOODIE-XS-F-3-VW-11-BR-HV-U	3	208lm	2700K	90	100-245V AC	11	Brown Corten	Aluminium	ON-OFF
	FLOODIE-XS-F-3-VW-11-BR-LV-L	3	225lm	2700K	90	24V DC	11	Brown Corten	Aluminium	DALI
	FLOODIE-XS-F-3-VW-11-BR-LV-U	3	225lm	2700K	90	24V DC	11	Brown Corten	Aluminium	DALI
	FLOODIE-XS-F-3-VW-11-GD-HV-L	3	208lm	2700K	90	100-245V AC	11	Dark Grey	Aluminium	ON-OFF
	FLOODIE-XS-F-3-VW-11-GD-HV-U	3	208lm	2700K	90	100-245V AC	11	Dark Grey	Aluminium	ON-OFF
	FLOODIE-XS-F-3-VW-11-GD-LV-L	3	225lm	2700K	90	24V DC	11	Dark Grey	Aluminium	DALI
	FLOODIE-XS-F-3-VW-11-GD-LV-U	3	225lm	2700K	90	24V DC	11	Dark Grey	Aluminium	DALI
	FLOODIE-XS-F-3-VW-11-WM-HV-L	3	208lm	2700K	90	100-245V AC	11	White Mat	Aluminium	ON-OFF
	FLOODIE-XS-F-3-VW-11-WM-HV-U	3	208lm	2700K	90	100-245V AC	11	White Mat	Aluminium	ON-OFF

	FLOODIE-XS-F-3-VW-11-WM-LV-L	3	225lm	2700K	90	24V DC	11	White Mat	Aluminium	DALI
	FLOODIE-XS-F-3-VW-11-WM-LV-U	3	225lm	2700K	90	24V DC	11	White Mat	Aluminium	DALI
	FLOODIE-XS-F-3-VW-17-BM-HV-L	3	208lm	2700K	90	100-245V AC	17	Black Mat	Aluminium	ON-OFF
	FLOODIE-XS-F-3-VW-17-BM-HV-LB	3	208lm	2700K	90	100-245V AC	17	Black Mat	Aluminium	ON-OFF
	FLOODIE-XS-F-3-VW-17-BM-HV-LS	3	208lm	2700K	90	100-245V AC	17	Black Mat	Aluminium	ON-OFF
	FLOODIE-XS-F-3-VW-17-BM-HV-U	3	208lm	2700K	90	100-245V AC	17	Black Mat	Aluminium	ON-OFF
	FLOODIE-XS-F-3-VW-17-BM-HV-UB	3	208lm	2700K	90	100-245V AC	17	Black Mat	Aluminium	ON-OFF
	FLOODIE-XS-F-3-VW-17-BM-HV-US	3	208lm	2700K	90	100-245V AC	17	Black Mat	Aluminium	ON-OFF
	FLOODIE-XS-F-3-VW-17-BM-LV-L	3	225lm	2700K	90	24V DC	17	Black Mat	Aluminium	DALI
	FLOODIE-XS-F-3-VW-17-BM-LV-LB	3	225lm	2700K	90	24V DC	17	Black Mat	Aluminium	DALI
	FLOODIE-XS-F-3-VW-17-BM-LV-LS	3	225lm	2700K	90	24V DC	17	Black Mat	Aluminium	DALI
	FLOODIE-XS-F-3-VW-17-BM-LV-U	3	225lm	2700K	90	24V DC	17	Black Mat	Aluminium	DALI
	FLOODIE-XS-F-3-VW-17-BM-LV-UB	3	225lm	2700K	90	24V DC	17	Black Mat	Aluminium	DALI
	FLOODIE-XS-F-3-VW-17-BM-LV-US	3	225lm	2700K	90	24V DC	17	Black Mat	Aluminium	DALI
	FLOODIE-XS-F-3-VW-17-BR-HV-L	3	208lm	2700K	90	100-245V AC	17	Brown Corten	Aluminium	ON-OFF
	FLOODIE-XS-F-3-VW-17-BR-HV-U	3	208lm	2700K	90	100-245V AC	17	Brown Corten	Aluminium	ON-OFF
	FLOODIE-XS-F-3-VW-17-BR-LV-L	3	225lm	2700K	90	24V DC	17	Brown Corten	Aluminium	DALI
	FLOODIE-XS-F-3-VW-17-BR-LV-U	3	225lm	2700K	90	24V DC	17	Brown Corten	Aluminium	DALI
	FLOODIE-XS-F-3-VW-17-GD-HV-L	3	208lm	2700K	90	100-245V AC	17	Dark Grey	Aluminium	ON-OFF
	FLOODIE-XS-F-3-VW-17-GD-HV-U	3	208lm	2700K	90	100-245V AC	17	Dark Grey	Aluminium	ON-OFF
	FLOODIE-XS-F-3-VW-17-GD-LV-L	3	225lm	2700K	90	24V DC	17	Dark Grey	Aluminium	DALI
	FLOODIE-XS-F-3-VW-17-GD-LV-U	3	225lm	2700K	90	24V DC	17	Dark Grey	Aluminium	DALI
	FLOODIE-XS-F-3-VW-17-WM-HV-L	3	208lm	2700K	90	100-245V AC	17	White Mat	Aluminium	ON-OFF
	FLOODIE-XS-F-3-VW-17-WM-HV-U	3	208lm	2700K	90	100-245V AC	17	White Mat	Aluminium	ON-OFF

	FLOODIE-XS-F-3-VW-17-WM-LV-L	3	225lm	2700K	90	24V DC	17	White Mat	Aluminium	DALI
	FLOODIE-XS-F-3-VW-17-WM-LV-U	3	225lm	2700K	90	24V DC	17	White Mat	Aluminium	DALI
	FLOODIE-XS-F-3-VW-23-BM-HV-L	3	208lm	2700K	90	100-245V AC	23	Black Mat	Aluminium	ON-OFF
	FLOODIE-XS-F-3-VW-23-BM-HV-LB	3	208lm	2700K	90	100-245V AC	23	Black Mat	Aluminium	ON-OFF
	FLOODIE-XS-F-3-VW-23-BM-HV-LS	3	208lm	2700K	90	100-245V AC	23	Black Mat	Aluminium	ON-OFF
	FLOODIE-XS-F-3-VW-23-BM-HV-U	3	208lm	2700K	90	100-245V AC	23	Black Mat	Aluminium	ON-OFF
	FLOODIE-XS-F-3-VW-23-BM-HV-UB	3	208lm	2700K	90	100-245V AC	23	Black Mat	Aluminium	ON-OFF
	FLOODIE-XS-F-3-VW-23-BM-HV-US	3	208lm	2700K	90	100-245V AC	23	Black Mat	Aluminium	ON-OFF
	FLOODIE-XS-F-3-VW-23-BM-LV-L	3	225lm	2700K	90	24V DC	23	Black Mat	Aluminium	DALI
	FLOODIE-XS-F-3-VW-23-BM-LV-LB	3	225lm	2700K	90	24V DC	23	Black Mat	Aluminium	DALI
	FLOODIE-XS-F-3-VW-23-BM-LV-LS	3	225lm	2700K	90	24V DC	23	Black Mat	Aluminium	DALI
	FLOODIE-XS-F-3-VW-23-BM-LV-U	3	225lm	2700K	90	24V DC	23	Black Mat	Aluminium	DALI
	FLOODIE-XS-F-3-VW-23-BM-LV-UB	3	225lm	2700K	90	24V DC	23	Black Mat	Aluminium	DALI
	FLOODIE-XS-F-3-VW-23-BM-LV-US	3	225lm	2700K	90	24V DC	23	Black Mat	Aluminium	DALI
	FLOODIE-XS-F-3-VW-23-BR-HV-L	3	208lm	2700K	90	100-245V AC	23	Brown Corten	Aluminium	ON-OFF
	FLOODIE-XS-F-3-VW-23-BR-HV-U	3	208lm	2700K	90	100-245V AC	23	Brown Corten	Aluminium	ON-OFF
	FLOODIE-XS-F-3-VW-23-BR-LV-L	3	225lm	2700K	90	24V DC	23	Brown Corten	Aluminium	DALI
	FLOODIE-XS-F-3-VW-23-BR-LV-U	3	225lm	2700K	90	24V DC	23	Brown Corten	Aluminium	DALI
	FLOODIE-XS-F-3-VW-23-GD-HV-L	3	208lm	2700K	90	100-245V AC	23	Dark Grey	Aluminium	ON-OFF
	FLOODIE-XS-F-3-VW-23-GD-HV-U	3	208lm	2700K	90	100-245V AC	23	Dark Grey	Aluminium	ON-OFF
	FLOODIE-XS-F-3-VW-23-GD-LV-L	3	225lm	2700K	90	24V DC	23	Dark Grey	Aluminium	DALI
	FLOODIE-XS-F-3-VW-23-GD-LV-U	3	225lm	2700K	90	24V DC	23	Dark Grey	Aluminium	DALI
	FLOODIE-XS-F-3-VW-23-WM-HV-L	3	208lm	2700K	90	100-245V AC	23	White Mat	Aluminium	ON-OFF
	FLOODIE-XS-F-3-VW-23-WM-HV-U	3	208lm	2700K	90	100-245V AC	23	White Mat	Aluminium	ON-OFF

Niviss reserves the right to make technical changes without prior notice
product_card_20261113_205405

	FLOODIE-XS-F-3-VW-23-WM-LV-L	3	225lm	2700K	90	24V DC	23	White Mat	Aluminium	DALI
	FLOODIE-XS-F-3-VW-23-WM-LV-U	3	225lm	2700K	90	24V DC	23	White Mat	Aluminium	DALI
	FLOODIE-XS-F-3-VW-28-BM-HV-L	3	208lm	2700K	90	100-245V AC	28	Black Mat	Aluminium	ON-OFF
	FLOODIE-XS-F-3-VW-28-BM-HV-LB	3	208lm	2700K	90	100-245V AC	28	Black Mat	Aluminium	ON-OFF
	FLOODIE-XS-F-3-VW-28-BM-HV-LS	3	208lm	2700K	90	100-245V AC	28	Black Mat	Aluminium	ON-OFF
	FLOODIE-XS-F-3-VW-28-BM-HV-U	3	208lm	2700K	90	100-245V AC	28	Black Mat	Aluminium	ON-OFF
	FLOODIE-XS-F-3-VW-28-BM-HV-UB	3	208lm	2700K	90	100-245V AC	28	Black Mat	Aluminium	ON-OFF
	FLOODIE-XS-F-3-VW-28-BM-HV-US	3	208lm	2700K	90	100-245V AC	28	Black Mat	Aluminium	ON-OFF
	FLOODIE-XS-F-3-VW-28-BM-LV-L	3	225lm	2700K	90	24V DC	28	Black Mat	Aluminium	DALI
	FLOODIE-XS-F-3-VW-28-BM-LV-LB	3	225lm	2700K	90	24V DC	28	Black Mat	Aluminium	DALI
	FLOODIE-XS-F-3-VW-28-BM-LV-LS	3	225lm	2700K	90	24V DC	28	Black Mat	Aluminium	DALI
	FLOODIE-XS-F-3-VW-28-BM-LV-U	3	225lm	2700K	90	24V DC	28	Black Mat	Aluminium	DALI
	FLOODIE-XS-F-3-VW-28-BM-LV-UB	3	225lm	2700K	90	24V DC	28	Black Mat	Aluminium	DALI
	FLOODIE-XS-F-3-VW-28-BM-LV-US	3	225lm	2700K	90	24V DC	28	Black Mat	Aluminium	DALI
	FLOODIE-XS-F-3-VW-28-BR-HV-L	3	208lm	2700K	90	100-245V AC	28	Brown Corten	Aluminium	ON-OFF
	FLOODIE-XS-F-3-VW-28-BR-HV-U	3	208lm	2700K	90	100-245V AC	28	Brown Corten	Aluminium	ON-OFF
	FLOODIE-XS-F-3-VW-28-BR-LV-L	3	225lm	2700K	90	24V DC	28	Brown Corten	Aluminium	DALI
	FLOODIE-XS-F-3-VW-28-BR-LV-U	3	225lm	2700K	90	24V DC	28	Brown Corten	Aluminium	DALI
	FLOODIE-XS-F-3-VW-28-GD-HV-L	3	208lm	2700K	90	100-245V AC	28	Dark Grey	Aluminium	ON-OFF
	FLOODIE-XS-F-3-VW-28-GD-HV-U	3	208lm	2700K	90	100-245V AC	28	Dark Grey	Aluminium	ON-OFF
	FLOODIE-XS-F-3-VW-28-GD-LV-L	3	225lm	2700K	90	24V DC	28	Dark Grey	Aluminium	DALI
	FLOODIE-XS-F-3-VW-28-GD-LV-U	3	225lm	2700K	90	24V DC	28	Dark Grey	Aluminium	DALI
	FLOODIE-XS-F-3-VW-28-WM-HV-L	3	208lm	2700K	90	100-245V AC	28	White Mat	Aluminium	ON-OFF
	FLOODIE-XS-F-3-VW-28-WM-HV-U	3	208lm	2700K	90	100-245V AC	28	White Mat	Aluminium	ON-OFF

Niviss reserves the right to make technical changes without prior notice
product_card_20261113_205405

	FLOODIE-XS-F-3-VW-28-WM-LV-L	3	225lm	2700K	90	24V DC	28	White Mat	Aluminium	DALI
	FLOODIE-XS-F-3-VW-28-WM-LV-U	3	225lm	2700K	90	24V DC	28	White Mat	Aluminium	DALI
	FLOODIE-XS-F-3-VW-43-BM-HV-L	3	208lm	2700K	90	100-245V AC	43	Black Mat	Aluminium	ON-OFF
	FLOODIE-XS-F-3-VW-43-BM-HV-LB	3	208lm	2700K	90	100-245V AC	43	Black Mat	Aluminium	ON-OFF
	FLOODIE-XS-F-3-VW-43-BM-HV-LS	3	208lm	2700K	90	100-245V AC	43	Black Mat	Aluminium	ON-OFF
	FLOODIE-XS-F-3-VW-43-BM-HV-U	3	208lm	2700K	90	100-245V AC	43	Black Mat	Aluminium	ON-OFF
	FLOODIE-XS-F-3-VW-43-BM-HV-UB	3	208lm	2700K	90	100-245V AC	43	Black Mat	Aluminium	ON-OFF
	FLOODIE-XS-F-3-VW-43-BM-HV-US	3	208lm	2700K	90	100-245V AC	43	Black Mat	Aluminium	ON-OFF
	FLOODIE-XS-F-3-VW-43-BM-LV-L	3	225lm	2700K	90	24V DC	43	Black Mat	Aluminium	DALI
	FLOODIE-XS-F-3-VW-43-BM-LV-LB	3	225lm	2700K	90	24V DC	43	Black Mat	Aluminium	DALI
	FLOODIE-XS-F-3-VW-43-BM-LV-LS	3	225lm	2700K	90	24V DC	43	Black Mat	Aluminium	DALI
	FLOODIE-XS-F-3-VW-43-BM-LV-U	3	225lm	2700K	90	24V DC	43	Black Mat	Aluminium	DALI
	FLOODIE-XS-F-3-VW-43-BM-LV-UB	3	225lm	2700K	90	24V DC	43	Black Mat	Aluminium	DALI
	FLOODIE-XS-F-3-VW-43-BM-LV-US	3	225lm	2700K	90	24V DC	43	Black Mat	Aluminium	DALI
	FLOODIE-XS-F-3-VW-43-BR-HV-L	3	208lm	2700K	90	100-245V AC	43	Brown Corten	Aluminium	ON-OFF
	FLOODIE-XS-F-3-VW-43-BR-HV-U	3	208lm	2700K	90	100-245V AC	43	Brown Corten	Aluminium	ON-OFF
	FLOODIE-XS-F-3-VW-43-BR-LV-L	3	225lm	2700K	90	24V DC	43	Brown Corten	Aluminium	DALI
	FLOODIE-XS-F-3-VW-43-BR-LV-U	3	225lm	2700K	90	24V DC	43	Brown Corten	Aluminium	DALI
	FLOODIE-XS-F-3-VW-43-GD-HV-L	3	208lm	2700K	90	100-245V AC	43	Dark Grey	Aluminium	ON-OFF
	FLOODIE-XS-F-3-VW-43-GD-HV-U	3	208lm	2700K	90	100-245V AC	43	Dark Grey	Aluminium	ON-OFF
	FLOODIE-XS-F-3-VW-43-GD-LV-L	3	225lm	2700K	90	24V DC	43	Dark Grey	Aluminium	DALI
	FLOODIE-XS-F-3-VW-43-GD-LV-U	3	225lm	2700K	90	24V DC	43	Dark Grey	Aluminium	DALI
	FLOODIE-XS-F-3-VW-43-WM-HV-L	3	208lm	2700K	90	100-245V AC	43	White Mat	Aluminium	ON-OFF
	FLOODIE-XS-F-3-VW-43-WM-HV-U	3	208lm	2700K	90	100-245V AC	43	White Mat	Aluminium	ON-OFF

Niviss reserves the right to make technical changes without prior notice
product_card_20261113_205405

	FLOODIE-XS-F-3-VW-43-WM-LV-L	3	225lm	2700K	90	24V DC	43	White Mat	Aluminium	DALI
	FLOODIE-XS-F-3-VW-43-WM-LV-U	3	225lm	2700K	90	24V DC	43	White Mat	Aluminium	DALI
	FLOODIE-XS-F-3-VW-6-BM-HV-L	3	208lm	2700K	90	100-245V AC	6	Black Mat	Aluminium	ON-OFF
	FLOODIE-XS-F-3-VW-6-BM-HV-LB	3	208lm	2700K	90	100-245V AC	6	Black Mat	Aluminium	ON-OFF
	FLOODIE-XS-F-3-VW-6-BM-HV-LS	3	208lm	2700K	90	100-245V AC	6	Black Mat	Aluminium	ON-OFF
	FLOODIE-XS-F-3-VW-6-BM-HV-U	3	208lm	2700K	90	100-245V AC	6	Black Mat	Aluminium	ON-OFF
	FLOODIE-XS-F-3-VW-6-BM-HV-UB	3	208lm	2700K	90	100-245V AC	6	Black Mat	Aluminium	ON-OFF
	FLOODIE-XS-F-3-VW-6-BM-HV-US	3	208lm	2700K	90	100-245V AC	6	Black Mat	Aluminium	ON-OFF
	FLOODIE-XS-F-3-VW-6-BM-LV-L	3	225lm	2700K	90	24V DC	6	Black Mat	Aluminium	DALI
	FLOODIE-XS-F-3-VW-6-BM-LV-LB	3	225lm	2700K	90	24V DC	6	Black Mat	Aluminium	DALI
	FLOODIE-XS-F-3-VW-6-BM-LV-LS	3	225lm	2700K	90	24V DC	6	Black Mat	Aluminium	DALI
	FLOODIE-XS-F-3-VW-6-BM-LV-U	3	225lm	2700K	90	24V DC	6	Black Mat	Aluminium	DALI
	FLOODIE-XS-F-3-VW-6-BM-LV-UB	3	225lm	2700K	90	24V DC	6	Black Mat	Aluminium	DALI
	FLOODIE-XS-F-3-VW-6-BM-LV-US	3	225lm	2700K	90	24V DC	6	Black Mat	Aluminium	DALI
	FLOODIE-XS-F-3-VW-6-BR-HV-L	3	208lm	2700K	90	100-245V AC	6	Brown Corten	Aluminium	ON-OFF
	FLOODIE-XS-F-3-VW-6-BR-HV-U	3	208lm	2700K	90	100-245V AC	6	Brown Corten	Aluminium	ON-OFF
	FLOODIE-XS-F-3-VW-6-BR-LV-L	3	225lm	2700K	90	24V DC	6	Brown Corten	Aluminium	DALI
	FLOODIE-XS-F-3-VW-6-BR-LV-U	3	225lm	2700K	90	24V DC	6	Brown Corten	Aluminium	DALI
	FLOODIE-XS-F-3-VW-6-GD-HV-L	3	208lm	2700K	90	100-245V AC	6	Dark Grey	Aluminium	ON-OFF
	FLOODIE-XS-F-3-VW-6-GD-HV-U	3	208lm	2700K	90	100-245V AC	6	Dark Grey	Aluminium	ON-OFF
	FLOODIE-XS-F-3-VW-6-GD-LV-L	3	225lm	2700K	90	24V DC	6	Dark Grey	Aluminium	DALI
	FLOODIE-XS-F-3-VW-6-GD-LV-U	3	225lm	2700K	90	24V DC	6	Dark Grey	Aluminium	DALI
	FLOODIE-XS-F-3-VW-6-WM-HV-L	3	208lm	2700K	90	100-245V AC	6	White Mat	Aluminium	ON-OFF
	FLOODIE-XS-F-3-VW-6-WM-HV-U	3	208lm	2700K	90	100-245V AC	6	White Mat	Aluminium	ON-OFF

Niviss reserves the right to make technical changes without prior notice
product_card_20261113_205405

	FLOODIE-XS-F-3-VW-6-WM-LV-L	3	225lm	2700K	90	24V DC	6	White Mat	Aluminium	DALI
	FLOODIE-XS-F-3-VW-6-WM-LV-U	3	225lm	2700K	90	24V DC	6	White Mat	Aluminium	DALI
	FLOODIE-XS-F-3-VW-60-BM-HV-L	3	208lm	2700K	90	100-245V AC	60	Black Mat	Aluminium	ON-OFF
	FLOODIE-XS-F-3-VW-60-BM-HV-LB	3	208lm	2700K	90	100-245V AC	60	Black Mat	Aluminium	ON-OFF
	FLOODIE-XS-F-3-VW-60-BM-HV-LS	3	208lm	2700K	90	100-245V AC	60	Black Mat	Aluminium	ON-OFF
	FLOODIE-XS-F-3-VW-60-BM-HV-U	3	208lm	2700K	90	100-245V AC	60	Black Mat	Aluminium	ON-OFF
	FLOODIE-XS-F-3-VW-60-BM-HV-UB	3	208lm	2700K	90	100-245V AC	60	Black Mat	Aluminium	ON-OFF
	FLOODIE-XS-F-3-VW-60-BM-HV-US	3	208lm	2700K	90	100-245V AC	60	Black Mat	Aluminium	ON-OFF
	FLOODIE-XS-F-3-VW-60-BM-LV-L	3	225lm	2700K	90	24V DC	60	Black Mat	Aluminium	DALI
	FLOODIE-XS-F-3-VW-60-BM-LV-LB	3	225lm	2700K	90	24V DC	60	Black Mat	Aluminium	DALI
	FLOODIE-XS-F-3-VW-60-BM-LV-LS	3	225lm	2700K	90	24V DC	60	Black Mat	Aluminium	DALI
	FLOODIE-XS-F-3-VW-60-BM-LV-U	3	225lm	2700K	90	24V DC	60	Black Mat	Aluminium	DALI
	FLOODIE-XS-F-3-VW-60-BM-LV-UB	3	225lm	2700K	90	24V DC	60	Black Mat	Aluminium	DALI
	FLOODIE-XS-F-3-VW-60-BM-LV-US	3	225lm	2700K	90	24V DC	60	Black Mat	Aluminium	DALI
	FLOODIE-XS-F-3-VW-60-BR-HV-L	3	208lm	2700K	90	100-245V AC	60	Brown Corten	Aluminium	ON-OFF
	FLOODIE-XS-F-3-VW-60-BR-HV-U	3	208lm	2700K	90	100-245V AC	60	Brown Corten	Aluminium	ON-OFF
	FLOODIE-XS-F-3-VW-60-BR-LV-L	3	225lm	2700K	90	24V DC	60	Brown Corten	Aluminium	DALI
	FLOODIE-XS-F-3-VW-60-BR-LV-U	3	225lm	2700K	90	24V DC	60	Brown Corten	Aluminium	DALI
	FLOODIE-XS-F-3-VW-60-GD-HV-L	3	208lm	2700K	90	100-245V AC	60	Dark Grey	Aluminium	ON-OFF
	FLOODIE-XS-F-3-VW-60-GD-HV-U	3	208lm	2700K	90	100-245V AC	60	Dark Grey	Aluminium	ON-OFF
	FLOODIE-XS-F-3-VW-60-GD-LV-L	3	225lm	2700K	90	24V DC	60	Dark Grey	Aluminium	DALI
	FLOODIE-XS-F-3-VW-60-GD-LV-U	3	225lm	2700K	90	24V DC	60	Dark Grey	Aluminium	DALI
	FLOODIE-XS-F-3-VW-60-WM-HV-L	3	208lm	2700K	90	100-245V AC	60	White Mat	Aluminium	ON-OFF
	FLOODIE-XS-F-3-VW-60-WM-HV-U	3	208lm	2700K	90	100-245V AC	60	White Mat	Aluminium	ON-OFF

	FLOODIE-XS-F-3-VW-60-WM-LV-L	3	225lm	2700K	90	24V DC	60	White Mat	Aluminium	DALI
	FLOODIE-XS-F-3-VW-60-WM-LV-U	3	225lm	2700K	90	24V DC	60	White Mat	Aluminium	DALI
	FLOODIE-XS-F-3-WW-11-BM-HV-L	3	235lm	3000K	90	100-245V AC	11	Black Mat	Aluminium	ON-OFF
	FLOODIE-XS-F-3-WW-11-BM-HV-LB	3	235lm	3000K	90	100-245V AC	11	Black Mat	Aluminium	ON-OFF
	FLOODIE-XS-F-3-WW-11-BM-HV-LS	3	235lm	3000K	90	100-245V AC	11	Black Mat	Aluminium	ON-OFF
	FLOODIE-XS-F-3-WW-11-BM-HV-U	3	235lm	3000K	90	100-245V AC	11	Black Mat	Aluminium	ON-OFF
	FLOODIE-XS-F-3-WW-11-BM-HV-UB	3	235lm	3000K	90	100-245V AC	11	Black Mat	Aluminium	ON-OFF
	FLOODIE-XS-F-3-WW-11-BM-HV-US	3	235lm	3000K	90	100-245V AC	11	Black Mat	Aluminium	ON-OFF
	FLOODIE-XS-F-3-WW-11-BM-LV-L	3	255lm	3000K	90	24V DC	11	Black Mat	Aluminium	DALI
	FLOODIE-XS-F-3-WW-11-BM-LV-LB	3	255lm	3000K	90	24V DC	11	Black Mat	Aluminium	DALI
	FLOODIE-XS-F-3-WW-11-BM-LV-LS	3	255lm	3000K	90	24V DC	11	Black Mat	Aluminium	DALI
	FLOODIE-XS-F-3-WW-11-BM-LV-U	3	255lm	3000K	90	24V DC	11	Black Mat	Aluminium	DALI
	FLOODIE-XS-F-3-WW-11-BM-LV-UB	3	255lm	3000K	90	24V DC	11	Black Mat	Aluminium	DALI
	FLOODIE-XS-F-3-WW-11-BM-LV-US	3	255lm	3000K	90	24V DC	11	Black Mat	Aluminium	DALI
	FLOODIE-XS-F-3-WW-11-BR-HV-L	3	235lm	3000K	90	100-245V AC	11	Brown Corten	Aluminium	ON-OFF
	FLOODIE-XS-F-3-WW-11-BR-HV-U	3	235lm	3000K	90	100-245V AC	11	Brown Corten	Aluminium	ON-OFF
	FLOODIE-XS-F-3-WW-11-BR-LV-L	3	255lm	3000K	90	24V DC	11	Brown Corten	Aluminium	DALI
	FLOODIE-XS-F-3-WW-11-BR-LV-U	3	255lm	3000K	90	24V DC	11	Brown Corten	Aluminium	DALI
	FLOODIE-XS-F-3-WW-11-GD-HV-L	3	235lm	3000K	90	100-245V AC	11	Dark Grey	Aluminium	ON-OFF
	FLOODIE-XS-F-3-WW-11-GD-HV-U	3	235lm	3000K	90	100-245V AC	11	Dark Grey	Aluminium	ON-OFF
	FLOODIE-XS-F-3-WW-11-GD-LV-L	3	255lm	3000K	90	24V DC	11	Dark Grey	Aluminium	DALI
	FLOODIE-XS-F-3-WW-11-GD-LV-U	3	255lm	3000K	90	24V DC	11	Dark Grey	Aluminium	DALI
	FLOODIE-XS-F-3-WW-11-WM-HV-L	3	235lm	3000K	90	100-245V AC	11	White Mat	Aluminium	ON-OFF
	FLOODIE-XS-F-3-WW-11-WM-HV-U	3	235lm	3000K	90	100-245V AC	11	White Mat	Aluminium	ON-OFF

	FLOODIE-XS-F-3-WW-11-WM-LV-L	3	255lm	3000K	90	24V DC	11	White Mat	Aluminium	DALI
	FLOODIE-XS-F-3-WW-11-WM-LV-U	3	255lm	3000K	90	24V DC	11	White Mat	Aluminium	DALI
	FLOODIE-XS-F-3-WW-17-BM-HV-L	3	235lm	3000K	90	100-245V AC	17	Black Mat	Aluminium	ON-OFF
	FLOODIE-XS-F-3-WW-17-BM-HV-LB	3	235lm	3000K	90	100-245V AC	17	Black Mat	Aluminium	ON-OFF
	FLOODIE-XS-F-3-WW-17-BM-HV-LS	3	235lm	3000K	90	100-245V AC	17	Black Mat	Aluminium	ON-OFF
	FLOODIE-XS-F-3-WW-17-BM-HV-U	3	235lm	3000K	90	100-245V AC	17	Black Mat	Aluminium	ON-OFF
	FLOODIE-XS-F-3-WW-17-BM-HV-UB	3	235lm	3000K	90	100-245V AC	17	Black Mat	Aluminium	ON-OFF
	FLOODIE-XS-F-3-WW-17-BM-HV-US	3	235lm	3000K	90	100-245V AC	17	Black Mat	Aluminium	ON-OFF
	FLOODIE-XS-F-3-WW-17-BM-LV-L	3	255lm	3000K	90	24V DC	17	Black Mat	Aluminium	DALI
	FLOODIE-XS-F-3-WW-17-BM-LV-LB	3	255lm	3000K	90	24V DC	17	Black Mat	Aluminium	DALI
	FLOODIE-XS-F-3-WW-17-BM-LV-LS	3	255lm	3000K	90	24V DC	17	Black Mat	Aluminium	DALI
	FLOODIE-XS-F-3-WW-17-BM-LV-U	3	255lm	3000K	90	24V DC	17	Black Mat	Aluminium	DALI
	FLOODIE-XS-F-3-WW-17-BM-LV-UB	3	255lm	3000K	90	24V DC	17	Black Mat	Aluminium	DALI
	FLOODIE-XS-F-3-WW-17-BM-LV-US	3	255lm	3000K	90	24V DC	17	Black Mat	Aluminium	DALI
	FLOODIE-XS-F-3-WW-17-BR-HV-L	3	235lm	3000K	90	100-245V AC	17	Brown Corten	Aluminium	ON-OFF
	FLOODIE-XS-F-3-WW-17-BR-HV-U	3	235lm	3000K	90	100-245V AC	17	Brown Corten	Aluminium	ON-OFF
	FLOODIE-XS-F-3-WW-17-BR-LV-L	3	255lm	3000K	90	24V DC	17	Brown Corten	Aluminium	DALI
	FLOODIE-XS-F-3-WW-17-BR-LV-U	3	255lm	3000K	90	24V DC	17	Brown Corten	Aluminium	DALI
	FLOODIE-XS-F-3-WW-17-GD-HV-L	3	235lm	3000K	90	100-245V AC	17	Dark Grey	Aluminium	ON-OFF
	FLOODIE-XS-F-3-WW-17-GD-HV-U	3	235lm	3000K	90	100-245V AC	17	Dark Grey	Aluminium	ON-OFF
	FLOODIE-XS-F-3-WW-17-GD-LV-L	3	255lm	3000K	90	24V DC	17	Dark Grey	Aluminium	DALI
	FLOODIE-XS-F-3-WW-17-GD-LV-U	3	255lm	3000K	90	24V DC	17	Dark Grey	Aluminium	DALI
	FLOODIE-XS-F-3-WW-17-WM-HV-L	3	235lm	3000K	90	100-245V AC	17	White Mat	Aluminium	ON-OFF
	FLOODIE-XS-F-3-WW-17-WM-HV-U	3	235lm	3000K	90	100-245V AC	17	White Mat	Aluminium	ON-OFF

	FLOODIE-XS-F-3-WW-17-WM-LV-L	3	255lm	3000K	90	24V DC	17	White Mat	Aluminium	DALI
	FLOODIE-XS-F-3-WW-17-WM-LV-U	3	255lm	3000K	90	24V DC	17	White Mat	Aluminium	DALI
	FLOODIE-XS-F-3-WW-23-BM-HV-L	3	235lm	3000K	90	100-245V AC	23	Black Mat	Aluminium	ON-OFF
	FLOODIE-XS-F-3-WW-23-BM-HV-LB	3	235lm	3000K	90	100-245V AC	23	Black Mat	Aluminium	ON-OFF
	FLOODIE-XS-F-3-WW-23-BM-HV-LS	3	235lm	3000K	90	100-245V AC	23	Black Mat	Aluminium	ON-OFF
	FLOODIE-XS-F-3-WW-23-BM-HV-U	3	235lm	3000K	90	100-245V AC	23	Black Mat	Aluminium	ON-OFF
	FLOODIE-XS-F-3-WW-23-BM-HV-UB	3	235lm	3000K	90	100-245V AC	23	Black Mat	Aluminium	ON-OFF
	FLOODIE-XS-F-3-WW-23-BM-HV-US	3	235lm	3000K	90	100-245V AC	23	Black Mat	Aluminium	ON-OFF
	FLOODIE-XS-F-3-WW-23-BM-LV-L	3	255lm	3000K	90	24V DC	23	Black Mat	Aluminium	DALI
	FLOODIE-XS-F-3-WW-23-BM-LV-LB	3	255lm	3000K	90	24V DC	23	Black Mat	Aluminium	DALI
	FLOODIE-XS-F-3-WW-23-BM-LV-LS	3	255lm	3000K	90	24V DC	23	Black Mat	Aluminium	DALI
	FLOODIE-XS-F-3-WW-23-BM-LV-U	3	255lm	3000K	90	24V DC	23	Black Mat	Aluminium	DALI
	FLOODIE-XS-F-3-WW-23-BM-LV-UB	3	255lm	3000K	90	24V DC	23	Black Mat	Aluminium	DALI
	FLOODIE-XS-F-3-WW-23-BM-LV-US	3	255lm	3000K	90	24V DC	23	Black Mat	Aluminium	DALI
	FLOODIE-XS-F-3-WW-23-BR-HV-L	3	235lm	3000K	90	100-245V AC	23	Brown Corten	Aluminium	ON-OFF
	FLOODIE-XS-F-3-WW-23-BR-HV-U	3	235lm	3000K	90	100-245V AC	23	Brown Corten	Aluminium	ON-OFF
	FLOODIE-XS-F-3-WW-23-BR-LV-L	3	255lm	3000K	90	24V DC	23	Brown Corten	Aluminium	DALI
	FLOODIE-XS-F-3-WW-23-BR-LV-U	3	255lm	3000K	90	24V DC	23	Brown Corten	Aluminium	DALI
	FLOODIE-XS-F-3-WW-23-GD-HV-L	3	235lm	3000K	90	100-245V AC	23	Dark Grey	Aluminium	ON-OFF
	FLOODIE-XS-F-3-WW-23-GD-HV-U	3	235lm	3000K	90	100-245V AC	23	Dark Grey	Aluminium	ON-OFF
	FLOODIE-XS-F-3-WW-23-GD-LV-L	3	255lm	3000K	90	24V DC	23	Dark Grey	Aluminium	DALI
	FLOODIE-XS-F-3-WW-23-GD-LV-U	3	255lm	3000K	90	24V DC	23	Dark Grey	Aluminium	DALI
	FLOODIE-XS-F-3-WW-23-WM-HV-L	3	235lm	3000K	90	100-245V AC	23	White Mat	Aluminium	ON-OFF
	FLOODIE-XS-F-3-WW-23-WM-HV-U	3	235lm	3000K	90	100-245V AC	23	White Mat	Aluminium	ON-OFF

	FLOODIE-XS-F-3-WW-23-WM-LV-L	3	255lm	3000K	90	24V DC	23	White Mat	Aluminium	DALI
	FLOODIE-XS-F-3-WW-23-WM-LV-U	3	255lm	3000K	90	24V DC	23	White Mat	Aluminium	DALI
	FLOODIE-XS-F-3-WW-28-BM-HV-L	3	235lm	3000K	90	100-245V AC	28	Black Mat	Aluminium	ON-OFF
	FLOODIE-XS-F-3-WW-28-BM-HV-LB	3	235lm	3000K	90	100-245V AC	28	Black Mat	Aluminium	ON-OFF
	FLOODIE-XS-F-3-WW-28-BM-HV-LS	3	235lm	3000K	90	100-245V AC	28	Black Mat	Aluminium	ON-OFF
	FLOODIE-XS-F-3-WW-28-BM-HV-U	3	235lm	3000K	90	100-245V AC	28	Black Mat	Aluminium	ON-OFF
	FLOODIE-XS-F-3-WW-28-BM-HV-UB	3	235lm	3000K	90	100-245V AC	28	Black Mat	Aluminium	ON-OFF
	FLOODIE-XS-F-3-WW-28-BM-HV-US	3	235lm	3000K	90	100-245V AC	28	Black Mat	Aluminium	ON-OFF
	FLOODIE-XS-F-3-WW-28-BM-LV-L	3	255lm	3000K	90	24V DC	28	Black Mat	Aluminium	DALI
	FLOODIE-XS-F-3-WW-28-BM-LV-LB	3	255lm	3000K	90	24V DC	28	Black Mat	Aluminium	DALI
	FLOODIE-XS-F-3-WW-28-BM-LV-LS	3	255lm	3000K	90	24V DC	28	Black Mat	Aluminium	DALI
	FLOODIE-XS-F-3-WW-28-BM-LV-U	3	255lm	3000K	90	24V DC	28	Black Mat	Aluminium	DALI
	FLOODIE-XS-F-3-WW-28-BM-LV-UB	3	255lm	3000K	90	24V DC	28	Black Mat	Aluminium	DALI
	FLOODIE-XS-F-3-WW-28-BM-LV-US	3	255lm	3000K	90	24V DC	28	Black Mat	Aluminium	DALI
	FLOODIE-XS-F-3-WW-28-BR-HV-L	3	235lm	3000K	90	100-245V AC	28	Brown Corten	Aluminium	ON-OFF
	FLOODIE-XS-F-3-WW-28-BR-HV-U	3	235lm	3000K	90	100-245V AC	28	Brown Corten	Aluminium	ON-OFF
	FLOODIE-XS-F-3-WW-28-BR-LV-L	3	255lm	3000K	90	24V DC	28	Brown Corten	Aluminium	DALI
	FLOODIE-XS-F-3-WW-28-BR-LV-U	3	255lm	3000K	90	24V DC	28	Brown Corten	Aluminium	DALI
	FLOODIE-XS-F-3-WW-28-GD-HV-L	3	235lm	3000K	90	100-245V AC	28	Dark Grey	Aluminium	ON-OFF
	FLOODIE-XS-F-3-WW-28-GD-HV-U	3	235lm	3000K	90	100-245V AC	28	Dark Grey	Aluminium	ON-OFF
	FLOODIE-XS-F-3-WW-28-GD-LV-L	3	255lm	3000K	90	24V DC	28	Dark Grey	Aluminium	DALI
	FLOODIE-XS-F-3-WW-28-GD-LV-U	3	255lm	3000K	90	24V DC	28	Dark Grey	Aluminium	DALI
	FLOODIE-XS-F-3-WW-28-WM-HV-L	3	235lm	3000K	90	100-245V AC	28	White Mat	Aluminium	ON-OFF
	FLOODIE-XS-F-3-WW-28-WM-HV-U	3	235lm	3000K	90	100-245V AC	28	White Mat	Aluminium	ON-OFF

Niviss reserves the right to make technical changes without prior notice
product_card_20261113_205405

	FLOODIE-XS-F-3-WW-28-WM-LV-L	3	255lm	3000K	90	24V DC	28	White Mat	Aluminium	DALI
	FLOODIE-XS-F-3-WW-28-WM-LV-U	3	255lm	3000K	90	24V DC	28	White Mat	Aluminium	DALI
	FLOODIE-XS-F-3-WW-43-BM-HV-L	3	235lm	3000K	90	100-245V AC	43	Black Mat	Aluminium	ON-OFF
	FLOODIE-XS-F-3-WW-43-BM-HV-LB	3	235lm	3000K	90	100-245V AC	43	Black Mat	Aluminium	ON-OFF
	FLOODIE-XS-F-3-WW-43-BM-HV-LS	3	235lm	3000K	90	100-245V AC	43	Black Mat	Aluminium	ON-OFF
	FLOODIE-XS-F-3-WW-43-BM-HV-U	3	235lm	3000K	90	100-245V AC	43	Black Mat	Aluminium	ON-OFF
	FLOODIE-XS-F-3-WW-43-BM-HV-UB	3	235lm	3000K	90	100-245V AC	43	Black Mat	Aluminium	ON-OFF
	FLOODIE-XS-F-3-WW-43-BM-HV-US	3	235lm	3000K	90	100-245V AC	43	Black Mat	Aluminium	ON-OFF
	FLOODIE-XS-F-3-WW-43-BM-LV-L	3	255lm	3000K	90	24V DC	43	Black Mat	Aluminium	DALI
	FLOODIE-XS-F-3-WW-43-BM-LV-LB	3	255lm	3000K	90	24V DC	43	Black Mat	Aluminium	DALI
	FLOODIE-XS-F-3-WW-43-BM-LV-LS	3	255lm	3000K	90	24V DC	43	Black Mat	Aluminium	DALI
	FLOODIE-XS-F-3-WW-43-BM-LV-U	3	255lm	3000K	90	24V DC	43	Black Mat	Aluminium	DALI
	FLOODIE-XS-F-3-WW-43-BM-LV-UB	3	255lm	3000K	90	24V DC	43	Black Mat	Aluminium	DALI
	FLOODIE-XS-F-3-WW-43-BM-LV-US	3	255lm	3000K	90	24V DC	43	Black Mat	Aluminium	DALI
	FLOODIE-XS-F-3-WW-43-BR-HV-L	3	235lm	3000K	90	100-245V AC	43	Brown Corten	Aluminium	ON-OFF
	FLOODIE-XS-F-3-WW-43-BR-HV-U	3	235lm	3000K	90	100-245V AC	43	Brown Corten	Aluminium	ON-OFF
	FLOODIE-XS-F-3-WW-43-BR-LV-L	3	255lm	3000K	90	24V DC	43	Brown Corten	Aluminium	DALI
	FLOODIE-XS-F-3-WW-43-BR-LV-U	3	255lm	3000K	90	24V DC	43	Brown Corten	Aluminium	DALI
	FLOODIE-XS-F-3-WW-43-GD-HV-L	3	235lm	3000K	90	100-245V AC	43	Dark Grey	Aluminium	ON-OFF
	FLOODIE-XS-F-3-WW-43-GD-HV-U	3	235lm	3000K	90	100-245V AC	43	Dark Grey	Aluminium	ON-OFF
	FLOODIE-XS-F-3-WW-43-GD-LV-L	3	255lm	3000K	90	24V DC	43	Dark Grey	Aluminium	DALI
	FLOODIE-XS-F-3-WW-43-GD-LV-U	3	255lm	3000K	90	24V DC	43	Dark Grey	Aluminium	DALI
	FLOODIE-XS-F-3-WW-43-WM-HV-L	3	235lm	3000K	90	100-245V AC	43	White Mat	Aluminium	ON-OFF
	FLOODIE-XS-F-3-WW-43-WM-HV-U	3	235lm	3000K	90	100-245V AC	43	White Mat	Aluminium	ON-OFF

	FLOODIE-XS-F-3-WW-43-WM-LV-L	3	255lm	3000K	90	24V DC	43	White Mat	Aluminium	DALI
	FLOODIE-XS-F-3-WW-43-WM-LV-U	3	255lm	3000K	90	24V DC	43	White Mat	Aluminium	DALI
	FLOODIE-XS-F-3-WW-6-BM-HV-L	3	235lm	3000K	90	100-245V AC	6	Black Mat	Aluminium	ON-OFF
	FLOODIE-XS-F-3-WW-6-BM-HV-LB	3	235lm	3000K	90	100-245V AC	6	Black Mat	Aluminium	ON-OFF
	FLOODIE-XS-F-3-WW-6-BM-HV-LS	3	235lm	3000K	90	100-245V AC	6	Black Mat	Aluminium	ON-OFF
	FLOODIE-XS-F-3-WW-6-BM-HV-U	3	235lm	3000K	90	100-245V AC	6	Black Mat	Aluminium	ON-OFF
	FLOODIE-XS-F-3-WW-6-BM-HV-UB	3	235lm	3000K	90	100-245V AC	6	Black Mat	Aluminium	ON-OFF
	FLOODIE-XS-F-3-WW-6-BM-HV-US	3	235lm	3000K	90	100-245V AC	6	Black Mat	Aluminium	ON-OFF
	FLOODIE-XS-F-3-WW-6-BM-LV-L	3	255lm	3000K	90	24V DC	6	Black Mat	Aluminium	DALI
	FLOODIE-XS-F-3-WW-6-BM-LV-LB	3	255lm	3000K	90	24V DC	6	Black Mat	Aluminium	DALI
	FLOODIE-XS-F-3-WW-6-BM-LV-LS	3	255lm	3000K	90	24V DC	6	Black Mat	Aluminium	DALI
	FLOODIE-XS-F-3-WW-6-BM-LV-U	3	255lm	3000K	90	24V DC	6	Black Mat	Aluminium	DALI
	FLOODIE-XS-F-3-WW-6-BM-LV-UB	3	255lm	3000K	90	24V DC	6	Black Mat	Aluminium	DALI
	FLOODIE-XS-F-3-WW-6-BM-LV-US	3	255lm	3000K	90	24V DC	6	Black Mat	Aluminium	DALI
	FLOODIE-XS-F-3-WW-6-BR-HV-L	3	235lm	3000K	90	100-245V AC	6	Brown Corten	Aluminium	ON-OFF
	FLOODIE-XS-F-3-WW-6-BR-HV-U	3	235lm	3000K	90	100-245V AC	6	Brown Corten	Aluminium	ON-OFF
	FLOODIE-XS-F-3-WW-6-BR-LV-L	3	255lm	3000K	90	24V DC	6	Brown Corten	Aluminium	DALI
	FLOODIE-XS-F-3-WW-6-BR-LV-U	3	255lm	3000K	90	24V DC	6	Brown Corten	Aluminium	DALI
	FLOODIE-XS-F-3-WW-6-GD-HV-L	3	235lm	3000K	90	100-245V AC	6	Dark Grey	Aluminium	ON-OFF
	FLOODIE-XS-F-3-WW-6-GD-HV-U	3	235lm	3000K	90	100-245V AC	6	Dark Grey	Aluminium	ON-OFF
	FLOODIE-XS-F-3-WW-6-GD-LV-L	3	255lm	3000K	90	24V DC	6	Dark Grey	Aluminium	DALI
	FLOODIE-XS-F-3-WW-6-GD-LV-U	3	255lm	3000K	90	24V DC	6	Dark Grey	Aluminium	DALI
	FLOODIE-XS-F-3-WW-6-WM-HV-L	3	235lm	3000K	90	100-245V AC	6	White Mat	Aluminium	ON-OFF
	FLOODIE-XS-F-3-WW-6-WM-HV-U	3	235lm	3000K	90	100-245V AC	6	White Mat	Aluminium	ON-OFF

	FLOODIE-XS-F-3-WW-6-WM-LV-L	3	255lm	3000K	90	24V DC	6	White Mat	Aluminium	DALI
	FLOODIE-XS-F-3-WW-6-WM-LV-U	3	255lm	3000K	90	24V DC	6	White Mat	Aluminium	DALI
	FLOODIE-XS-F-3-WW-60-BM-HV-L	3	235lm	3000K	90	100-245V AC	60	Black Mat	Aluminium	ON-OFF
	FLOODIE-XS-F-3-WW-60-BM-HV-LB	3	235lm	3000K	90	100-245V AC	60	Black Mat	Aluminium	ON-OFF
	FLOODIE-XS-F-3-WW-60-BM-HV-LS	3	235lm	3000K	90	100-245V AC	60	Black Mat	Aluminium	ON-OFF
	FLOODIE-XS-F-3-WW-60-BM-HV-U	3	235lm	3000K	90	100-245V AC	60	Black Mat	Aluminium	ON-OFF
	FLOODIE-XS-F-3-WW-60-BM-HV-UB	3	235lm	3000K	90	100-245V AC	60	Black Mat	Aluminium	ON-OFF
	FLOODIE-XS-F-3-WW-60-BM-HV-US	3	235lm	3000K	90	100-245V AC	60	Black Mat	Aluminium	ON-OFF
	FLOODIE-XS-F-3-WW-60-BM-LV-L	3	255lm	3000K	90	24V DC	60	Black Mat	Aluminium	DALI
	FLOODIE-XS-F-3-WW-60-BM-LV-LB	3	255lm	3000K	90	24V DC	60	Black Mat	Aluminium	DALI
	FLOODIE-XS-F-3-WW-60-BM-LV-LS	3	255lm	3000K	90	24V DC	60	Black Mat	Aluminium	DALI
	FLOODIE-XS-F-3-WW-60-BM-LV-U	3	255lm	3000K	90	24V DC	60	Black Mat	Aluminium	DALI
	FLOODIE-XS-F-3-WW-60-BM-LV-UB	3	255lm	3000K	90	24V DC	60	Black Mat	Aluminium	DALI
	FLOODIE-XS-F-3-WW-60-BM-LV-US	3	255lm	3000K	90	24V DC	60	Black Mat	Aluminium	DALI
	FLOODIE-XS-F-3-WW-60-BR-HV-L	3	235lm	3000K	90	100-245V AC	60	Brown Corten	Aluminium	ON-OFF
	FLOODIE-XS-F-3-WW-60-BR-HV-U	3	235lm	3000K	90	100-245V AC	60	Brown Corten	Aluminium	ON-OFF
	FLOODIE-XS-F-3-WW-60-BR-LV-L	3	255lm	3000K	90	24V DC	60	Brown Corten	Aluminium	DALI
	FLOODIE-XS-F-3-WW-60-BR-LV-U	3	255lm	3000K	90	24V DC	60	Brown Corten	Aluminium	DALI
	FLOODIE-XS-F-3-WW-60-GD-HV-L	3	235lm	3000K	90	100-245V AC	60	Dark Grey	Aluminium	ON-OFF
	FLOODIE-XS-F-3-WW-60-GD-HV-U	3	235lm	3000K	90	100-245V AC	60	Dark Grey	Aluminium	ON-OFF
	FLOODIE-XS-F-3-WW-60-GD-LV-L	3	255lm	3000K	90	24V DC	60	Dark Grey	Aluminium	DALI
	FLOODIE-XS-F-3-WW-60-GD-LV-U	3	255lm	3000K	90	24V DC	60	Dark Grey	Aluminium	DALI
	FLOODIE-XS-F-3-WW-60-WM-HV-L	3	235lm	3000K	90	100-245V AC	60	White Mat	Aluminium	ON-OFF
	FLOODIE-XS-F-3-WW-60-WM-HV-U	3	235lm	3000K	90	100-245V AC	60	White Mat	Aluminium	ON-OFF

	FLOODIE-XS-F-3-WW-60-WM-LV-L	3	255lm	3000K	90	24V DC	60	White Mat	Aluminium	DALI
	FLOODIE-XS-F-3-WW-60-WM-LV-U	3	255lm	3000K	90	24V DC	60	White Mat	Aluminium	DALI
	FLOODIE-XS-S-3-CW-11-BM-HV-L	3	275lm	6000K	80	100-245V AC	11	Black Mat	Aluminium	ON-OFF
	FLOODIE-XS-S-3-CW-11-BM-HV-LB	3	275lm	6000K	80	100-245V AC	11	Black Mat	Aluminium	ON-OFF
	FLOODIE-XS-S-3-CW-11-BM-HV-LS	3	275lm	6000K	80	100-245V AC	11	Black Mat	Aluminium	ON-OFF
	FLOODIE-XS-S-3-CW-11-BM-HV-U	3	275lm	6000K	80	100-245V AC	11	Black Mat	Aluminium	ON-OFF
	FLOODIE-XS-S-3-CW-11-BM-HV-UB	3	275lm	6000K	80	100-245V AC	11	Black Mat	Aluminium	ON-OFF
	FLOODIE-XS-S-3-CW-11-BM-HV-US	3	275lm	6000K	80	100-245V AC	11	Black Mat	Aluminium	ON-OFF
	FLOODIE-XS-S-3-CW-11-BM-LV-L	3	295lm	6000K	80	24V DC	11	Black Mat	Aluminium	DALI
	FLOODIE-XS-S-3-CW-11-BM-LV-LB	3	295lm	6000K	80	24V DC	11	Black Mat	Aluminium	DALI
	FLOODIE-XS-S-3-CW-11-BM-LV-LS	3	295lm	6000K	80	24V DC	11	Black Mat	Aluminium	DALI
	FLOODIE-XS-S-3-CW-11-BM-LV-U	3	295lm	6000K	80	24V DC	11	Black Mat	Aluminium	DALI
	FLOODIE-XS-S-3-CW-11-BM-LV-UB	3	295lm	6000K	80	24V DC	11	Black Mat	Aluminium	DALI
	FLOODIE-XS-S-3-CW-11-BM-LV-US	3	295lm	6000K	80	24V DC	11	Black Mat	Aluminium	DALI
	FLOODIE-XS-S-3-CW-11-BR-HV-L	3	275lm	6000K	80	100-245V AC	11	Brown Corten	Aluminium	ON-OFF
	FLOODIE-XS-S-3-CW-11-BR-HV-U	3	275lm	6000K	80	100-245V AC	11	Brown Corten	Aluminium	ON-OFF
	FLOODIE-XS-S-3-CW-11-BR-LV-L	3	295lm	6000K	80	24V DC	11	Brown Corten	Aluminium	DALI
	FLOODIE-XS-S-3-CW-11-BR-LV-U	3	295lm	6000K	80	24V DC	11	Brown Corten	Aluminium	DALI
	FLOODIE-XS-S-3-CW-11-GD-HV-L	3	275lm	6000K	80	100-245V AC	11	Dark Grey	Aluminium	ON-OFF
	FLOODIE-XS-S-3-CW-11-GD-HV-U	3	275lm	6000K	80	100-245V AC	11	Dark Grey	Aluminium	ON-OFF
	FLOODIE-XS-S-3-CW-11-GD-LV-L	3	295lm	6000K	80	24V DC	11	Dark Grey	Aluminium	DALI
	FLOODIE-XS-S-3-CW-11-GD-LV-U	3	295lm	6000K	80	24V DC	11	Dark Grey	Aluminium	DALI
	FLOODIE-XS-S-3-CW-11-WM-HV-L	3	275lm	6000K	80	100-245V AC	11	White Mat	Aluminium	ON-OFF
	FLOODIE-XS-S-3-CW-11-WM-HV-U	3	275lm	6000K	80	100-245V AC	11	White Mat	Aluminium	ON-OFF

	FLOODIE-XS-S-3-CW-11-WM-LV-L	3	295lm	6000K	80	24V DC	11	White Mat	Aluminium	DALI
	FLOODIE-XS-S-3-CW-11-WM-LV-U	3	295lm	6000K	80	24V DC	11	White Mat	Aluminium	DALI
	FLOODIE-XS-S-3-CW-17-BM-HV-L	3	275lm	6000K	80	100-245V AC	17	Black Mat	Aluminium	ON-OFF
	FLOODIE-XS-S-3-CW-17-BM-HV-LB	3	275lm	6000K	80	100-245V AC	17	Black Mat	Aluminium	ON-OFF
	FLOODIE-XS-S-3-CW-17-BM-HV-LS	3	275lm	6000K	80	100-245V AC	17	Black Mat	Aluminium	ON-OFF
	FLOODIE-XS-S-3-CW-17-BM-HV-U	3	275lm	6000K	80	100-245V AC	17	Black Mat	Aluminium	ON-OFF
	FLOODIE-XS-S-3-CW-17-BM-HV-UB	3	275lm	6000K	80	100-245V AC	17	Black Mat	Aluminium	ON-OFF
	FLOODIE-XS-S-3-CW-17-BM-HV-US	3	275lm	6000K	80	100-245V AC	17	Black Mat	Aluminium	ON-OFF
	FLOODIE-XS-S-3-CW-17-BM-LV-L	3	295lm	6000K	80	24V DC	17	Black Mat	Aluminium	DALI
	FLOODIE-XS-S-3-CW-17-BM-LV-LB	3	295lm	6000K	80	24V DC	17	Black Mat	Aluminium	DALI
	FLOODIE-XS-S-3-CW-17-BM-LV-LS	3	295lm	6000K	80	24V DC	17	Black Mat	Aluminium	DALI
	FLOODIE-XS-S-3-CW-17-BM-LV-U	3	295lm	6000K	80	24V DC	17	Black Mat	Aluminium	DALI
	FLOODIE-XS-S-3-CW-17-BM-LV-UB	3	295lm	6000K	80	24V DC	17	Black Mat	Aluminium	DALI
	FLOODIE-XS-S-3-CW-17-BM-LV-US	3	295lm	6000K	80	24V DC	17	Black Mat	Aluminium	DALI
	FLOODIE-XS-S-3-CW-17-BR-HV-L	3	275lm	6000K	80	100-245V AC	17	Brown Corten	Aluminium	ON-OFF
	FLOODIE-XS-S-3-CW-17-BR-HV-U	3	275lm	6000K	80	100-245V AC	17	Brown Corten	Aluminium	ON-OFF
	FLOODIE-XS-S-3-CW-17-BR-LV-L	3	295lm	6000K	80	24V DC	17	Brown Corten	Aluminium	DALI
	FLOODIE-XS-S-3-CW-17-BR-LV-U	3	295lm	6000K	80	24V DC	17	Brown Corten	Aluminium	DALI
	FLOODIE-XS-S-3-CW-17-GD-HV-L	3	275lm	6000K	80	100-245V AC	17	Dark Grey	Aluminium	ON-OFF
	FLOODIE-XS-S-3-CW-17-GD-HV-U	3	275lm	6000K	80	100-245V AC	17	Dark Grey	Aluminium	ON-OFF
	FLOODIE-XS-S-3-CW-17-GD-LV-L	3	295lm	6000K	80	24V DC	17	Dark Grey	Aluminium	DALI
	FLOODIE-XS-S-3-CW-17-GD-LV-U	3	295lm	6000K	80	24V DC	17	Dark Grey	Aluminium	DALI
	FLOODIE-XS-S-3-CW-17-WM-HV-L	3	275lm	6000K	80	100-245V AC	17	White Mat	Aluminium	ON-OFF
	FLOODIE-XS-S-3-CW-17-WM-HV-U	3	275lm	6000K	80	100-245V AC	17	White Mat	Aluminium	ON-OFF

Niviss reserves the right to make technical changes without prior notice
product_card_20261113_205405

	FLOODIE-XS-S-3-CW-17-WM-LV-L	3	295lm	6000K	80	24V DC	17	White Mat	Aluminium	DALI
	FLOODIE-XS-S-3-CW-17-WM-LV-U	3	295lm	6000K	80	24V DC	17	White Mat	Aluminium	DALI
	FLOODIE-XS-S-3-CW-23-BM-HV-L	3	275lm	6000K	80	100-245V AC	23	Black Mat	Aluminium	ON-OFF
	FLOODIE-XS-S-3-CW-23-BM-HV-LB	3	275lm	6000K	80	100-245V AC	23	Black Mat	Aluminium	ON-OFF
	FLOODIE-XS-S-3-CW-23-BM-HV-LS	3	275lm	6000K	80	100-245V AC	23	Black Mat	Aluminium	ON-OFF
	FLOODIE-XS-S-3-CW-23-BM-HV-U	3	275lm	6000K	80	100-245V AC	23	Black Mat	Aluminium	ON-OFF
	FLOODIE-XS-S-3-CW-23-BM-HV-UB	3	275lm	6000K	80	100-245V AC	23	Black Mat	Aluminium	ON-OFF
	FLOODIE-XS-S-3-CW-23-BM-HV-US	3	275lm	6000K	80	100-245V AC	23	Black Mat	Aluminium	ON-OFF
	FLOODIE-XS-S-3-CW-23-BM-LV-L	3	295lm	6000K	80	24V DC	23	Black Mat	Aluminium	DALI
	FLOODIE-XS-S-3-CW-23-BM-LV-LB	3	295lm	6000K	80	24V DC	23	Black Mat	Aluminium	DALI
	FLOODIE-XS-S-3-CW-23-BM-LV-LS	3	295lm	6000K	80	24V DC	23	Black Mat	Aluminium	DALI
	FLOODIE-XS-S-3-CW-23-BM-LV-U	3	295lm	6000K	80	24V DC	23	Black Mat	Aluminium	DALI
	FLOODIE-XS-S-3-CW-23-BM-LV-UB	3	295lm	6000K	80	24V DC	23	Black Mat	Aluminium	DALI
	FLOODIE-XS-S-3-CW-23-BM-LV-US	3	295lm	6000K	80	24V DC	23	Black Mat	Aluminium	DALI
	FLOODIE-XS-S-3-CW-23-BR-HV-L	3	275lm	6000K	80	100-245V AC	23	Brown Corten	Aluminium	ON-OFF
	FLOODIE-XS-S-3-CW-23-BR-HV-U	3	275lm	6000K	80	100-245V AC	23	Brown Corten	Aluminium	ON-OFF
	FLOODIE-XS-S-3-CW-23-BR-LV-L	3	295lm	6000K	80	24V DC	23	Brown Corten	Aluminium	DALI
	FLOODIE-XS-S-3-CW-23-BR-LV-U	3	295lm	6000K	80	24V DC	23	Brown Corten	Aluminium	DALI
	FLOODIE-XS-S-3-CW-23-GD-HV-L	3	275lm	6000K	80	100-245V AC	23	Dark Grey	Aluminium	ON-OFF
	FLOODIE-XS-S-3-CW-23-GD-HV-U	3	275lm	6000K	80	100-245V AC	23	Dark Grey	Aluminium	ON-OFF
	FLOODIE-XS-S-3-CW-23-GD-LV-L	3	295lm	6000K	80	24V DC	23	Dark Grey	Aluminium	DALI
	FLOODIE-XS-S-3-CW-23-GD-LV-U	3	295lm	6000K	80	24V DC	23	Dark Grey	Aluminium	DALI
	FLOODIE-XS-S-3-CW-23-WM-HV-L	3	275lm	6000K	80	100-245V AC	23	White Mat	Aluminium	ON-OFF
	FLOODIE-XS-S-3-CW-23-WM-HV-U	3	275lm	6000K	80	100-245V AC	23	White Mat	Aluminium	ON-OFF

Niviss reserves the right to make technical changes without prior notice
product_card_20261113_205405

	FLOODIE-XS-S-3-CW-23-WM-LV-L	3	295lm	6000K	80	24V DC	23	White Mat	Aluminium	DALI
	FLOODIE-XS-S-3-CW-23-WM-LV-U	3	295lm	6000K	80	24V DC	23	White Mat	Aluminium	DALI
	FLOODIE-XS-S-3-CW-28-BM-HV-L	3	275lm	6000K	80	100-245V AC	28	Black Mat	Aluminium	ON-OFF
	FLOODIE-XS-S-3-CW-28-BM-HV-LB	3	275lm	6000K	80	100-245V AC	28	Black Mat	Aluminium	ON-OFF
	FLOODIE-XS-S-3-CW-28-BM-HV-LS	3	275lm	6000K	80	100-245V AC	28	Black Mat	Aluminium	ON-OFF
	FLOODIE-XS-S-3-CW-28-BM-HV-U	3	275lm	6000K	80	100-245V AC	28	Black Mat	Aluminium	ON-OFF
	FLOODIE-XS-S-3-CW-28-BM-HV-UB	3	275lm	6000K	80	100-245V AC	28	Black Mat	Aluminium	ON-OFF
	FLOODIE-XS-S-3-CW-28-BM-HV-US	3	275lm	6000K	80	100-245V AC	28	Black Mat	Aluminium	ON-OFF
	FLOODIE-XS-S-3-CW-28-BM-LV-L	3	295lm	6000K	80	24V DC	28	Black Mat	Aluminium	DALI
	FLOODIE-XS-S-3-CW-28-BM-LV-LB	3	295lm	6000K	80	24V DC	28	Black Mat	Aluminium	DALI
	FLOODIE-XS-S-3-CW-28-BM-LV-LS	3	295lm	6000K	80	24V DC	28	Black Mat	Aluminium	DALI
	FLOODIE-XS-S-3-CW-28-BM-LV-U	3	295lm	6000K	80	24V DC	28	Black Mat	Aluminium	DALI
	FLOODIE-XS-S-3-CW-28-BM-LV-UB	3	295lm	6000K	80	24V DC	28	Black Mat	Aluminium	DALI
	FLOODIE-XS-S-3-CW-28-BM-LV-US	3	295lm	6000K	80	24V DC	28	Black Mat	Aluminium	DALI
	FLOODIE-XS-S-3-CW-28-BR-HV-L	3	275lm	6000K	80	100-245V AC	28	Brown Corten	Aluminium	ON-OFF
	FLOODIE-XS-S-3-CW-28-BR-HV-U	3	275lm	6000K	80	100-245V AC	28	Brown Corten	Aluminium	ON-OFF
	FLOODIE-XS-S-3-CW-28-BR-LV-L	3	295lm	6000K	80	24V DC	28	Brown Corten	Aluminium	DALI
	FLOODIE-XS-S-3-CW-28-BR-LV-U	3	295lm	6000K	80	24V DC	28	Brown Corten	Aluminium	DALI
	FLOODIE-XS-S-3-CW-28-GD-HV-L	3	275lm	6000K	80	100-245V AC	28	Dark Grey	Aluminium	ON-OFF
	FLOODIE-XS-S-3-CW-28-GD-HV-U	3	275lm	6000K	80	100-245V AC	28	Dark Grey	Aluminium	ON-OFF
	FLOODIE-XS-S-3-CW-28-GD-LV-L	3	295lm	6000K	80	24V DC	28	Dark Grey	Aluminium	DALI
	FLOODIE-XS-S-3-CW-28-GD-LV-U	3	295lm	6000K	80	24V DC	28	Dark Grey	Aluminium	DALI
	FLOODIE-XS-S-3-CW-28-WM-HV-L	3	275lm	6000K	80	100-245V AC	28	White Mat	Aluminium	ON-OFF
	FLOODIE-XS-S-3-CW-28-WM-HV-U	3	275lm	6000K	80	100-245V AC	28	White Mat	Aluminium	ON-OFF

Niviss reserves the right to make technical changes without prior notice
product_card_20261113_205405

	FLOODIE-XS-S-3-CW-28-WM-LV-L	3	295lm	6000K	80	24V DC	28	White Mat	Aluminium	DALI
	FLOODIE-XS-S-3-CW-28-WM-LV-U	3	295lm	6000K	80	24V DC	28	White Mat	Aluminium	DALI
	FLOODIE-XS-S-3-CW-43-BM-HV-L	3	275lm	6000K	80	100-245V AC	43	Black Mat	Aluminium	ON-OFF
	FLOODIE-XS-S-3-CW-43-BM-HV-LB	3	275lm	6000K	80	100-245V AC	43	Black Mat	Aluminium	ON-OFF
	FLOODIE-XS-S-3-CW-43-BM-HV-LS	3	275lm	6000K	80	100-245V AC	43	Black Mat	Aluminium	ON-OFF
	FLOODIE-XS-S-3-CW-43-BM-HV-U	3	275lm	6000K	80	100-245V AC	43	Black Mat	Aluminium	ON-OFF
	FLOODIE-XS-S-3-CW-43-BM-HV-UB	3	275lm	6000K	80	100-245V AC	43	Black Mat	Aluminium	ON-OFF
	FLOODIE-XS-S-3-CW-43-BM-HV-US	3	275lm	6000K	80	100-245V AC	43	Black Mat	Aluminium	ON-OFF
	FLOODIE-XS-S-3-CW-43-BM-LV-L	3	295lm	6000K	80	24V DC	43	Black Mat	Aluminium	DALI
	FLOODIE-XS-S-3-CW-43-BM-LV-LB	3	295lm	6000K	80	24V DC	43	Black Mat	Aluminium	DALI
	FLOODIE-XS-S-3-CW-43-BM-LV-LS	3	295lm	6000K	80	24V DC	43	Black Mat	Aluminium	DALI
	FLOODIE-XS-S-3-CW-43-BM-LV-U	3	295lm	6000K	80	24V DC	43	Black Mat	Aluminium	DALI
	FLOODIE-XS-S-3-CW-43-BM-LV-UB	3	295lm	6000K	80	24V DC	43	Black Mat	Aluminium	DALI
	FLOODIE-XS-S-3-CW-43-BM-LV-US	3	295lm	6000K	80	24V DC	43	Black Mat	Aluminium	DALI
	FLOODIE-XS-S-3-CW-43-BR-HV-L	3	275lm	6000K	80	100-245V AC	43	Brown Corten	Aluminium	ON-OFF
	FLOODIE-XS-S-3-CW-43-BR-HV-U	3	275lm	6000K	80	100-245V AC	43	Brown Corten	Aluminium	ON-OFF
	FLOODIE-XS-S-3-CW-43-BR-LV-L	3	295lm	6000K	80	24V DC	43	Brown Corten	Aluminium	DALI
	FLOODIE-XS-S-3-CW-43-BR-LV-U	3	295lm	6000K	80	24V DC	43	Brown Corten	Aluminium	DALI
	FLOODIE-XS-S-3-CW-43-GD-HV-L	3	275lm	6000K	80	100-245V AC	43	Dark Grey	Aluminium	ON-OFF
	FLOODIE-XS-S-3-CW-43-GD-HV-U	3	275lm	6000K	80	100-245V AC	43	Dark Grey	Aluminium	ON-OFF
	FLOODIE-XS-S-3-CW-43-GD-LV-L	3	295lm	6000K	80	24V DC	43	Dark Grey	Aluminium	DALI
	FLOODIE-XS-S-3-CW-43-GD-LV-U	3	295lm	6000K	80	24V DC	43	Dark Grey	Aluminium	DALI
	FLOODIE-XS-S-3-CW-43-WM-HV-L	3	275lm	6000K	80	100-245V AC	43	White Mat	Aluminium	ON-OFF
	FLOODIE-XS-S-3-CW-43-WM-HV-U	3	275lm	6000K	80	100-245V AC	43	White Mat	Aluminium	ON-OFF

Niviss reserves the right to make technical changes without prior notice
product_card_20261113_205405

	FLOODIE-XS-S-3-CW-43-WM-LV-L	3	295lm	6000K	80	24V DC	43	White Mat	Aluminium	DALI
	FLOODIE-XS-S-3-CW-43-WM-LV-U	3	295lm	6000K	80	24V DC	43	White Mat	Aluminium	DALI
	FLOODIE-XS-S-3-CW-6-BM-HV-L	3	275lm	6000K	80	100-245V AC	6	Black Mat	Aluminium	ON-OFF
	FLOODIE-XS-S-3-CW-6-BM-HV-LB	3	275lm	6000K	80	100-245V AC	6	Black Mat	Aluminium	ON-OFF
	FLOODIE-XS-S-3-CW-6-BM-HV-LS	3	275lm	6000K	80	100-245V AC	6	Black Mat	Aluminium	ON-OFF
	FLOODIE-XS-S-3-CW-6-BM-HV-U	3	275lm	6000K	80	100-245V AC	6	Black Mat	Aluminium	ON-OFF
	FLOODIE-XS-S-3-CW-6-BM-HV-UB	3	275lm	6000K	80	100-245V AC	6	Black Mat	Aluminium	ON-OFF
	FLOODIE-XS-S-3-CW-6-BM-HV-US	3	275lm	6000K	80	100-245V AC	6	Black Mat	Aluminium	ON-OFF
	FLOODIE-XS-S-3-CW-6-BM-LV-L	3	295lm	6000K	80	24V DC	6	Black Mat	Aluminium	DALI
	FLOODIE-XS-S-3-CW-6-BM-LV-LB	3	295lm	6000K	80	24V DC	6	Black Mat	Aluminium	DALI
	FLOODIE-XS-S-3-CW-6-BM-LV-LS	3	295lm	6000K	80	24V DC	6	Black Mat	Aluminium	DALI
	FLOODIE-XS-S-3-CW-6-BM-LV-U	3	295lm	6000K	80	24V DC	6	Black Mat	Aluminium	DALI
	FLOODIE-XS-S-3-CW-6-BM-LV-UB	3	295lm	6000K	80	24V DC	6	Black Mat	Aluminium	DALI
	FLOODIE-XS-S-3-CW-6-BM-LV-US	3	295lm	6000K	80	24V DC	6	Black Mat	Aluminium	DALI
	FLOODIE-XS-S-3-CW-6-BR-HV-L	3	275lm	6000K	80	100-245V AC	6	Brown Corten	Aluminium	ON-OFF
	FLOODIE-XS-S-3-CW-6-BR-HV-U	3	275lm	6000K	80	100-245V AC	6	Brown Corten	Aluminium	ON-OFF
	FLOODIE-XS-S-3-CW-6-BR-LV-L	3	295lm	6000K	80	24V DC	6	Brown Corten	Aluminium	DALI
	FLOODIE-XS-S-3-CW-6-BR-LV-U	3	295lm	6000K	80	24V DC	6	Brown Corten	Aluminium	DALI
	FLOODIE-XS-S-3-CW-6-GD-HV-L	3	275lm	6000K	80	100-245V AC	6	Dark Grey	Aluminium	ON-OFF
	FLOODIE-XS-S-3-CW-6-GD-HV-U	3	275lm	6000K	80	100-245V AC	6	Dark Grey	Aluminium	ON-OFF
	FLOODIE-XS-S-3-CW-6-GD-LV-L	3	295lm	6000K	80	24V DC	6	Dark Grey	Aluminium	DALI
	FLOODIE-XS-S-3-CW-6-GD-LV-U	3	295lm	6000K	80	24V DC	6	Dark Grey	Aluminium	DALI
	FLOODIE-XS-S-3-CW-6-WM-HV-L	3	275lm	6000K	80	100-245V AC	6	White Mat	Aluminium	ON-OFF
	FLOODIE-XS-S-3-CW-6-WM-HV-U	3	275lm	6000K	80	100-245V AC	6	White Mat	Aluminium	ON-OFF

Niviss reserves the right to make technical changes without prior notice
product_card_20261113_205405

	FLOODIE-XS-S-3-CW-6-WM-LV-L	3	295lm	6000K	80	24V DC	6	White Mat	Aluminium	DALI
	FLOODIE-XS-S-3-CW-6-WM-LV-U	3	295lm	6000K	80	24V DC	6	White Mat	Aluminium	DALI
	FLOODIE-XS-S-3-CW-60-BM-HV-L	3	275lm	6000K	80	100-245V AC	60	Black Mat	Aluminium	ON-OFF
	FLOODIE-XS-S-3-CW-60-BM-HV-LB	3	275lm	6000K	80	100-245V AC	60	Black Mat	Aluminium	ON-OFF
	FLOODIE-XS-S-3-CW-60-BM-HV-LS	3	275lm	6000K	80	100-245V AC	60	Black Mat	Aluminium	ON-OFF
	FLOODIE-XS-S-3-CW-60-BM-HV-U	3	275lm	6000K	80	100-245V AC	60	Black Mat	Aluminium	ON-OFF
	FLOODIE-XS-S-3-CW-60-BM-HV-UB	3	275lm	6000K	80	100-245V AC	60	Black Mat	Aluminium	ON-OFF
	FLOODIE-XS-S-3-CW-60-BM-HV-US	3	275lm	6000K	80	100-245V AC	60	Black Mat	Aluminium	ON-OFF
	FLOODIE-XS-S-3-CW-60-BM-LV-L	3	295lm	6000K	80	24V DC	60	Black Mat	Aluminium	DALI
	FLOODIE-XS-S-3-CW-60-BM-LV-LB	3	295lm	6000K	80	24V DC	60	Black Mat	Aluminium	DALI
	FLOODIE-XS-S-3-CW-60-BM-LV-LS	3	295lm	6000K	80	24V DC	60	Black Mat	Aluminium	DALI
	FLOODIE-XS-S-3-CW-60-BM-LV-U	3	295lm	6000K	80	24V DC	60	Black Mat	Aluminium	DALI
	FLOODIE-XS-S-3-CW-60-BM-LV-UB	3	295lm	6000K	80	24V DC	60	Black Mat	Aluminium	DALI
	FLOODIE-XS-S-3-CW-60-BM-LV-US	3	295lm	6000K	80	24V DC	60	Black Mat	Aluminium	DALI
	FLOODIE-XS-S-3-CW-60-BR-HV-L	3	275lm	6000K	80	100-245V AC	60	Brown Corten	Aluminium	ON-OFF
	FLOODIE-XS-S-3-CW-60-BR-HV-U	3	275lm	6000K	80	100-245V AC	60	Brown Corten	Aluminium	ON-OFF
	FLOODIE-XS-S-3-CW-60-BR-LV-L	3	295lm	6000K	80	24V DC	60	Brown Corten	Aluminium	DALI
	FLOODIE-XS-S-3-CW-60-BR-LV-U	3	295lm	6000K	80	24V DC	60	Brown Corten	Aluminium	DALI
	FLOODIE-XS-S-3-CW-60-GD-HV-L	3	275lm	6000K	80	100-245V AC	60	Dark Grey	Aluminium	ON-OFF
	FLOODIE-XS-S-3-CW-60-GD-HV-U	3	275lm	6000K	80	100-245V AC	60	Dark Grey	Aluminium	ON-OFF
	FLOODIE-XS-S-3-CW-60-GD-LV-L	3	295lm	6000K	80	24V DC	60	Dark Grey	Aluminium	DALI
	FLOODIE-XS-S-3-CW-60-GD-LV-U	3	295lm	6000K	80	24V DC	60	Dark Grey	Aluminium	DALI
	FLOODIE-XS-S-3-CW-60-WM-HV-L	3	275lm	6000K	80	100-245V AC	60	White Mat	Aluminium	ON-OFF
	FLOODIE-XS-S-3-CW-60-WM-HV-U	3	275lm	6000K	80	100-245V AC	60	White Mat	Aluminium	ON-OFF

Niviss reserves the right to make technical changes without prior notice
product_card_20261113_205405

	FLOODIE-XS-S-3-CW-60-WM-LV-L	3	295lm	6000K	80	24V DC	60	White Mat	Aluminium	DALI
	FLOODIE-XS-S-3-CW-60-WM-LV-U	3	295lm	6000K	80	24V DC	60	White Mat	Aluminium	DALI
	FLOODIE-XS-S-3-NW-11-BM-HV-L	3	248lm	4000K	80	100-245V AC	11	Black Mat	Aluminium	ON-OFF
	FLOODIE-XS-S-3-NW-11-BM-HV-LB	3	248lm	4000K	80	100-245V AC	11	Black Mat	Aluminium	ON-OFF
	FLOODIE-XS-S-3-NW-11-BM-HV-LS	3	248lm	4000K	80	100-245V AC	11	Black Mat	Aluminium	ON-OFF
	FLOODIE-XS-S-3-NW-11-BM-HV-U	3	248lm	4000K	80	100-245V AC	11	Black Mat	Aluminium	ON-OFF
	FLOODIE-XS-S-3-NW-11-BM-HV-UB	3	248lm	4000K	80	100-245V AC	11	Black Mat	Aluminium	ON-OFF
	FLOODIE-XS-S-3-NW-11-BM-HV-US	3	248lm	4000K	80	100-245V AC	11	Black Mat	Aluminium	ON-OFF
	FLOODIE-XS-S-3-NW-11-BM-LV-L	3	270lm	4000K	80	24V DC	11	Black Mat	Aluminium	DALI
	FLOODIE-XS-S-3-NW-11-BM-LV-LB	3	270lm	4000K	80	24V DC	11	Black Mat	Aluminium	DALI
	FLOODIE-XS-S-3-NW-11-BM-LV-LS	3	270lm	4000K	80	24V DC	11	Black Mat	Aluminium	DALI
	FLOODIE-XS-S-3-NW-11-BM-LV-U	3	270lm	4000K	80	24V DC	11	Black Mat	Aluminium	DALI
	FLOODIE-XS-S-3-NW-11-BM-LV-UB	3	270lm	4000K	80	24V DC	11	Black Mat	Aluminium	DALI
	FLOODIE-XS-S-3-NW-11-BM-LV-US	3	270lm	4000K	80	24V DC	11	Black Mat	Aluminium	DALI
	FLOODIE-XS-S-3-NW-11-BR-HV-L	3	248lm	4000K	80	100-245V AC	11	Brown Corten	Aluminium	ON-OFF
	FLOODIE-XS-S-3-NW-11-BR-HV-U	3	248lm	4000K	80	100-245V AC	11	Brown Corten	Aluminium	ON-OFF
	FLOODIE-XS-S-3-NW-11-BR-LV-L	3	270lm	4000K	80	24V DC	11	Brown Corten	Aluminium	DALI
	FLOODIE-XS-S-3-NW-11-BR-LV-U	3	270lm	4000K	80	24V DC	11	Brown Corten	Aluminium	DALI
	FLOODIE-XS-S-3-NW-11-GD-HV-L	3	248lm	4000K	80	100-245V AC	11	Dark Grey	Aluminium	ON-OFF
	FLOODIE-XS-S-3-NW-11-GD-HV-U	3	248lm	4000K	80	100-245V AC	11	Dark Grey	Aluminium	ON-OFF
	FLOODIE-XS-S-3-NW-11-GD-LV-L	3	270lm	4000K	80	24V DC	11	Dark Grey	Aluminium	DALI
	FLOODIE-XS-S-3-NW-11-GD-LV-U	3	270lm	4000K	80	24V DC	11	Dark Grey	Aluminium	DALI
	FLOODIE-XS-S-3-NW-11-WM-HV-L	3	248lm	4000K	80	100-245V AC	11	White Mat	Aluminium	ON-OFF
	FLOODIE-XS-S-3-NW-11-WM-HV-U	3	248lm	4000K	80	100-245V AC	11	White Mat	Aluminium	ON-OFF

Niviss reserves the right to make technical changes without prior notice
product_card_20261113_205405

	FLOODIE-XS-S-3-NW-11-WM-LV-L	3	270lm	4000K	80	24V DC	11	White Mat	Aluminium	DALI
	FLOODIE-XS-S-3-NW-11-WM-LV-U	3	270lm	4000K	80	24V DC	11	White Mat	Aluminium	DALI
	FLOODIE-XS-S-3-NW-17-BM-HV-L	3	248lm	4000K	80	100-245V AC	17	Black Mat	Aluminium	ON-OFF
	FLOODIE-XS-S-3-NW-17-BM-HV-LB	3	248lm	4000K	80	100-245V AC	17	Black Mat	Aluminium	ON-OFF
	FLOODIE-XS-S-3-NW-17-BM-HV-LS	3	248lm	4000K	80	100-245V AC	17	Black Mat	Aluminium	ON-OFF
	FLOODIE-XS-S-3-NW-17-BM-HV-U	3	248lm	4000K	80	100-245V AC	17	Black Mat	Aluminium	ON-OFF
	FLOODIE-XS-S-3-NW-17-BM-HV-UB	3	248lm	4000K	80	100-245V AC	17	Black Mat	Aluminium	ON-OFF
	FLOODIE-XS-S-3-NW-17-BM-HV-US	3	248lm	4000K	80	100-245V AC	17	Black Mat	Aluminium	ON-OFF
	FLOODIE-XS-S-3-NW-17-BM-LV-L	3	270lm	4000K	80	24V DC	17	Black Mat	Aluminium	DALI
	FLOODIE-XS-S-3-NW-17-BM-LV-LB	3	270lm	4000K	80	24V DC	17	Black Mat	Aluminium	DALI
	FLOODIE-XS-S-3-NW-17-BM-LV-LS	3	270lm	4000K	80	24V DC	17	Black Mat	Aluminium	DALI
	FLOODIE-XS-S-3-NW-17-BM-LV-U	3	270lm	4000K	80	24V DC	17	Black Mat	Aluminium	DALI
	FLOODIE-XS-S-3-NW-17-BM-LV-UB	3	270lm	4000K	80	24V DC	17	Black Mat	Aluminium	DALI
	FLOODIE-XS-S-3-NW-17-BM-LV-US	3	270lm	4000K	80	24V DC	17	Black Mat	Aluminium	DALI
	FLOODIE-XS-S-3-NW-17-BR-HV-L	3	248lm	4000K	80	100-245V AC	17	Brown Corten	Aluminium	ON-OFF
	FLOODIE-XS-S-3-NW-17-BR-HV-U	3	248lm	4000K	80	100-245V AC	17	Brown Corten	Aluminium	ON-OFF
	FLOODIE-XS-S-3-NW-17-BR-LV-L	3	270lm	4000K	80	24V DC	17	Brown Corten	Aluminium	DALI
	FLOODIE-XS-S-3-NW-17-BR-LV-U	3	270lm	4000K	80	24V DC	17	Brown Corten	Aluminium	DALI
	FLOODIE-XS-S-3-NW-17-GD-HV-L	3	248lm	4000K	80	100-245V AC	17	Dark Grey	Aluminium	ON-OFF
	FLOODIE-XS-S-3-NW-17-GD-HV-U	3	248lm	4000K	80	100-245V AC	17	Dark Grey	Aluminium	ON-OFF
	FLOODIE-XS-S-3-NW-17-GD-LV-L	3	270lm	4000K	80	24V DC	17	Dark Grey	Aluminium	DALI
	FLOODIE-XS-S-3-NW-17-GD-LV-U	3	270lm	4000K	80	24V DC	17	Dark Grey	Aluminium	DALI
	FLOODIE-XS-S-3-NW-17-WM-HV-L	3	248lm	4000K	80	100-245V AC	17	White Mat	Aluminium	ON-OFF
	FLOODIE-XS-S-3-NW-17-WM-HV-U	3	248lm	4000K	80	100-245V AC	17	White Mat	Aluminium	ON-OFF

Niviss reserves the right to make technical changes without prior notice
product_card_20261113_205405

	FLOODIE-XS-S-3-NW-17-WM-LV-L	3	270lm	4000K	80	24V DC	17	White Mat	Aluminium	DALI
	FLOODIE-XS-S-3-NW-17-WM-LV-U	3	270lm	4000K	80	24V DC	17	White Mat	Aluminium	DALI
	FLOODIE-XS-S-3-NW-23-BM-HV-L	3	248lm	4000K	80	100-245V AC	23	Black Mat	Aluminium	ON-OFF
	FLOODIE-XS-S-3-NW-23-BM-HV-LB	3	248lm	4000K	80	100-245V AC	23	Black Mat	Aluminium	ON-OFF
	FLOODIE-XS-S-3-NW-23-BM-HV-LS	3	248lm	4000K	80	100-245V AC	23	Black Mat	Aluminium	ON-OFF
	FLOODIE-XS-S-3-NW-23-BM-HV-U	3	248lm	4000K	80	100-245V AC	23	Black Mat	Aluminium	ON-OFF
	FLOODIE-XS-S-3-NW-23-BM-HV-UB	3	248lm	4000K	80	100-245V AC	23	Black Mat	Aluminium	ON-OFF
	FLOODIE-XS-S-3-NW-23-BM-HV-US	3	248lm	4000K	80	100-245V AC	23	Black Mat	Aluminium	ON-OFF
	FLOODIE-XS-S-3-NW-23-BM-LV-L	3	270lm	4000K	80	24V DC	23	Black Mat	Aluminium	DALI
	FLOODIE-XS-S-3-NW-23-BM-LV-LB	3	270lm	4000K	80	24V DC	23	Black Mat	Aluminium	DALI
	FLOODIE-XS-S-3-NW-23-BM-LV-LS	3	270lm	4000K	80	24V DC	23	Black Mat	Aluminium	DALI
	FLOODIE-XS-S-3-NW-23-BM-LV-U	3	270lm	4000K	80	24V DC	23	Black Mat	Aluminium	DALI
	FLOODIE-XS-S-3-NW-23-BM-LV-UB	3	270lm	4000K	80	24V DC	23	Black Mat	Aluminium	DALI
	FLOODIE-XS-S-3-NW-23-BM-LV-US	3	270lm	4000K	80	24V DC	23	Black Mat	Aluminium	DALI
	FLOODIE-XS-S-3-NW-23-BR-HV-L	3	248lm	4000K	80	100-245V AC	23	Brown Corten	Aluminium	ON-OFF
	FLOODIE-XS-S-3-NW-23-BR-HV-U	3	248lm	4000K	80	100-245V AC	23	Brown Corten	Aluminium	ON-OFF
	FLOODIE-XS-S-3-NW-23-BR-LV-L	3	270lm	4000K	80	24V DC	23	Brown Corten	Aluminium	DALI
	FLOODIE-XS-S-3-NW-23-BR-LV-U	3	270lm	4000K	80	24V DC	23	Brown Corten	Aluminium	DALI
	FLOODIE-XS-S-3-NW-23-GD-HV-L	3	248lm	4000K	80	100-245V AC	23	Dark Grey	Aluminium	ON-OFF
	FLOODIE-XS-S-3-NW-23-GD-HV-U	3	248lm	4000K	80	100-245V AC	23	Dark Grey	Aluminium	ON-OFF
	FLOODIE-XS-S-3-NW-23-GD-LV-L	3	270lm	4000K	80	24V DC	23	Dark Grey	Aluminium	DALI
	FLOODIE-XS-S-3-NW-23-GD-LV-U	3	270lm	4000K	80	24V DC	23	Dark Grey	Aluminium	DALI
	FLOODIE-XS-S-3-NW-23-WM-HV-L	3	248lm	4000K	80	100-245V AC	23	White Mat	Aluminium	ON-OFF
	FLOODIE-XS-S-3-NW-23-WM-HV-U	3	248lm	4000K	80	100-245V AC	23	White Mat	Aluminium	ON-OFF

Niviss reserves the right to make technical changes without prior notice
product_card_20261113_205405

	FLOODIE-XS-S-3-NW-23-WM-LV-L	3	270lm	4000K	80	24V DC	23	White Mat	Aluminium	DALI
	FLOODIE-XS-S-3-NW-23-WM-LV-U	3	270lm	4000K	80	24V DC	23	White Mat	Aluminium	DALI
	FLOODIE-XS-S-3-NW-28-BM-HV-L	3	248lm	4000K	80	100-245V AC	28	Black Mat	Aluminium	ON-OFF
	FLOODIE-XS-S-3-NW-28-BM-HV-LB	3	248lm	4000K	80	100-245V AC	28	Black Mat	Aluminium	ON-OFF
	FLOODIE-XS-S-3-NW-28-BM-HV-LS	3	248lm	4000K	80	100-245V AC	28	Black Mat	Aluminium	ON-OFF
	FLOODIE-XS-S-3-NW-28-BM-HV-U	3	248lm	4000K	80	100-245V AC	28	Black Mat	Aluminium	ON-OFF
	FLOODIE-XS-S-3-NW-28-BM-HV-UB	3	248lm	4000K	80	100-245V AC	28	Black Mat	Aluminium	ON-OFF
	FLOODIE-XS-S-3-NW-28-BM-HV-US	3	248lm	4000K	80	100-245V AC	28	Black Mat	Aluminium	ON-OFF
	FLOODIE-XS-S-3-NW-28-BM-LV-L	3	270lm	4000K	80	24V DC	28	Black Mat	Aluminium	DALI
	FLOODIE-XS-S-3-NW-28-BM-LV-LB	3	270lm	4000K	80	24V DC	28	Black Mat	Aluminium	DALI
	FLOODIE-XS-S-3-NW-28-BM-LV-LS	3	270lm	4000K	80	24V DC	28	Black Mat	Aluminium	DALI
	FLOODIE-XS-S-3-NW-28-BM-LV-U	3	270lm	4000K	80	24V DC	28	Black Mat	Aluminium	DALI
	FLOODIE-XS-S-3-NW-28-BM-LV-UB	3	270lm	4000K	80	24V DC	28	Black Mat	Aluminium	DALI
	FLOODIE-XS-S-3-NW-28-BM-LV-US	3	270lm	4000K	80	24V DC	28	Black Mat	Aluminium	DALI
	FLOODIE-XS-S-3-NW-28-BR-HV-L	3	248lm	4000K	80	100-245V AC	28	Brown Corten	Aluminium	ON-OFF
	FLOODIE-XS-S-3-NW-28-BR-HV-U	3	248lm	4000K	80	100-245V AC	28	Brown Corten	Aluminium	ON-OFF
	FLOODIE-XS-S-3-NW-28-BR-LV-L	3	270lm	4000K	80	24V DC	28	Brown Corten	Aluminium	DALI
	FLOODIE-XS-S-3-NW-28-BR-LV-U	3	270lm	4000K	80	24V DC	28	Brown Corten	Aluminium	DALI
	FLOODIE-XS-S-3-NW-28-GD-HV-L	3	248lm	4000K	80	100-245V AC	28	Dark Grey	Aluminium	ON-OFF
	FLOODIE-XS-S-3-NW-28-GD-HV-U	3	248lm	4000K	80	100-245V AC	28	Dark Grey	Aluminium	ON-OFF
	FLOODIE-XS-S-3-NW-28-GD-LV-L	3	270lm	4000K	80	24V DC	28	Dark Grey	Aluminium	DALI
	FLOODIE-XS-S-3-NW-28-GD-LV-U	3	270lm	4000K	80	24V DC	28	Dark Grey	Aluminium	DALI
	FLOODIE-XS-S-3-NW-28-WM-HV-L	3	248lm	4000K	80	100-245V AC	28	White Mat	Aluminium	ON-OFF
	FLOODIE-XS-S-3-NW-28-WM-HV-U	3	248lm	4000K	80	100-245V AC	28	White Mat	Aluminium	ON-OFF

Niviss reserves the right to make technical changes without prior notice
product_card_20261113_205405

	FLOODIE-XS-S-3-NW-28-WM-LV-L	3	270lm	4000K	80	24V DC	28	White Mat	Aluminium	DALI
	FLOODIE-XS-S-3-NW-28-WM-LV-U	3	270lm	4000K	80	24V DC	28	White Mat	Aluminium	DALI
	FLOODIE-XS-S-3-NW-43-BM-HV-L	3	248lm	4000K	80	100-245V AC	43	Black Mat	Aluminium	ON-OFF
	FLOODIE-XS-S-3-NW-43-BM-HV-LB	3	248lm	4000K	80	100-245V AC	43	Black Mat	Aluminium	ON-OFF
	FLOODIE-XS-S-3-NW-43-BM-HV-LS	3	248lm	4000K	80	100-245V AC	43	Black Mat	Aluminium	ON-OFF
	FLOODIE-XS-S-3-NW-43-BM-HV-U	3	248lm	4000K	80	100-245V AC	43	Black Mat	Aluminium	ON-OFF
	FLOODIE-XS-S-3-NW-43-BM-HV-UB	3	248lm	4000K	80	100-245V AC	43	Black Mat	Aluminium	ON-OFF
	FLOODIE-XS-S-3-NW-43-BM-HV-US	3	248lm	4000K	80	100-245V AC	43	Black Mat	Aluminium	ON-OFF
	FLOODIE-XS-S-3-NW-43-BM-LV-L	3	270lm	4000K	80	24V DC	43	Black Mat	Aluminium	DALI
	FLOODIE-XS-S-3-NW-43-BM-LV-LB	3	270lm	4000K	80	24V DC	43	Black Mat	Aluminium	DALI
	FLOODIE-XS-S-3-NW-43-BM-LV-LS	3	270lm	4000K	80	24V DC	43	Black Mat	Aluminium	DALI
	FLOODIE-XS-S-3-NW-43-BM-LV-U	3	270lm	4000K	80	24V DC	43	Black Mat	Aluminium	DALI
	FLOODIE-XS-S-3-NW-43-BM-LV-UB	3	270lm	4000K	80	24V DC	43	Black Mat	Aluminium	DALI
	FLOODIE-XS-S-3-NW-43-BM-LV-US	3	270lm	4000K	80	24V DC	43	Black Mat	Aluminium	DALI
	FLOODIE-XS-S-3-NW-43-BR-HV-L	3	248lm	4000K	80	100-245V AC	43	Brown Corten	Aluminium	ON-OFF
	FLOODIE-XS-S-3-NW-43-BR-HV-U	3	248lm	4000K	80	100-245V AC	43	Brown Corten	Aluminium	ON-OFF
	FLOODIE-XS-S-3-NW-43-BR-LV-L	3	270lm	4000K	80	24V DC	43	Brown Corten	Aluminium	DALI
	FLOODIE-XS-S-3-NW-43-BR-LV-U	3	270lm	4000K	80	24V DC	43	Brown Corten	Aluminium	DALI
	FLOODIE-XS-S-3-NW-43-GD-HV-L	3	248lm	4000K	80	100-245V AC	43	Dark Grey	Aluminium	ON-OFF
	FLOODIE-XS-S-3-NW-43-GD-HV-U	3	248lm	4000K	80	100-245V AC	43	Dark Grey	Aluminium	ON-OFF
	FLOODIE-XS-S-3-NW-43-GD-LV-L	3	270lm	4000K	80	24V DC	43	Dark Grey	Aluminium	DALI
	FLOODIE-XS-S-3-NW-43-GD-LV-U	3	270lm	4000K	80	24V DC	43	Dark Grey	Aluminium	DALI
	FLOODIE-XS-S-3-NW-43-WM-HV-L	3	248lm	4000K	80	100-245V AC	43	White Mat	Aluminium	ON-OFF
	FLOODIE-XS-S-3-NW-43-WM-HV-U	3	248lm	4000K	80	100-245V AC	43	White Mat	Aluminium	ON-OFF

Niviss reserves the right to make technical changes without prior notice
product_card_20261113_205405

	FLOODIE-XS-S-3-NW-43-WM-LV-L	3	270lm	4000K	80	24V DC	43	White Mat	Aluminium	DALI
	FLOODIE-XS-S-3-NW-43-WM-LV-U	3	270lm	4000K	80	24V DC	43	White Mat	Aluminium	DALI
	FLOODIE-XS-S-3-NW-6-BM-HV-L	3	248lm	4000K	80	100-245V AC	6	Black Mat	Aluminium	ON-OFF
	FLOODIE-XS-S-3-NW-6-BM-HV-LB	3	248lm	4000K	80	100-245V AC	6	Black Mat	Aluminium	ON-OFF
	FLOODIE-XS-S-3-NW-6-BM-HV-LS	3	248lm	4000K	80	100-245V AC	6	Black Mat	Aluminium	ON-OFF
	FLOODIE-XS-S-3-NW-6-BM-HV-U	3	248lm	4000K	80	100-245V AC	6	Black Mat	Aluminium	ON-OFF
	FLOODIE-XS-S-3-NW-6-BM-HV-UB	3	248lm	4000K	80	100-245V AC	6	Black Mat	Aluminium	ON-OFF
	FLOODIE-XS-S-3-NW-6-BM-HV-US	3	248lm	4000K	80	100-245V AC	6	Black Mat	Aluminium	ON-OFF
	FLOODIE-XS-S-3-NW-6-BM-LV-L	3	270lm	4000K	80	24V DC	6	Black Mat	Aluminium	DALI
	FLOODIE-XS-S-3-NW-6-BM-LV-LB	3	270lm	4000K	80	24V DC	6	Black Mat	Aluminium	DALI
	FLOODIE-XS-S-3-NW-6-BM-LV-LS	3	270lm	4000K	80	24V DC	6	Black Mat	Aluminium	DALI
	FLOODIE-XS-S-3-NW-6-BM-LV-U	3	270lm	4000K	80	24V DC	6	Black Mat	Aluminium	DALI
	FLOODIE-XS-S-3-NW-6-BM-LV-UB	3	270lm	4000K	80	24V DC	6	Black Mat	Aluminium	DALI
	FLOODIE-XS-S-3-NW-6-BM-LV-US	3	270lm	4000K	80	24V DC	6	Black Mat	Aluminium	DALI
	FLOODIE-XS-S-3-NW-6-BR-HV-L	3	248lm	4000K	80	100-245V AC	6	Brown Corten	Aluminium	ON-OFF
	FLOODIE-XS-S-3-NW-6-BR-HV-U	3	248lm	4000K	80	100-245V AC	6	Brown Corten	Aluminium	ON-OFF
	FLOODIE-XS-S-3-NW-6-BR-LV-L	3	270lm	4000K	80	24V DC	6	Brown Corten	Aluminium	DALI
	FLOODIE-XS-S-3-NW-6-BR-LV-U	3	270lm	4000K	80	24V DC	6	Brown Corten	Aluminium	DALI
	FLOODIE-XS-S-3-NW-6-GD-HV-L	3	248lm	4000K	80	100-245V AC	6	Dark Grey	Aluminium	ON-OFF
	FLOODIE-XS-S-3-NW-6-GD-HV-U	3	248lm	4000K	80	100-245V AC	6	Dark Grey	Aluminium	ON-OFF
	FLOODIE-XS-S-3-NW-6-GD-LV-L	3	270lm	4000K	80	24V DC	6	Dark Grey	Aluminium	DALI
	FLOODIE-XS-S-3-NW-6-GD-LV-U	3	270lm	4000K	80	24V DC	6	Dark Grey	Aluminium	DALI
	FLOODIE-XS-S-3-NW-6-WM-HV-L	3	248lm	4000K	80	100-245V AC	6	White Mat	Aluminium	ON-OFF
	FLOODIE-XS-S-3-NW-6-WM-HV-U	3	248lm	4000K	80	100-245V AC	6	White Mat	Aluminium	ON-OFF

Niviss reserves the right to make technical changes without prior notice
product_card_20261113_205405

	FLOODIE-XS-S-3-NW-6-WM-LV-L	3	270lm	4000K	80	24V DC	6	White Mat	Aluminium	DALI
	FLOODIE-XS-S-3-NW-6-WM-LV-U	3	270lm	4000K	80	24V DC	6	White Mat	Aluminium	DALI
	FLOODIE-XS-S-3-NW-60-BM-HV-L	3	248lm	4000K	80	100-245V AC	60	Black Mat	Aluminium	ON-OFF
	FLOODIE-XS-S-3-NW-60-BM-HV-LB	3	248lm	4000K	80	100-245V AC	60	Black Mat	Aluminium	ON-OFF
	FLOODIE-XS-S-3-NW-60-BM-HV-LS	3	248lm	4000K	80	100-245V AC	60	Black Mat	Aluminium	ON-OFF
	FLOODIE-XS-S-3-NW-60-BM-HV-U	3	248lm	4000K	80	100-245V AC	60	Black Mat	Aluminium	ON-OFF
	FLOODIE-XS-S-3-NW-60-BM-HV-UB	3	248lm	4000K	80	100-245V AC	60	Black Mat	Aluminium	ON-OFF
	FLOODIE-XS-S-3-NW-60-BM-HV-US	3	248lm	4000K	80	100-245V AC	60	Black Mat	Aluminium	ON-OFF
	FLOODIE-XS-S-3-NW-60-BM-LV-L	3	270lm	4000K	80	24V DC	60	Black Mat	Aluminium	DALI
	FLOODIE-XS-S-3-NW-60-BM-LV-LB	3	270lm	4000K	80	24V DC	60	Black Mat	Aluminium	DALI
	FLOODIE-XS-S-3-NW-60-BM-LV-LS	3	270lm	4000K	80	24V DC	60	Black Mat	Aluminium	DALI
	FLOODIE-XS-S-3-NW-60-BM-LV-U	3	270lm	4000K	80	24V DC	60	Black Mat	Aluminium	DALI
	FLOODIE-XS-S-3-NW-60-BM-LV-UB	3	270lm	4000K	80	24V DC	60	Black Mat	Aluminium	DALI
	FLOODIE-XS-S-3-NW-60-BM-LV-US	3	270lm	4000K	80	24V DC	60	Black Mat	Aluminium	DALI
	FLOODIE-XS-S-3-NW-60-BR-HV-L	3	248lm	4000K	80	100-245V AC	60	Brown Corten	Aluminium	ON-OFF
	FLOODIE-XS-S-3-NW-60-BR-HV-U	3	248lm	4000K	80	100-245V AC	60	Brown Corten	Aluminium	ON-OFF
	FLOODIE-XS-S-3-NW-60-BR-LV-L	3	270lm	4000K	80	24V DC	60	Brown Corten	Aluminium	DALI
	FLOODIE-XS-S-3-NW-60-BR-LV-U	3	270lm	4000K	80	24V DC	60	Brown Corten	Aluminium	DALI
	FLOODIE-XS-S-3-NW-60-GD-HV-L	3	248lm	4000K	80	100-245V AC	60	Dark Grey	Aluminium	ON-OFF
	FLOODIE-XS-S-3-NW-60-GD-HV-U	3	248lm	4000K	80	100-245V AC	60	Dark Grey	Aluminium	ON-OFF
	FLOODIE-XS-S-3-NW-60-GD-LV-L	3	270lm	4000K	80	24V DC	60	Dark Grey	Aluminium	DALI
	FLOODIE-XS-S-3-NW-60-GD-LV-U	3	270lm	4000K	80	24V DC	60	Dark Grey	Aluminium	DALI
	FLOODIE-XS-S-3-NW-60-WM-HV-L	3	248lm	4000K	80	100-245V AC	60	White Mat	Aluminium	ON-OFF
	FLOODIE-XS-S-3-NW-60-WM-HV-U	3	248lm	4000K	80	100-245V AC	60	White Mat	Aluminium	ON-OFF

Niviss reserves the right to make technical changes without prior notice
product_card_20261113_205405

	FLOODIE-XS-S-3-NW-60-WM-LV-L	3	270lm	4000K	80	24V DC	60	White Mat	Aluminium	DALI
	FLOODIE-XS-S-3-NW-60-WM-LV-U	3	270lm	4000K	80	24V DC	60	White Mat	Aluminium	DALI
	FLOODIE-XS-S-3-VW-11-BM-HV-L	3	208lm	2700K	90	100-245V AC	11	Black Mat	Aluminium	ON-OFF
	FLOODIE-XS-S-3-VW-11-BM-HV-LB	3	208lm	2700K	90	100-245V AC	11	Black Mat	Aluminium	ON-OFF
	FLOODIE-XS-S-3-VW-11-BM-HV-LS	3	208lm	2700K	90	100-245V AC	11	Black Mat	Aluminium	ON-OFF
	FLOODIE-XS-S-3-VW-11-BM-HV-U	3	208lm	2700K	90	100-245V AC	11	Black Mat	Aluminium	ON-OFF
	FLOODIE-XS-S-3-VW-11-BM-HV-UB	3	208lm	2700K	90	100-245V AC	11	Black Mat	Aluminium	ON-OFF
	FLOODIE-XS-S-3-VW-11-BM-HV-US	3	208lm	2700K	90	100-245V AC	11	Black Mat	Aluminium	ON-OFF
	FLOODIE-XS-S-3-VW-11-BM-LV-L	3	225lm	2700K	90	24V DC	11	Black Mat	Aluminium	DALI
	FLOODIE-XS-S-3-VW-11-BM-LV-LB	3	225lm	2700K	90	24V DC	11	Black Mat	Aluminium	DALI
	FLOODIE-XS-S-3-VW-11-BM-LV-LS	3	225lm	2700K	90	24V DC	11	Black Mat	Aluminium	DALI
	FLOODIE-XS-S-3-VW-11-BM-LV-U	3	225lm	2700K	90	24V DC	11	Black Mat	Aluminium	DALI
	FLOODIE-XS-S-3-VW-11-BM-LV-UB	3	225lm	2700K	90	24V DC	11	Black Mat	Aluminium	DALI
	FLOODIE-XS-S-3-VW-11-BM-LV-US	3	225lm	2700K	90	24V DC	11	Black Mat	Aluminium	DALI
	FLOODIE-XS-S-3-VW-11-BR-HV-L	3	208lm	2700K	90	100-245V AC	11	Brown Corten	Aluminium	ON-OFF
	FLOODIE-XS-S-3-VW-11-BR-HV-U	3	208lm	2700K	90	100-245V AC	11	Brown Corten	Aluminium	ON-OFF
	FLOODIE-XS-S-3-VW-11-BR-LV-L	3	225lm	2700K	90	24V DC	11	Brown Corten	Aluminium	DALI
	FLOODIE-XS-S-3-VW-11-BR-LV-U	3	225lm	2700K	90	24V DC	11	Brown Corten	Aluminium	DALI
	FLOODIE-XS-S-3-VW-11-GD-HV-L	3	208lm	2700K	90	100-245V AC	11	Dark Grey	Aluminium	ON-OFF
	FLOODIE-XS-S-3-VW-11-GD-HV-U	3	208lm	2700K	90	100-245V AC	11	Dark Grey	Aluminium	ON-OFF
	FLOODIE-XS-S-3-VW-11-GD-LV-L	3	225lm	2700K	90	24V DC	11	Dark Grey	Aluminium	DALI
	FLOODIE-XS-S-3-VW-11-GD-LV-U	3	225lm	2700K	90	24V DC	11	Dark Grey	Aluminium	DALI
	FLOODIE-XS-S-3-VW-11-WM-HV-L	3	208lm	2700K	90	100-245V AC	11	White Mat	Aluminium	ON-OFF
	FLOODIE-XS-S-3-VW-11-WM-HV-U	3	208lm	2700K	90	100-245V AC	11	White Mat	Aluminium	ON-OFF

	FLOODIE-XS-S-3-VW-11-WM-LV-L	3	225lm	2700K	90	24V DC	11	White Mat	Aluminium	DALI
	FLOODIE-XS-S-3-VW-11-WM-LV-U	3	225lm	2700K	90	24V DC	11	White Mat	Aluminium	DALI
	FLOODIE-XS-S-3-VW-17-BM-HV-L	3	208lm	2700K	90	100-245V AC	17	Black Mat	Aluminium	ON-OFF
	FLOODIE-XS-S-3-VW-17-BM-HV-LB	3	208lm	2700K	90	100-245V AC	17	Black Mat	Aluminium	ON-OFF
	FLOODIE-XS-S-3-VW-17-BM-HV-LS	3	208lm	2700K	90	100-245V AC	17	Black Mat	Aluminium	ON-OFF
	FLOODIE-XS-S-3-VW-17-BM-HV-U	3	208lm	2700K	90	100-245V AC	17	Black Mat	Aluminium	ON-OFF
	FLOODIE-XS-S-3-VW-17-BM-HV-UB	3	208lm	2700K	90	100-245V AC	17	Black Mat	Aluminium	ON-OFF
	FLOODIE-XS-S-3-VW-17-BM-HV-US	3	208lm	2700K	90	100-245V AC	17	Black Mat	Aluminium	ON-OFF
	FLOODIE-XS-S-3-VW-17-BM-LV-L	3	225lm	2700K	90	24V DC	17	Black Mat	Aluminium	DALI
	FLOODIE-XS-S-3-VW-17-BM-LV-LB	3	225lm	2700K	90	24V DC	17	Black Mat	Aluminium	DALI
	FLOODIE-XS-S-3-VW-17-BM-LV-LS	3	225lm	2700K	90	24V DC	17	Black Mat	Aluminium	DALI
	FLOODIE-XS-S-3-VW-17-BM-LV-U	3	225lm	2700K	90	24V DC	17	Black Mat	Aluminium	DALI
	FLOODIE-XS-S-3-VW-17-BM-LV-UB	3	225lm	2700K	90	24V DC	17	Black Mat	Aluminium	DALI
	FLOODIE-XS-S-3-VW-17-BM-LV-US	3	225lm	2700K	90	24V DC	17	Black Mat	Aluminium	DALI
	FLOODIE-XS-S-3-VW-17-BR-HV-L	3	208lm	2700K	90	100-245V AC	17	Brown Corten	Aluminium	ON-OFF
	FLOODIE-XS-S-3-VW-17-BR-HV-U	3	208lm	2700K	90	100-245V AC	17	Brown Corten	Aluminium	ON-OFF
	FLOODIE-XS-S-3-VW-17-BR-LV-L	3	225lm	2700K	90	24V DC	17	Brown Corten	Aluminium	DALI
	FLOODIE-XS-S-3-VW-17-BR-LV-U	3	225lm	2700K	90	24V DC	17	Brown Corten	Aluminium	DALI
	FLOODIE-XS-S-3-VW-17-GD-HV-L	3	208lm	2700K	90	100-245V AC	17	Dark Grey	Aluminium	ON-OFF
	FLOODIE-XS-S-3-VW-17-GD-HV-U	3	208lm	2700K	90	100-245V AC	17	Dark Grey	Aluminium	ON-OFF
	FLOODIE-XS-S-3-VW-17-GD-LV-L	3	225lm	2700K	90	24V DC	17	Dark Grey	Aluminium	DALI
	FLOODIE-XS-S-3-VW-17-GD-LV-U	3	225lm	2700K	90	24V DC	17	Dark Grey	Aluminium	DALI
	FLOODIE-XS-S-3-VW-17-WM-HV-L	3	208lm	2700K	90	100-245V AC	17	White Mat	Aluminium	ON-OFF
	FLOODIE-XS-S-3-VW-17-WM-HV-U	3	208lm	2700K	90	100-245V AC	17	White Mat	Aluminium	ON-OFF

Niviss reserves the right to make technical changes without prior notice
product_card_20261113_205405

	FLOODIE-XS-S-3-VW-17-WM-LV-L	3	225lm	2700K	90	24V DC	17	White Mat	Aluminium	DALI
	FLOODIE-XS-S-3-VW-17-WM-LV-U	3	225lm	2700K	90	24V DC	17	White Mat	Aluminium	DALI
	FLOODIE-XS-S-3-VW-23-BM-HV-L	3	208lm	2700K	90	100-245V AC	23	Black Mat	Aluminium	ON-OFF
	FLOODIE-XS-S-3-VW-23-BM-HV-LB	3	208lm	2700K	90	100-245V AC	23	Black Mat	Aluminium	ON-OFF
	FLOODIE-XS-S-3-VW-23-BM-HV-LS	3	208lm	2700K	90	100-245V AC	23	Black Mat	Aluminium	ON-OFF
	FLOODIE-XS-S-3-VW-23-BM-HV-U	3	208lm	2700K	90	100-245V AC	23	Black Mat	Aluminium	ON-OFF
	FLOODIE-XS-S-3-VW-23-BM-HV-UB	3	208lm	2700K	90	100-245V AC	23	Black Mat	Aluminium	ON-OFF
	FLOODIE-XS-S-3-VW-23-BM-HV-US	3	208lm	2700K	90	100-245V AC	23	Black Mat	Aluminium	ON-OFF
	FLOODIE-XS-S-3-VW-23-BM-LV-L	3	225lm	2700K	90	24V DC	23	Black Mat	Aluminium	DALI
	FLOODIE-XS-S-3-VW-23-BM-LV-LB	3	225lm	2700K	90	24V DC	23	Black Mat	Aluminium	DALI
	FLOODIE-XS-S-3-VW-23-BM-LV-LS	3	225lm	2700K	90	24V DC	23	Black Mat	Aluminium	DALI
	FLOODIE-XS-S-3-VW-23-BM-LV-U	3	225lm	2700K	90	24V DC	23	Black Mat	Aluminium	DALI
	FLOODIE-XS-S-3-VW-23-BM-LV-UB	3	225lm	2700K	90	24V DC	23	Black Mat	Aluminium	DALI
	FLOODIE-XS-S-3-VW-23-BM-LV-US	3	225lm	2700K	90	24V DC	23	Black Mat	Aluminium	DALI
	FLOODIE-XS-S-3-VW-23-BR-HV-L	3	208lm	2700K	90	100-245V AC	23	Brown Corten	Aluminium	ON-OFF
	FLOODIE-XS-S-3-VW-23-BR-HV-U	3	208lm	2700K	90	100-245V AC	23	Brown Corten	Aluminium	ON-OFF
	FLOODIE-XS-S-3-VW-23-BR-LV-L	3	225lm	2700K	90	24V DC	23	Brown Corten	Aluminium	DALI
	FLOODIE-XS-S-3-VW-23-BR-LV-U	3	225lm	2700K	90	24V DC	23	Brown Corten	Aluminium	DALI
	FLOODIE-XS-S-3-VW-23-GD-HV-L	3	208lm	2700K	90	100-245V AC	23	Dark Grey	Aluminium	ON-OFF
	FLOODIE-XS-S-3-VW-23-GD-HV-U	3	208lm	2700K	90	100-245V AC	23	Dark Grey	Aluminium	ON-OFF
	FLOODIE-XS-S-3-VW-23-GD-LV-L	3	225lm	2700K	90	24V DC	23	Dark Grey	Aluminium	DALI
	FLOODIE-XS-S-3-VW-23-GD-LV-U	3	225lm	2700K	90	24V DC	23	Dark Grey	Aluminium	DALI
	FLOODIE-XS-S-3-VW-23-WM-HV-L	3	208lm	2700K	90	100-245V AC	23	White Mat	Aluminium	ON-OFF
	FLOODIE-XS-S-3-VW-23-WM-HV-U	3	208lm	2700K	90	100-245V AC	23	White Mat	Aluminium	ON-OFF

Niviss reserves the right to make technical changes without prior notice
product_card_20261113_205405

	FLOODIE-XS-S-3-VW-23-WM-LV-L	3	225lm	2700K	90	24V DC	23	White Mat	Aluminium	DALI
	FLOODIE-XS-S-3-VW-23-WM-LV-U	3	225lm	2700K	90	24V DC	23	White Mat	Aluminium	DALI
	FLOODIE-XS-S-3-VW-28-BM-HV-L	3	208lm	2700K	90	100-245V AC	28	Black Mat	Aluminium	ON-OFF
	FLOODIE-XS-S-3-VW-28-BM-HV-LB	3	208lm	2700K	90	100-245V AC	28	Black Mat	Aluminium	ON-OFF
	FLOODIE-XS-S-3-VW-28-BM-HV-LS	3	208lm	2700K	90	100-245V AC	28	Black Mat	Aluminium	ON-OFF
	FLOODIE-XS-S-3-VW-28-BM-HV-U	3	208lm	2700K	90	100-245V AC	28	Black Mat	Aluminium	ON-OFF
	FLOODIE-XS-S-3-VW-28-BM-HV-UB	3	208lm	2700K	90	100-245V AC	28	Black Mat	Aluminium	ON-OFF
	FLOODIE-XS-S-3-VW-28-BM-HV-US	3	208lm	2700K	90	100-245V AC	28	Black Mat	Aluminium	ON-OFF
	FLOODIE-XS-S-3-VW-28-BM-LV-L	3	225lm	2700K	90	24V DC	28	Black Mat	Aluminium	DALI
	FLOODIE-XS-S-3-VW-28-BM-LV-LB	3	225lm	2700K	90	24V DC	28	Black Mat	Aluminium	DALI
	FLOODIE-XS-S-3-VW-28-BM-LV-LS	3	225lm	2700K	90	24V DC	28	Black Mat	Aluminium	DALI
	FLOODIE-XS-S-3-VW-28-BM-LV-U	3	225lm	2700K	90	24V DC	28	Black Mat	Aluminium	DALI
	FLOODIE-XS-S-3-VW-28-BM-LV-UB	3	225lm	2700K	90	24V DC	28	Black Mat	Aluminium	DALI
	FLOODIE-XS-S-3-VW-28-BM-LV-US	3	225lm	2700K	90	24V DC	28	Black Mat	Aluminium	DALI
	FLOODIE-XS-S-3-VW-28-BR-HV-L	3	208lm	2700K	90	100-245V AC	28	Brown Corten	Aluminium	ON-OFF
	FLOODIE-XS-S-3-VW-28-BR-HV-U	3	208lm	2700K	90	100-245V AC	28	Brown Corten	Aluminium	ON-OFF
	FLOODIE-XS-S-3-VW-28-BR-LV-L	3	225lm	2700K	90	24V DC	28	Brown Corten	Aluminium	DALI
	FLOODIE-XS-S-3-VW-28-BR-LV-U	3	225lm	2700K	90	24V DC	28	Brown Corten	Aluminium	DALI
	FLOODIE-XS-S-3-VW-28-GD-HV-L	3	208lm	2700K	90	100-245V AC	28	Dark Grey	Aluminium	ON-OFF
	FLOODIE-XS-S-3-VW-28-GD-HV-U	3	208lm	2700K	90	100-245V AC	28	Dark Grey	Aluminium	ON-OFF
	FLOODIE-XS-S-3-VW-28-GD-LV-L	3	225lm	2700K	90	24V DC	28	Dark Grey	Aluminium	DALI
	FLOODIE-XS-S-3-VW-28-GD-LV-U	3	225lm	2700K	90	24V DC	28	Dark Grey	Aluminium	DALI
	FLOODIE-XS-S-3-VW-28-WM-HV-L	3	208lm	2700K	90	100-245V AC	28	White Mat	Aluminium	ON-OFF
	FLOODIE-XS-S-3-VW-28-WM-HV-U	3	208lm	2700K	90	100-245V AC	28	White Mat	Aluminium	ON-OFF

Niviss reserves the right to make technical changes without prior notice
product_card_20261113_205405

	FLOODIE-XS-S-3-VW-28-WM-LV-L	3	225lm	2700K	90	24V DC	28	White Mat	Aluminium	DALI
	FLOODIE-XS-S-3-VW-28-WM-LV-U	3	225lm	2700K	90	24V DC	28	White Mat	Aluminium	DALI
	FLOODIE-XS-S-3-VW-43-BM-HV-L	3	208lm	2700K	90	100-245V AC	43	Black Mat	Aluminium	ON-OFF
	FLOODIE-XS-S-3-VW-43-BM-HV-LB	3	208lm	2700K	90	100-245V AC	43	Black Mat	Aluminium	ON-OFF
	FLOODIE-XS-S-3-VW-43-BM-HV-LS	3	208lm	2700K	90	100-245V AC	43	Black Mat	Aluminium	ON-OFF
	FLOODIE-XS-S-3-VW-43-BM-HV-U	3	208lm	2700K	90	100-245V AC	43	Black Mat	Aluminium	ON-OFF
	FLOODIE-XS-S-3-VW-43-BM-HV-UB	3	208lm	2700K	90	100-245V AC	43	Black Mat	Aluminium	ON-OFF
	FLOODIE-XS-S-3-VW-43-BM-HV-US	3	208lm	2700K	90	100-245V AC	43	Black Mat	Aluminium	ON-OFF
	FLOODIE-XS-S-3-VW-43-BM-LV-L	3	225lm	2700K	90	24V DC	43	Black Mat	Aluminium	DALI
	FLOODIE-XS-S-3-VW-43-BM-LV-LB	3	225lm	2700K	90	24V DC	43	Black Mat	Aluminium	DALI
	FLOODIE-XS-S-3-VW-43-BM-LV-LS	3	225lm	2700K	90	24V DC	43	Black Mat	Aluminium	DALI
	FLOODIE-XS-S-3-VW-43-BM-LV-U	3	225lm	2700K	90	24V DC	43	Black Mat	Aluminium	DALI
	FLOODIE-XS-S-3-VW-43-BM-LV-UB	3	225lm	2700K	90	24V DC	43	Black Mat	Aluminium	DALI
	FLOODIE-XS-S-3-VW-43-BM-LV-US	3	225lm	2700K	90	24V DC	43	Black Mat	Aluminium	DALI
	FLOODIE-XS-S-3-VW-43-BR-HV-L	3	208lm	2700K	90	100-245V AC	43	Brown Corten	Aluminium	ON-OFF
	FLOODIE-XS-S-3-VW-43-BR-HV-U	3	208lm	2700K	90	100-245V AC	43	Brown Corten	Aluminium	ON-OFF
	FLOODIE-XS-S-3-VW-43-BR-LV-L	3	225lm	2700K	90	24V DC	43	Brown Corten	Aluminium	DALI
	FLOODIE-XS-S-3-VW-43-BR-LV-U	3	225lm	2700K	90	24V DC	43	Brown Corten	Aluminium	DALI
	FLOODIE-XS-S-3-VW-43-GD-HV-L	3	208lm	2700K	90	100-245V AC	43	Dark Grey	Aluminium	ON-OFF
	FLOODIE-XS-S-3-VW-43-GD-HV-U	3	208lm	2700K	90	100-245V AC	43	Dark Grey	Aluminium	ON-OFF
	FLOODIE-XS-S-3-VW-43-GD-LV-L	3	225lm	2700K	90	24V DC	43	Dark Grey	Aluminium	DALI
	FLOODIE-XS-S-3-VW-43-GD-LV-U	3	225lm	2700K	90	24V DC	43	Dark Grey	Aluminium	DALI
	FLOODIE-XS-S-3-VW-43-WM-HV-L	3	208lm	2700K	90	100-245V AC	43	White Mat	Aluminium	ON-OFF
	FLOODIE-XS-S-3-VW-43-WM-HV-U	3	208lm	2700K	90	100-245V AC	43	White Mat	Aluminium	ON-OFF

Niviss reserves the right to make technical changes without prior notice
product_card_20261113_205405

	FLOODIE-XS-S-3-VW-43-WM-LV-L	3	225lm	2700K	90	24V DC	43	White Mat	Aluminium	DALI
	FLOODIE-XS-S-3-VW-43-WM-LV-U	3	225lm	2700K	90	24V DC	43	White Mat	Aluminium	DALI
	FLOODIE-XS-S-3-VW-6-BM-HV-L	3	208lm	2700K	90	100-245V AC	6	Black Mat	Aluminium	ON-OFF
	FLOODIE-XS-S-3-VW-6-BM-HV-LB	3	208lm	2700K	90	100-245V AC	6	Black Mat	Aluminium	ON-OFF
	FLOODIE-XS-S-3-VW-6-BM-HV-LS	3	208lm	2700K	90	100-245V AC	6	Black Mat	Aluminium	ON-OFF
	FLOODIE-XS-S-3-VW-6-BM-HV-U	3	208lm	2700K	90	100-245V AC	6	Black Mat	Aluminium	ON-OFF
	FLOODIE-XS-S-3-VW-6-BM-HV-UB	3	208lm	2700K	90	100-245V AC	6	Black Mat	Aluminium	ON-OFF
	FLOODIE-XS-S-3-VW-6-BM-HV-US	3	208lm	2700K	90	100-245V AC	6	Black Mat	Aluminium	ON-OFF
	FLOODIE-XS-S-3-VW-6-BM-LV-L	3	225lm	2700K	90	24V DC	6	Black Mat	Aluminium	DALI
	FLOODIE-XS-S-3-VW-6-BM-LV-LB	3	225lm	2700K	90	24V DC	6	Black Mat	Aluminium	DALI
	FLOODIE-XS-S-3-VW-6-BM-LV-LS	3	225lm	2700K	90	24V DC	6	Black Mat	Aluminium	DALI
	FLOODIE-XS-S-3-VW-6-BM-LV-U	3	225lm	2700K	90	24V DC	6	Black Mat	Aluminium	DALI
	FLOODIE-XS-S-3-VW-6-BM-LV-UB	3	225lm	2700K	90	24V DC	6	Black Mat	Aluminium	DALI
	FLOODIE-XS-S-3-VW-6-BM-LV-US	3	225lm	2700K	90	24V DC	6	Black Mat	Aluminium	DALI
	FLOODIE-XS-S-3-VW-6-BR-HV-L	3	208lm	2700K	90	100-245V AC	6	Brown Corten	Aluminium	ON-OFF
	FLOODIE-XS-S-3-VW-6-BR-HV-U	3	208lm	2700K	90	100-245V AC	6	Brown Corten	Aluminium	ON-OFF
	FLOODIE-XS-S-3-VW-6-BR-LV-L	3	225lm	2700K	90	24V DC	6	Brown Corten	Aluminium	DALI
	FLOODIE-XS-S-3-VW-6-BR-LV-U	3	225lm	2700K	90	24V DC	6	Brown Corten	Aluminium	DALI
	FLOODIE-XS-S-3-VW-6-GD-HV-L	3	208lm	2700K	90	100-245V AC	6	Dark Grey	Aluminium	ON-OFF
	FLOODIE-XS-S-3-VW-6-GD-HV-U	3	208lm	2700K	90	100-245V AC	6	Dark Grey	Aluminium	ON-OFF
	FLOODIE-XS-S-3-VW-6-GD-LV-L	3	225lm	2700K	90	24V DC	6	Dark Grey	Aluminium	DALI
	FLOODIE-XS-S-3-VW-6-GD-LV-U	3	225lm	2700K	90	24V DC	6	Dark Grey	Aluminium	DALI
	FLOODIE-XS-S-3-VW-6-WM-HV-L	3	208lm	2700K	90	100-245V AC	6	White Mat	Aluminium	ON-OFF
	FLOODIE-XS-S-3-VW-6-WM-HV-U	3	208lm	2700K	90	100-245V AC	6	White Mat	Aluminium	ON-OFF

Niviss reserves the right to make technical changes without prior notice
product_card_20261113_205405

	FLOODIE-XS-S-3-VW-6-WM-LV-L	3	225lm	2700K	90	24V DC	6	White Mat	Aluminium	DALI
	FLOODIE-XS-S-3-VW-6-WM-LV-U	3	225lm	2700K	90	24V DC	6	White Mat	Aluminium	DALI
	FLOODIE-XS-S-3-VW-60-BM-HV-L	3	208lm	2700K	90	100-245V AC	60	Black Mat	Aluminium	ON-OFF
	FLOODIE-XS-S-3-VW-60-BM-HV-LB	3	208lm	2700K	90	100-245V AC	60	Black Mat	Aluminium	ON-OFF
	FLOODIE-XS-S-3-VW-60-BM-HV-LS	3	208lm	2700K	90	100-245V AC	60	Black Mat	Aluminium	ON-OFF
	FLOODIE-XS-S-3-VW-60-BM-HV-U	3	208lm	2700K	90	100-245V AC	60	Black Mat	Aluminium	ON-OFF
	FLOODIE-XS-S-3-VW-60-BM-HV-UB	3	208lm	2700K	90	100-245V AC	60	Black Mat	Aluminium	ON-OFF
	FLOODIE-XS-S-3-VW-60-BM-HV-US	3	208lm	2700K	90	100-245V AC	60	Black Mat	Aluminium	ON-OFF
	FLOODIE-XS-S-3-VW-60-BM-LV-L	3	225lm	2700K	90	24V DC	60	Black Mat	Aluminium	DALI
	FLOODIE-XS-S-3-VW-60-BM-LV-LB	3	225lm	2700K	90	24V DC	60	Black Mat	Aluminium	DALI
	FLOODIE-XS-S-3-VW-60-BM-LV-LS	3	225lm	2700K	90	24V DC	60	Black Mat	Aluminium	DALI
	FLOODIE-XS-S-3-VW-60-BM-LV-U	3	225lm	2700K	90	24V DC	60	Black Mat	Aluminium	DALI
	FLOODIE-XS-S-3-VW-60-BM-LV-UB	3	225lm	2700K	90	24V DC	60	Black Mat	Aluminium	DALI
	FLOODIE-XS-S-3-VW-60-BM-LV-US	3	225lm	2700K	90	24V DC	60	Black Mat	Aluminium	DALI
	FLOODIE-XS-S-3-VW-60-BR-HV-L	3	208lm	2700K	90	100-245V AC	60	Brown Corten	Aluminium	ON-OFF
	FLOODIE-XS-S-3-VW-60-BR-HV-U	3	208lm	2700K	90	100-245V AC	60	Brown Corten	Aluminium	ON-OFF
	FLOODIE-XS-S-3-VW-60-BR-LV-L	3	225lm	2700K	90	24V DC	60	Brown Corten	Aluminium	DALI
	FLOODIE-XS-S-3-VW-60-BR-LV-U	3	225lm	2700K	90	24V DC	60	Brown Corten	Aluminium	DALI
	FLOODIE-XS-S-3-VW-60-GD-HV-L	3	208lm	2700K	90	100-245V AC	60	Dark Grey	Aluminium	ON-OFF
	FLOODIE-XS-S-3-VW-60-GD-HV-U	3	208lm	2700K	90	100-245V AC	60	Dark Grey	Aluminium	ON-OFF
	FLOODIE-XS-S-3-VW-60-GD-LV-L	3	225lm	2700K	90	24V DC	60	Dark Grey	Aluminium	DALI
	FLOODIE-XS-S-3-VW-60-GD-LV-U	3	225lm	2700K	90	24V DC	60	Dark Grey	Aluminium	DALI
	FLOODIE-XS-S-3-VW-60-WM-HV-L	3	208lm	2700K	90	100-245V AC	60	White Mat	Aluminium	ON-OFF
	FLOODIE-XS-S-3-VW-60-WM-HV-U	3	208lm	2700K	90	100-245V AC	60	White Mat	Aluminium	ON-OFF

Niviss reserves the right to make technical changes without prior notice
product_card_20261113_205405

	FLOODIE-XS-S-3-VW-60-WM-LV-L	3	225lm	2700K	90	24V DC	60	White Mat	Aluminium	DALI
	FLOODIE-XS-S-3-VW-60-WM-LV-U	3	225lm	2700K	90	24V DC	60	White Mat	Aluminium	DALI
	FLOODIE-XS-S-3-WW-11-BM-HV-L	3	235lm	3000K	90	100-245V AC	11	Black Mat	Aluminium	ON-OFF
	FLOODIE-XS-S-3-WW-11-BM-HV-LB	3	235lm	3000K	90	100-245V AC	11	Black Mat	Aluminium	ON-OFF
	FLOODIE-XS-S-3-WW-11-BM-HV-LS	3	235lm	3000K	90	100-245V AC	11	Black Mat	Aluminium	ON-OFF
	FLOODIE-XS-S-3-WW-11-BM-HV-U	3	235lm	3000K	90	100-245V AC	11	Black Mat	Aluminium	ON-OFF
	FLOODIE-XS-S-3-WW-11-BM-HV-UB	3	235lm	3000K	90	100-245V AC	11	Black Mat	Aluminium	ON-OFF
	FLOODIE-XS-S-3-WW-11-BM-HV-US	3	235lm	3000K	90	100-245V AC	11	Black Mat	Aluminium	ON-OFF
	FLOODIE-XS-S-3-WW-11-BM-LV-L	3	255lm	3000K	90	24V DC	11	Black Mat	Aluminium	DALI
	FLOODIE-XS-S-3-WW-11-BM-LV-LB	3	255lm	3000K	90	24V DC	11	Black Mat	Aluminium	DALI
	FLOODIE-XS-S-3-WW-11-BM-LV-LS	3	255lm	3000K	90	24V DC	11	Black Mat	Aluminium	DALI
	FLOODIE-XS-S-3-WW-11-BM-LV-U	3	255lm	3000K	90	24V DC	11	Black Mat	Aluminium	DALI
	FLOODIE-XS-S-3-WW-11-BM-LV-UB	3	255lm	3000K	90	24V DC	11	Black Mat	Aluminium	DALI
	FLOODIE-XS-S-3-WW-11-BM-LV-US	3	255lm	3000K	90	24V DC	11	Black Mat	Aluminium	DALI
	FLOODIE-XS-S-3-WW-11-BR-HV-L	3	235lm	3000K	90	100-245V AC	11	Brown Corten	Aluminium	ON-OFF
	FLOODIE-XS-S-3-WW-11-BR-HV-U	3	235lm	3000K	90	100-245V AC	11	Brown Corten	Aluminium	ON-OFF
	FLOODIE-XS-S-3-WW-11-BR-LV-L	3	255lm	3000K	90	24V DC	11	Brown Corten	Aluminium	DALI
	FLOODIE-XS-S-3-WW-11-BR-LV-U	3	255lm	3000K	90	24V DC	11	Brown Corten	Aluminium	DALI
	FLOODIE-XS-S-3-WW-11-GD-HV-L	3	235lm	3000K	90	100-245V AC	11	Dark Grey	Aluminium	ON-OFF
	FLOODIE-XS-S-3-WW-11-GD-HV-U	3	235lm	3000K	90	100-245V AC	11	Dark Grey	Aluminium	ON-OFF
	FLOODIE-XS-S-3-WW-11-GD-LV-L	3	255lm	3000K	90	24V DC	11	Dark Grey	Aluminium	DALI
	FLOODIE-XS-S-3-WW-11-GD-LV-U	3	255lm	3000K	90	24V DC	11	Dark Grey	Aluminium	DALI
	FLOODIE-XS-S-3-WW-11-WM-HV-L	3	235lm	3000K	90	100-245V AC	11	White Mat	Aluminium	ON-OFF
	FLOODIE-XS-S-3-WW-11-WM-HV-U	3	235lm	3000K	90	100-245V AC	11	White Mat	Aluminium	ON-OFF

Niviss reserves the right to make technical changes without prior notice
product_card_20261113_205405

	FLOODIE-XS-S-3-WW-11-WM-LV-L	3	255lm	3000K	90	24V DC	11	White Mat	Aluminium	DALI
	FLOODIE-XS-S-3-WW-11-WM-LV-U	3	255lm	3000K	90	24V DC	11	White Mat	Aluminium	DALI
	FLOODIE-XS-S-3-WW-17-BM-HV-L	3	235lm	3000K	90	100-245V AC	17	Black Mat	Aluminium	ON-OFF
	FLOODIE-XS-S-3-WW-17-BM-HV-LB	3	235lm	3000K	90	100-245V AC	17	Black Mat	Aluminium	ON-OFF
	FLOODIE-XS-S-3-WW-17-BM-HV-LS	3	235lm	3000K	90	100-245V AC	17	Black Mat	Aluminium	ON-OFF
	FLOODIE-XS-S-3-WW-17-BM-HV-U	3	235lm	3000K	90	100-245V AC	17	Black Mat	Aluminium	ON-OFF
	FLOODIE-XS-S-3-WW-17-BM-HV-UB	3	235lm	3000K	90	100-245V AC	17	Black Mat	Aluminium	ON-OFF
	FLOODIE-XS-S-3-WW-17-BM-HV-US	3	235lm	3000K	90	100-245V AC	17	Black Mat	Aluminium	ON-OFF
	FLOODIE-XS-S-3-WW-17-BM-LV-L	3	255lm	3000K	90	24V DC	17	Black Mat	Aluminium	DALI
	FLOODIE-XS-S-3-WW-17-BM-LV-LB	3	255lm	3000K	90	24V DC	17	Black Mat	Aluminium	DALI
	FLOODIE-XS-S-3-WW-17-BM-LV-LS	3	255lm	3000K	90	24V DC	17	Black Mat	Aluminium	DALI
	FLOODIE-XS-S-3-WW-17-BM-LV-U	3	255lm	3000K	90	24V DC	17	Black Mat	Aluminium	DALI
	FLOODIE-XS-S-3-WW-17-BM-LV-UB	3	255lm	3000K	90	24V DC	17	Black Mat	Aluminium	DALI
	FLOODIE-XS-S-3-WW-17-BM-LV-US	3	255lm	3000K	90	24V DC	17	Black Mat	Aluminium	DALI
	FLOODIE-XS-S-3-WW-17-BR-HV-L	3	235lm	3000K	90	100-245V AC	17	Brown Corten	Aluminium	ON-OFF
	FLOODIE-XS-S-3-WW-17-BR-HV-U	3	235lm	3000K	90	100-245V AC	17	Brown Corten	Aluminium	ON-OFF
	FLOODIE-XS-S-3-WW-17-BR-LV-L	3	255lm	3000K	90	24V DC	17	Brown Corten	Aluminium	DALI
	FLOODIE-XS-S-3-WW-17-BR-LV-U	3	255lm	3000K	90	24V DC	17	Brown Corten	Aluminium	DALI
	FLOODIE-XS-S-3-WW-17-GD-HV-L	3	235lm	3000K	90	100-245V AC	17	Dark Grey	Aluminium	ON-OFF
	FLOODIE-XS-S-3-WW-17-GD-HV-U	3	235lm	3000K	90	100-245V AC	17	Dark Grey	Aluminium	ON-OFF
	FLOODIE-XS-S-3-WW-17-GD-LV-L	3	255lm	3000K	90	24V DC	17	Dark Grey	Aluminium	DALI
	FLOODIE-XS-S-3-WW-17-GD-LV-U	3	255lm	3000K	90	24V DC	17	Dark Grey	Aluminium	DALI
	FLOODIE-XS-S-3-WW-17-WM-HV-L	3	235lm	3000K	90	100-245V AC	17	White Mat	Aluminium	ON-OFF
	FLOODIE-XS-S-3-WW-17-WM-HV-U	3	235lm	3000K	90	100-245V AC	17	White Mat	Aluminium	ON-OFF

Niviss reserves the right to make technical changes without prior notice
product_card_20261113_205405

	FLOODIE-XS-S-3-WW-17-WM-LV-L	3	255lm	3000K	90	24V DC	17	White Mat	Aluminium	DALI
	FLOODIE-XS-S-3-WW-17-WM-LV-U	3	255lm	3000K	90	24V DC	17	White Mat	Aluminium	DALI
	FLOODIE-XS-S-3-WW-23-BM-HV-L	3	235lm	3000K	90	100-245V AC	23	Black Mat	Aluminium	ON-OFF
	FLOODIE-XS-S-3-WW-23-BM-HV-LB	3	235lm	3000K	90	100-245V AC	23	Black Mat	Aluminium	ON-OFF
	FLOODIE-XS-S-3-WW-23-BM-HV-LS	3	235lm	3000K	90	100-245V AC	23	Black Mat	Aluminium	ON-OFF
	FLOODIE-XS-S-3-WW-23-BM-HV-U	3	235lm	3000K	90	100-245V AC	23	Black Mat	Aluminium	ON-OFF
	FLOODIE-XS-S-3-WW-23-BM-HV-UB	3	235lm	3000K	90	100-245V AC	23	Black Mat	Aluminium	ON-OFF
	FLOODIE-XS-S-3-WW-23-BM-HV-US	3	235lm	3000K	90	100-245V AC	23	Black Mat	Aluminium	ON-OFF
	FLOODIE-XS-S-3-WW-23-BM-LV-L	3	255lm	3000K	90	24V DC	23	Black Mat	Aluminium	DALI
	FLOODIE-XS-S-3-WW-23-BM-LV-LB	3	255lm	3000K	90	24V DC	23	Black Mat	Aluminium	DALI
	FLOODIE-XS-S-3-WW-23-BM-LV-LS	3	255lm	3000K	90	24V DC	23	Black Mat	Aluminium	DALI
	FLOODIE-XS-S-3-WW-23-BM-LV-U	3	255lm	3000K	90	24V DC	23	Black Mat	Aluminium	DALI
	FLOODIE-XS-S-3-WW-23-BM-LV-UB	3	255lm	3000K	90	24V DC	23	Black Mat	Aluminium	DALI
	FLOODIE-XS-S-3-WW-23-BM-LV-US	3	255lm	3000K	90	24V DC	23	Black Mat	Aluminium	DALI
	FLOODIE-XS-S-3-WW-23-BR-HV-L	3	235lm	3000K	90	100-245V AC	23	Brown Corten	Aluminium	ON-OFF
	FLOODIE-XS-S-3-WW-23-BR-HV-U	3	235lm	3000K	90	100-245V AC	23	Brown Corten	Aluminium	ON-OFF
	FLOODIE-XS-S-3-WW-23-BR-LV-L	3	255lm	3000K	90	24V DC	23	Brown Corten	Aluminium	DALI
	FLOODIE-XS-S-3-WW-23-BR-LV-U	3	255lm	3000K	90	24V DC	23	Brown Corten	Aluminium	DALI
	FLOODIE-XS-S-3-WW-23-GD-HV-L	3	235lm	3000K	90	100-245V AC	23	Dark Grey	Aluminium	ON-OFF
	FLOODIE-XS-S-3-WW-23-GD-HV-U	3	235lm	3000K	90	100-245V AC	23	Dark Grey	Aluminium	ON-OFF
	FLOODIE-XS-S-3-WW-23-GD-LV-L	3	255lm	3000K	90	24V DC	23	Dark Grey	Aluminium	DALI
	FLOODIE-XS-S-3-WW-23-GD-LV-U	3	255lm	3000K	90	24V DC	23	Dark Grey	Aluminium	DALI
	FLOODIE-XS-S-3-WW-23-WM-HV-L	3	235lm	3000K	90	100-245V AC	23	White Mat	Aluminium	ON-OFF
	FLOODIE-XS-S-3-WW-23-WM-HV-U	3	235lm	3000K	90	100-245V AC	23	White Mat	Aluminium	ON-OFF

Niviss reserves the right to make technical changes without prior notice
product_card_20261113_205405

	FLOODIE-XS-S-3-WW-23-WM-LV-L	3	255lm	3000K	90	24V DC	23	White Mat	Aluminium	DALI
	FLOODIE-XS-S-3-WW-23-WM-LV-U	3	255lm	3000K	90	24V DC	23	White Mat	Aluminium	DALI
	FLOODIE-XS-S-3-WW-28-BM-HV-L	3	235lm	3000K	90	100-245V AC	28	Black Mat	Aluminium	ON-OFF
	FLOODIE-XS-S-3-WW-28-BM-HV-LB	3	235lm	3000K	90	100-245V AC	28	Black Mat	Aluminium	ON-OFF
	FLOODIE-XS-S-3-WW-28-BM-HV-LS	3	235lm	3000K	90	100-245V AC	28	Black Mat	Aluminium	ON-OFF
	FLOODIE-XS-S-3-WW-28-BM-HV-U	3	235lm	3000K	90	100-245V AC	28	Black Mat	Aluminium	ON-OFF
	FLOODIE-XS-S-3-WW-28-BM-HV-UB	3	235lm	3000K	90	100-245V AC	28	Black Mat	Aluminium	ON-OFF
	FLOODIE-XS-S-3-WW-28-BM-HV-US	3	235lm	3000K	90	100-245V AC	28	Black Mat	Aluminium	ON-OFF
	FLOODIE-XS-S-3-WW-28-BM-LV-L	3	255lm	3000K	90	24V DC	28	Black Mat	Aluminium	DALI
	FLOODIE-XS-S-3-WW-28-BM-LV-LB	3	255lm	3000K	90	24V DC	28	Black Mat	Aluminium	DALI
	FLOODIE-XS-S-3-WW-28-BM-LV-LS	3	255lm	3000K	90	24V DC	28	Black Mat	Aluminium	DALI
	FLOODIE-XS-S-3-WW-28-BM-LV-U	3	255lm	3000K	90	24V DC	28	Black Mat	Aluminium	DALI
	FLOODIE-XS-S-3-WW-28-BM-LV-UB	3	255lm	3000K	90	24V DC	28	Black Mat	Aluminium	DALI
	FLOODIE-XS-S-3-WW-28-BM-LV-US	3	255lm	3000K	90	24V DC	28	Black Mat	Aluminium	DALI
	FLOODIE-XS-S-3-WW-28-BR-HV-L	3	235lm	3000K	90	100-245V AC	28	Brown Corten	Aluminium	ON-OFF
	FLOODIE-XS-S-3-WW-28-BR-HV-U	3	235lm	3000K	90	100-245V AC	28	Brown Corten	Aluminium	ON-OFF
	FLOODIE-XS-S-3-WW-28-BR-LV-L	3	255lm	3000K	90	24V DC	28	Brown Corten	Aluminium	DALI
	FLOODIE-XS-S-3-WW-28-BR-LV-U	3	255lm	3000K	90	24V DC	28	Brown Corten	Aluminium	DALI
	FLOODIE-XS-S-3-WW-28-GD-HV-L	3	235lm	3000K	90	100-245V AC	28	Dark Grey	Aluminium	ON-OFF
	FLOODIE-XS-S-3-WW-28-GD-HV-U	3	235lm	3000K	90	100-245V AC	28	Dark Grey	Aluminium	ON-OFF
	FLOODIE-XS-S-3-WW-28-GD-LV-L	3	255lm	3000K	90	24V DC	28	Dark Grey	Aluminium	DALI
	FLOODIE-XS-S-3-WW-28-GD-LV-U	3	255lm	3000K	90	24V DC	28	Dark Grey	Aluminium	DALI
	FLOODIE-XS-S-3-WW-28-WM-HV-L	3	235lm	3000K	90	100-245V AC	28	White Mat	Aluminium	ON-OFF
	FLOODIE-XS-S-3-WW-28-WM-HV-U	3	235lm	3000K	90	100-245V AC	28	White Mat	Aluminium	ON-OFF

Niviss reserves the right to make technical changes without prior notice
product_card_20261113_205405

	FLOODIE-XS-S-3-WW-28-WM-LV-L	3	255lm	3000K	90	24V DC	28	White Mat	Aluminium	DALI
	FLOODIE-XS-S-3-WW-28-WM-LV-U	3	255lm	3000K	90	24V DC	28	White Mat	Aluminium	DALI
	FLOODIE-XS-S-3-WW-43-BM-HV-L	3	235lm	3000K	90	100-245V AC	43	Black Mat	Aluminium	ON-OFF
	FLOODIE-XS-S-3-WW-43-BM-HV-LB	3	235lm	3000K	90	100-245V AC	43	Black Mat	Aluminium	ON-OFF
	FLOODIE-XS-S-3-WW-43-BM-HV-LS	3	235lm	3000K	90	100-245V AC	43	Black Mat	Aluminium	ON-OFF
	FLOODIE-XS-S-3-WW-43-BM-HV-U	3	235lm	3000K	90	100-245V AC	43	Black Mat	Aluminium	ON-OFF
	FLOODIE-XS-S-3-WW-43-BM-HV-UB	3	235lm	3000K	90	100-245V AC	43	Black Mat	Aluminium	ON-OFF
	FLOODIE-XS-S-3-WW-43-BM-HV-US	3	235lm	3000K	90	100-245V AC	43	Black Mat	Aluminium	ON-OFF
	FLOODIE-XS-S-3-WW-43-BM-LV-L	3	255lm	3000K	90	24V DC	43	Black Mat	Aluminium	DALI
	FLOODIE-XS-S-3-WW-43-BM-LV-LB	3	255lm	3000K	90	24V DC	43	Black Mat	Aluminium	DALI
	FLOODIE-XS-S-3-WW-43-BM-LV-LS	3	255lm	3000K	90	24V DC	43	Black Mat	Aluminium	DALI
	FLOODIE-XS-S-3-WW-43-BM-LV-U	3	255lm	3000K	90	24V DC	43	Black Mat	Aluminium	DALI
	FLOODIE-XS-S-3-WW-43-BM-LV-UB	3	255lm	3000K	90	24V DC	43	Black Mat	Aluminium	DALI
	FLOODIE-XS-S-3-WW-43-BM-LV-US	3	255lm	3000K	90	24V DC	43	Black Mat	Aluminium	DALI
	FLOODIE-XS-S-3-WW-43-BR-HV-L	3	235lm	3000K	90	100-245V AC	43	Brown Corten	Aluminium	ON-OFF
	FLOODIE-XS-S-3-WW-43-BR-HV-U	3	235lm	3000K	90	100-245V AC	43	Brown Corten	Aluminium	ON-OFF
	FLOODIE-XS-S-3-WW-43-BR-LV-L	3	255lm	3000K	90	24V DC	43	Brown Corten	Aluminium	DALI
	FLOODIE-XS-S-3-WW-43-BR-LV-U	3	255lm	3000K	90	24V DC	43	Brown Corten	Aluminium	DALI
	FLOODIE-XS-S-3-WW-43-GD-HV-L	3	235lm	3000K	90	100-245V AC	43	Dark Grey	Aluminium	ON-OFF
	FLOODIE-XS-S-3-WW-43-GD-HV-U	3	235lm	3000K	90	100-245V AC	43	Dark Grey	Aluminium	ON-OFF
	FLOODIE-XS-S-3-WW-43-GD-LV-L	3	255lm	3000K	90	24V DC	43	Dark Grey	Aluminium	DALI
	FLOODIE-XS-S-3-WW-43-GD-LV-U	3	255lm	3000K	90	24V DC	43	Dark Grey	Aluminium	DALI
	FLOODIE-XS-S-3-WW-43-WM-HV-L	3	235lm	3000K	90	100-245V AC	43	White Mat	Aluminium	ON-OFF
	FLOODIE-XS-S-3-WW-43-WM-HV-U	3	235lm	3000K	90	100-245V AC	43	White Mat	Aluminium	ON-OFF

Niviss reserves the right to make technical changes without prior notice
product_card_20261113_205405

	FLOODIE-XS-S-3-WW-43-WM-LV-L	3	255lm	3000K	90	24V DC	43	White Mat	Aluminium	DALI
	FLOODIE-XS-S-3-WW-43-WM-LV-U	3	255lm	3000K	90	24V DC	43	White Mat	Aluminium	DALI
	FLOODIE-XS-S-3-WW-6-BM-HV-L	3	235lm	3000K	90	100-245V AC	6	Black Mat	Aluminium	ON-OFF
	FLOODIE-XS-S-3-WW-6-BM-HV-LB	3	235lm	3000K	90	100-245V AC	6	Black Mat	Aluminium	ON-OFF
	FLOODIE-XS-S-3-WW-6-BM-HV-LS	3	235lm	3000K	90	100-245V AC	6	Black Mat	Aluminium	ON-OFF
	FLOODIE-XS-S-3-WW-6-BM-HV-U	3	235lm	3000K	90	100-245V AC	6	Black Mat	Aluminium	ON-OFF
	FLOODIE-XS-S-3-WW-6-BM-HV-UB	3	235lm	3000K	90	100-245V AC	6	Black Mat	Aluminium	ON-OFF
	FLOODIE-XS-S-3-WW-6-BM-HV-US	3	235lm	3000K	90	100-245V AC	6	Black Mat	Aluminium	ON-OFF
	FLOODIE-XS-S-3-WW-6-BM-LV-L	3	255lm	3000K	90	24V DC	6	Black Mat	Aluminium	DALI
	FLOODIE-XS-S-3-WW-6-BM-LV-LB	3	255lm	3000K	90	24V DC	6	Black Mat	Aluminium	DALI
	FLOODIE-XS-S-3-WW-6-BM-LV-LS	3	255lm	3000K	90	24V DC	6	Black Mat	Aluminium	DALI
	FLOODIE-XS-S-3-WW-6-BM-LV-U	3	255lm	3000K	90	24V DC	6	Black Mat	Aluminium	DALI
	FLOODIE-XS-S-3-WW-6-BM-LV-UB	3	255lm	3000K	90	24V DC	6	Black Mat	Aluminium	DALI
	FLOODIE-XS-S-3-WW-6-BM-LV-US	3	255lm	3000K	90	24V DC	6	Black Mat	Aluminium	DALI
	FLOODIE-XS-S-3-WW-6-BR-HV-L	3	235lm	3000K	90	100-245V AC	6	Brown Corten	Aluminium	ON-OFF
	FLOODIE-XS-S-3-WW-6-BR-HV-U	3	235lm	3000K	90	100-245V AC	6	Brown Corten	Aluminium	ON-OFF
	FLOODIE-XS-S-3-WW-6-BR-LV-L	3	255lm	3000K	90	24V DC	6	Brown Corten	Aluminium	DALI
	FLOODIE-XS-S-3-WW-6-BR-LV-U	3	255lm	3000K	90	24V DC	6	Brown Corten	Aluminium	DALI
	FLOODIE-XS-S-3-WW-6-GD-HV-L	3	235lm	3000K	90	100-245V AC	6	Dark Grey	Aluminium	ON-OFF
	FLOODIE-XS-S-3-WW-6-GD-HV-U	3	235lm	3000K	90	100-245V AC	6	Dark Grey	Aluminium	ON-OFF
	FLOODIE-XS-S-3-WW-6-GD-LV-L	3	255lm	3000K	90	24V DC	6	Dark Grey	Aluminium	DALI
	FLOODIE-XS-S-3-WW-6-GD-LV-U	3	255lm	3000K	90	24V DC	6	Dark Grey	Aluminium	DALI
	FLOODIE-XS-S-3-WW-6-WM-HV-L	3	235lm	3000K	90	100-245V AC	6	White Mat	Aluminium	ON-OFF
	FLOODIE-XS-S-3-WW-6-WM-HV-U	3	235lm	3000K	90	100-245V AC	6	White Mat	Aluminium	ON-OFF

Niviss reserves the right to make technical changes without prior notice
product_card_20261113_205405

	FLOODIE-XS-S-3-WW-6-WM-LV-L	3	255lm	3000K	90	24V DC	6	White Mat	Aluminium	DALI
	FLOODIE-XS-S-3-WW-6-WM-LV-U	3	255lm	3000K	90	24V DC	6	White Mat	Aluminium	DALI
	FLOODIE-XS-S-3-WW-60-BM-HV-L	3	235lm	3000K	90	100-245V AC	60	Black Mat	Aluminium	ON-OFF
	FLOODIE-XS-S-3-WW-60-BM-HV-LB	3	235lm	3000K	90	100-245V AC	60	Black Mat	Aluminium	ON-OFF
	FLOODIE-XS-S-3-WW-60-BM-HV-LS	3	235lm	3000K	90	100-245V AC	60	Black Mat	Aluminium	ON-OFF
	FLOODIE-XS-S-3-WW-60-BM-HV-U	3	235lm	3000K	90	100-245V AC	60	Black Mat	Aluminium	ON-OFF
	FLOODIE-XS-S-3-WW-60-BM-HV-UB	3	235lm	3000K	90	100-245V AC	60	Black Mat	Aluminium	ON-OFF
	FLOODIE-XS-S-3-WW-60-BM-HV-US	3	235lm	3000K	90	100-245V AC	60	Black Mat	Aluminium	ON-OFF
	FLOODIE-XS-S-3-WW-60-BM-LV-L	3	255lm	3000K	90	24V DC	60	Black Mat	Aluminium	DALI
	FLOODIE-XS-S-3-WW-60-BM-LV-LB	3	255lm	3000K	90	24V DC	60	Black Mat	Aluminium	DALI
	FLOODIE-XS-S-3-WW-60-BM-LV-LS	3	255lm	3000K	90	24V DC	60	Black Mat	Aluminium	DALI
	FLOODIE-XS-S-3-WW-60-BM-LV-U	3	255lm	3000K	90	24V DC	60	Black Mat	Aluminium	DALI
	FLOODIE-XS-S-3-WW-60-BM-LV-UB	3	255lm	3000K	90	24V DC	60	Black Mat	Aluminium	DALI
	FLOODIE-XS-S-3-WW-60-BM-LV-US	3	255lm	3000K	90	24V DC	60	Black Mat	Aluminium	DALI
	FLOODIE-XS-S-3-WW-60-BR-HV-L	3	235lm	3000K	90	100-245V AC	60	Brown Corten	Aluminium	ON-OFF
	FLOODIE-XS-S-3-WW-60-BR-HV-U	3	235lm	3000K	90	100-245V AC	60	Brown Corten	Aluminium	ON-OFF
	FLOODIE-XS-S-3-WW-60-BR-LV-L	3	255lm	3000K	90	24V DC	60	Brown Corten	Aluminium	DALI
	FLOODIE-XS-S-3-WW-60-BR-LV-U	3	255lm	3000K	90	24V DC	60	Brown Corten	Aluminium	DALI
	FLOODIE-XS-S-3-WW-60-GD-HV-L	3	235lm	3000K	90	100-245V AC	60	Dark Grey	Aluminium	ON-OFF
	FLOODIE-XS-S-3-WW-60-GD-HV-U	3	235lm	3000K	90	100-245V AC	60	Dark Grey	Aluminium	ON-OFF
	FLOODIE-XS-S-3-WW-60-GD-LV-L	3	255lm	3000K	90	24V DC	60	Dark Grey	Aluminium	DALI
	FLOODIE-XS-S-3-WW-60-GD-LV-U	3	255lm	3000K	90	24V DC	60	Dark Grey	Aluminium	DALI
	FLOODIE-XS-S-3-WW-60-WM-HV-L	3	235lm	3000K	90	100-245V AC	60	White Mat	Aluminium	ON-OFF
	FLOODIE-XS-S-3-WW-60-WM-HV-U	3	235lm	3000K	90	100-245V AC	60	White Mat	Aluminium	ON-OFF

Niviss reserves the right to make technical changes without prior notice
product_card_20261113_205405

	FLOODIE-XS-S-3-WW-60-WM-LV-L	3	255lm	3000K	90	24V DC	60	White Mat	Aluminium	DALI
	FLOODIE-XS-S-3-WW-60-WM-LV-U	3	255lm	3000K	90	24V DC	60	White Mat	Aluminium	DALI

OGÓLNE WARUNKI UŻYTKOWANIA

- Przed użyciem oprawy świetlnej należy upewnić się na jaki zakres napięć jest ona przeznaczona.
- Podłączenie do zasilania należy wykonać przy wyłączonym zasilaniu.
- Korzystać z odpowiednich gniazdek i wtyczek. Należy upewnić się, że gniazdka i wtyczki elektryczne są zgodne z napięciem i typem oprawy świetlnej.
- Stosować odpowiednie okablowanie do opraw świetlnych.
- Unikać przeciążenia obwodów elektrycznych, nie podłączając zbyt wielu opraw świetlnych do jednego gniazdka lub obwodu. Przed użyciem należy sprawdzić stan przewodu zasilającego i wtyczki pod kątem uszkodzeń lub zużycia.
- Podczas podłączenia oprawy świetlnej należy zwrócić uwagę na prawidłową polaryzację. Niewłaściwa polaryzacja może uniemożliwić prawidłowe działanie opraw świetlnych lub spowodować ich uszkodzenie.
- Montażu opraw świetlnych powinna dokonać osoba wykwalifikowana.
- Należy utrzymywać oprawy świetlne w czystości. Zanieczyszczenia i kurz mogą mieć negatywny wpływ na ich działanie.
- Postępować zgodnie z powyższym schematem podłączenia oprawy.
- Unikać bezpośredniej ekspozycji oczu na jasne źródło światła. Należy ustawić oprawy świetlne w sposób, który minimalizuje bezpośrednie naświetlenie oczu i/lub niekomfortowy poziom jasności.
- Upewnić się, że oprawa jest ustawiona na stabilnej powierzchni i trzymana z dala od materiałów łatwopalnych. Należy pozostawić wystarczającą ilość miejsca wokół oprawy, aby zapobiec przegrzaniu.
- Przechowywać z dala od ognia.

UWAGA DOTYCZĄCA ŚRODOWISKA!

Zabrania się wyrzucania przestarzałego i zużytego sprzętu elektrycznego i elektronicznego razem ze zwykłymi odpadami domowymi. Należy je odpowiednio posegregować i poddać recyklingowi. Stary sprzęt elektroniczny i elektryczny należy zwrócić do punktu zbiórki odpadów wyznaczonego przez firmę zajmującą się gospodarką odpadami. Zużyty sprzęt elektryczny i elektroniczny zostanie rozdzielony na materiały bazowe, które następnie zostaną poddane recyklingowi. Aby uzyskać więcej informacji na temat gospodarki odpadami, skontaktuj się z lokalnymi władzami, służbami zajmującymi się gospodarką odpadami lub sprzedawcą sprzętu elektronicznego i elektrycznego.